

← Go Back to Pre Work

Course Content

1.2 Test Your Understanding

Type	:	Practice Assessment
Questions	:	9
Scoring Policy	:	Highest Score
Your Marks	:	9/9

Instructions

RETAKE

Attempt History

Attempt #2
Aug 06, 6:04 PM

Marks: 9

Q No: 1 Correct Answer

Marks: 1/1

Anything to the right of # sign in a code cell does not run in Google Colab

- (●) True — You Selected
- ( ) False

Anything to the right of # sign in a code cell is not run in Python because Python treats it as a comment and does not execute that cell.

Q No: 2 Correct Answer

Marks: 1/1

Which of the following is a Boolean variable?

- True
- False
- Both True and False — You Selected
- None of the above

Boolean is a type of variable which can take two values, True and False.

Q No: 3 Correct Answer

Marks: 1/1

In Python, a variable must be declared before it is assigned a value

- True
- False — You Selected

Variables need not be declared in advance in Python. To create a variable, we just assign it a value.

Q No: 4 Correct Answer

Marks: 1/1

Which of the following statement represents the correct method to declare or define the variable?

- (●) number=5 — You Selected
- ( ) let number is 5
- ( ) number-5
- ( ) number#5

To declare a variable assignment operator '=' is used. So the correct answer is number=5.

Q No: 5 Correct Answer

Marks: 1/1

How to inspect the type of variable in Python?

- ( ) float(name_of_the_variable)
- ( ) int(name_of_the_variable)
- ( ) var(name_of_the_variable)
- (●) type(name_of_the_variable) — You Selected

The type() function can be used as type(name_of_the_variable) to get the type of variable. float() function is used to convert the variable to float whereas int() is used to convert the variable to an integer.

Q No: 6 Correct Answer

Marks: 1/1

Given,

```
a ="Hi"
```

What will be the output of type(a)?

- Hi
- str — You Selected
- float
- None of the above

The type function is used to print the type of variable. So in this case the variable is “Hi” which is by default stored as a string variable. Therefore the output will be printed as str.

Q No: 7 Correct Answer

Marks: 1/1

What will be the output of the following code?

```
a = 30
b = 8
c = a/b
print("a is of type",type(a), "and c is of type", type(c))
```

- a is of type <class 'int'> and c is of type <class 'float'> — You Selected
- a is of type <class 'int'> and c is of type <class 'int'>
- a is of type <class float'> and c is of type <class 'float'>
- None of the above

The variable a=30 is an integer, whereas the variable c=a/b which indicates that calculate division of the two variables a and b and return the output as float.

Q No: 8 Correct Answer

Marks: 1/1

What will be the output of the following code snippet?

```
a=4.5
b=int(a)
type(b)
```

- ○ float
- ◉ int — You Selected
- ○ str
- ○ Error

a is 4.5 so by default Python will take it as float. When we are using the function int(a) Python does the conversion of a variable from its parent type to a new type.

Q No: 9 Correct Answer

Marks: 1/1

What will be the output of the following code?

```
a="Hi"
b=int(a)
type(b)
```

- ○ float
- ○ int
- ○ str
- ◉ Error — You Selected

Here a is by default stored as a string variable. When we use function int(a) it tries to convert the non-numeric string into an integer and that's not possible because of which

Previous

ill prompt a value error.

Next

Proprietary content.©Great Learning. All Rights Reserved. Unauthorized use or distribution prohibited.

© 2023 All rights reserved.

Help