

← Go Back to Pre Work

Course Content

1.3 Test Your Understanding

Type	:	Practice Assessment
Questions	:	8
Scoring Policy	:	Highest Score
Your Marks	:	8/8

Instructions

RETAKE

Attempt History

Attempt #2
Aug 06, 6:08 PM

Marks: 8

Q No: 1 Correct Answer

Marks: 1/1

What will be the output of the following code?

```
X = [10,"Range", "Great", -54, 11, 12]
print(X[1])
```

- 10
- Range — You Selected
- 'Range'
- Error

With X[1], Python will select the element at index 1 from the list X, which is "Range" in this case.

Q No: 2 Correct Answer

Marks: 1/1

What will be the output of the following code?

```
X = [10,"Range", "Great", -54, 11, 12]
print(len(X[2:4]))
```

- 1
- 2 — You Selected
- 3
- 4

X[2:4] means selecting the elements from index 2 (inclusive) to 4 (exclusive) from the list. So, the elements at index positions 2 and 3 are fetched, and X[2:4] will give ["Great", -54]. The len() function is used to calculate the length of the list. ["Great", -54] has two elements in it, so len(X[2:4]) will return 2.

Q No: 3 Correct Answer

Marks: 1/1

What will be the output of the following code?

```
X = [10,"Range", "Great", -54, 11, 12]
print(X[2:-1])
```

- ["Range", 10]
- ["Range", "Great"]
- ['Great', -54, 11] — You Selected
- ["Great", "Range"]

X[2:-1] means selecting the elements from index 2 (inclusive) to -1 (exclusive) from the list. So, the elements at index positions 2, 3, 4 are fetched, and X[2:-1] will give ['Great', -54, 11].

Q No: 4 Correct Answer

Marks: 1/1

What will be the output of the following code?

```
X = [10,"Range", "Great", -54, 11, 12]
print(X[-2:-1])
```

- []
- [12]
- [11,12]
- [11] — You Selected

X[-2:-1] means selecting the elements from index -2 (inclusive) to -1 (exclusive) from the list. So the element at index position -2 means 4 is 11. Therefore the correct answer is [11].

Q No: 5 Correct Answer

Marks: 1/1

What is the type of data structure shown below?

```
X = (10,"Range", "Great", -54, 11, 12)
```

- (●) Tuple — You Selected
- ( ) List
- ( ) Dictionary
- ( ) None of the above

The class of the variable can be determined by using the type() method. We just give input to Python as type(variable_name) and Python returns the output as the class of the variable.

Q No: 6 Correct Answer

Marks: 1/1

Identify the correct option with respect to Python

- ( ) Both tuples and lists are mutable.
- (●) Tuples are immutable while lists are mutable. — You Selected
- ( ) Both tuples and lists are immutable.
- ( ) Tuples are mutable while lists are immutable.

The entries in the Tuple can not be changed as they are immutable whereas entries in the List can be modified hence are called mutable.

Q No: 7 Correct Answer

Marks: 1/1

What will be the output of the following code snippet?

```
X = (20,23,-50,5.6,98)
X.pop(2)
print(X)
```

- (20,23,5.6,98)
- (20,-50,5.6,98)
- Error — You Selected
- (20,23,-50,5.6,98)

Tuples cannot be modified, so the pop() method does not work here. Python will raise an Attribute Error in this case.

Q No: 8 Correct Answer

Marks: 1/1

What will be the output of the following code?

```
X = (20,23,-50,5.6,98)
print(X[2:-1])
```

- (-50, 23)
- (-50, 5.6) — You Selected
- (23, -50, 5.6, 98)
- Error

Using X[2:-1] Python select the elements having indexes 2, and 3 (-1 is an exclusive index so it will be ignored). So here elements at index positions 2 and 3 are -50 and 5.6.

Previous Next

Attempt #1

Aug 06, 3:10 PM

Marks: 7

Proprietary content.©Great Learning. All Rights Reserved. Unauthorized use or distribution prohibited.

© 2023 All rights reserved.

Help