

← Go Back to Pre Work

Course Content

1.8 Test Your Understanding

Type	:	Practice Assessment
Questions	:	7
Scoring Policy	:	Highest Score
Your Marks	:	7/7

Instructions

RETAKE

Attempt History

Attempt #3
Aug 07, 12:40 PM

Marks: 7

Q No: 1 Correct Answer

Marks: 1/1

A function is a block of instructions that performs a specific task. Functions break the program into modular chunks which can be reused later.

- (●) True — You Selected
- ( ) False

Functions help break our program into smaller and modular chunks. As the program grows larger and larger, functions make it more organized and manageable. Furthermore, it avoids repetition and makes the code reusable.

Q No: 2 Correct Answer

Marks: 1/1

What will be the output of the following code?

```
def func(a):
  print(a)
A = [0,1,2,3]
func(A)
```

- 'A'
- [0, 1, 2, 3] You Selected
- a
- Error

Functions can take any type of arguments. In this case we passed a list as an argument.

In this case the output is the same parameter that is shared with the function.

So when the func(A) is called it prints a list that contains a list of values ranging from 0 to 3.

Q No: 3 Correct Answer

Marks: 1/1

A function can be defined inside another function in Python.

- True You Selected
- False

We can create functions inside a function body to perform certain operations.

```
def outer_fun(a, b):
    #statements

    # inner function
    def inner_fun(a, b):
        #statements

    # call inner function from outer function
    x = inner_fun(a, b)
```

Q No: 4 Correct Answer

Marks: 1/1

What will be the output of the following Python code?

```
def say(message, times):
    print(message*times)
say("How are you", 2)
```

- How are you, 2
- How are youHow are you — You Selected
- How are you, times
- message, 2

say() function takes input message and times(integer) and prints message number of times(integer) passed to it. The message and number passed to the say() function are "How are you" and '2' so the output is "How are youHow are you".

Q No: 5 Correct Answer

Marks: 1/1

What will be the output of the following code?

```
mul = lambda a,b: return a*b
mul(5,6)
```

- 30
- 5*6
- 30.0
- Error — You Selected

The above code will raise an error because lambda functions cannot use the return statement. Hence, an error for invalid syntax will be raised.

Q No: 6 Correct Answer

Marks: 1/1

The lambda function is generally used when we require an anonymous function for a small task

- True — You Selected
- False

The lambda function is used when we require an anonymous function for a small task. Syntax of lambda function is as follows:

```
lambda arguments : expression
```

Q No: 7 Correct Answer

Marks: 1/1

What would be the output of the following code snippet?

```
(lambda x: (x+2)*5/2)(4)
```

- 4.0
- 15
- 15.0 — You Selected
- Error

A Python lambda expression consists of

- A keyword: lambda
- A bound variable: x
- A body: (x+2)*5/2

The parentheses after the lambda function definition containing 4 specify the argument to be passed to the function. Python executes the body of the lambda function by substituting argument 4 for x.

Attempt #2
Aug 07, 12:38 PM
Marks: 6

Attempt #1
3 PM
Marks: 6

Previous Next

Proprietary content.©Great Learning. All Rights Reserved. Unauthorized use or distribution prohibited.

© 2023 All rights reserved. Help