


How to find ID

Last updated by | Hekmat Abuzahrah | Mar 30, 2023 at 8:35 AM CDT

When opening an IcM about some issue with a file import, it's always very useful to include the file id, so we can find it in our logs. This page explains how to find a file's id.

1. Go to "manage imports" blade:



2. Open the browser's developer tools (you can do it by pressing F12 in most browsers).
3. Go to the network tab:

Manage file imports



Refresh Delete

The system maintains the status of the file import for 30 days. The actual file is maintained in the system for 24 hours. After 24 hours the file is deleted and the ingested indicators will continue to show in the Threat Intelligence menu.

<input type="checkbox"/>	Name	Status	Imported	Source	Invalid	Total	Error report
<input type="checkbox"/>	File Indicators import t...	Not imported	-	gg	-	-	Download
<input type="checkbox"/>	150kindicators.csv	In progress	113899	150kcsv	0	114000	--
<input type="checkbox"/>	100kindicators.json	Not imported	88764	100kjson	0	89000	--
<input type="checkbox"/>	100kindicators.csv	Not imported	93708	100kcsv	0	95000	--
<input type="checkbox"/>	70kindicators.csv	Fully imported	70000	70kcsv	0	70000	--
<input type="checkbox"/>	70kindicators.json	Fully imported	70000	70kjson	0	70000	--
<input type="checkbox"/>	200kindicators.csv	Not imported	26721	200kcsv	0	27000	--
<input type="checkbox"/>	150kindicators.csv	Not imported	23665	150kcsv	0	24000	--
<input type="checkbox"/>	100kindicators.csv	Not imported	22252	100kcsv	0	23000	--
<input type="checkbox"/>	70kindicators.csv	Not imported	26687	70kcsv	0	27000	--
<input type="checkbox"/>	validAndInvalidIndicat...	Partially imported	2	tt	2	4	Download
<input type="checkbox"/>	validAndInvalidIndicat...	Partially imported	2	t	2	4	Download
<input type="checkbox"/>	All other Indicator typ...	Not imported	0	gg	1	1	Download
<input type="checkbox"/>	validAndInvalidIndicat...	Fully imported	1	dd	0	1	--
<input type="checkbox"/>	validAndInvalidIndicat...	Not imported	0	"	1	1	Download
<input type="checkbox"/>	validAndInvalidIndicat...	Not imported	0	ll	1	1	Download
<input type="checkbox"/>	validAndInvalidIndicat...	Partially imported	2	шш	2	4	Download
<input type="checkbox"/>	All other Indicator typ...	Fully imported	0	uu	0	0	--
<input type="checkbox"/>	All other Indicator typ...	Not imported	0	kk	1	1	Download
<input type="checkbox"/>	All other Indicator typ...	Not imported	0	j	1	1	Download
<input type="checkbox"/>	All other Indicator typ...	Not imported	0	s	1	1	Download
<input type="checkbox"/>	File Indicators import t...	Fully imported	4	dddd	0	4	--
<input type="checkbox"/>	File Indicators import t...	Fully imported	4	fff	0	4	--
<input type="checkbox"/>	File Indicators import t...	Partially imported	2	ggg	2	4	Download
<input type="checkbox"/>	File Indicators import t...	Partially imported	5	mmmm	1	6	Download
<input type="checkbox"/>	Indicator import templ...	Not imported	0	jj	1	1	Download
<input type="checkbox"/>	File Indicators import t...	Fully imported	6	kg	0	6	--
<input type="checkbox"/>	File Indicators import t...	Fully imported	6	moran	0	6	--
<input type="checkbox"/>	File Indicators import t...	Fully imported	6	ffff	0	6	--
<input type="checkbox"/>	File Indicators import t...	Partially imported	3	fffff	3	6	Download
<input type="checkbox"/>	validAndInvalidIndicat...	Partially imported	2	moran	2	4	Download
<input type="checkbox"/>	All other Indicator typ...	Not imported	0	gg	8	8	Download
<input type="checkbox"/>	File Indicators import t...	Partially imported	3	f	1	4	Download



4. Refresh the page using the refresh button:

5. You will see that a single call was sent:

Manage file imports

×

 Refresh  Delete


The system maintains the status of the file import for 30 days. The actual file is maintained in the system for 24 hours. After 24 hours the file is deleted and the ingested indicators will continue to show in the Threat Intelligence menu.

6. click that row and go to "Preview". The response will look like this:


Filter ☐ Invert ☐ Hide data URLs

All Fetch/XHR JS CSS Img Media Font Doc WS Wasm Manifest Other ☐ Has blocked cookies ☐ Blocked Requests

☐ 3rd-party requests

	10 ms	20 ms	30 ms	40 ms	50 ms	60 ms	70 ms	80 ms	90 ms	100 ms	110 ms
Name	Status	Type	Initiator	Size	Time	Fulfil...	Waterfall				
 batch?api-version=202...		xhr	Ya-cmUga6...	0 B	Pending						

7. you can find the file you're looking for based on its location in the grid. For example, if you want to file the id for the second file in the grid, you would go to index 1, expand it, and you will see the id:



The screenshot shows a REST client interface with tabs for Headers, Payload, Preview, Response, Initiator, and Timing. The 'Response' tab is active, displaying a JSON response for a GET request. The response is a list of objects, with the selected object having an ID of '5c6cdd73-a30d-43a2-a22e-a2d8e912a00c' and a status of 200. The 'content' field is expanded, showing an array of 18 objects, each with a numeric index from 0 to 17 and a placeholder value '{,...}'.

```

{
  "responses": [
    {
      "name": "5c6cdd73-a30d-43a2-a22e-a2d8e912a00c",
      "statusCode": 200
    }
  ]
}

```

▼ {name: "5c6cdd73-a30d-43a2-a22e-a2d8e912a00c", statusCode: 200,...}

▼ content: {,...}

▼ value: [{,...}, {,...}, {,...}, {,...}, {,...}, {,...}, {,...}, {,...}, {,...}, {,...}, {,...}, {,...}, {,...}, {,...}, {,...}, {,...}, {,...}, {,...}]

- ▶ 0: {,...}
- ▶ 1: {,...}
- ▶ 2: {,...}
- ▶ 3: {,...}
- ▶ 4: {,...}
- ▶ 5: {,...}
- ▶ 6: {,...}
- ▶ 7: {,...}
- ▶ 8: {,...}
- ▶ 9: {,...}
- ▶ 10: {,...}
- ▶ 11: {,...}
- ▶ 12: {,...}
- ▶ 13: {,...}
- ▶ 14: {,...}
- ▶ 15: {,...}
- ▶ 16: {,...}
- ▶ 17: {,...}

You can verify that this is the right file based on its "properties" - name, createTime, etc.

```

{
  "responses": [
    {
      "name": "5c6cdd73-a30d-43a2-a22e-a2d8e912a00c",
      "httpStatusCode": 200,
      "responses": [
        {
          "name": "5c6cdd73-a30d-43a2-a22e-a2d8e912a00c",
          "httpStatusCode": 200,
          "value": [
            {
              "id": "/subscriptions/3c1bb38c-82e3-4f8d-a115-a7110ba70d05/resourceGroups/contoso77/providers/Microsoft.OperationalInsights/workspaces/contoso77/pr",
              "name": "1eab4507-4776-40a6-a19b-b8767cd2295f",
              "properties": {
                "contentType": "BasicIndicator",
                "createdTimeUTC": "2022-06-22T21:51:27.7400609Z",
                "filesValidUntilTimeUTC": "2022-06-23T21:51:27.740061Z",
                "importFile": {
                  "fileName": "150kindicators.csv",
                  "fileSize": 88200252,
                  "fileFormat": "CSV",
                  "fileContentUri": null,
                  "importValidUntilTimeUTC": "2022-07-22T21:51:27.7400618Z",
                  "ingestedRecordCount": 113899,
                  "ingestionMode": "IngestAnyValidRecords",
                  "source": "150kcsv",
                  "state": "InProgress",
                  "totalRecordCount": 114000,
                  "validRecordCount": 114000,
                  "type": "Microsoft.SecurityInsights/FileImports"
                }
              }
            }
          ]
        }
      ]
    }
  ]
}

```

Please attach this file id when you open an lCM.