MOCKUP · SYNTHETIC SAMPLE DATA · NOT A VALID QUOTATION

O-PLATES

Orifice plates, configured and priced online

QUOTATION

QUOTE NO.	Q-2C8E41B0A6
DATE ISSUED	Oct 22, 2026
VALID THROUGH	Nov 21, 2026

PREPARED FOR PURCHASING REVIEW

SUPPLIER

Rogue Machine LLC
O-Plates (customer-facing brand)
400 Public Rd
Yorkville, OH 43971
United States
+1 304-639-0595 · sales@o-plates.com

PREPARED FOR

Example Process Co. (sample)
Jordan Example
100 Sample Way
Anytown, OH 00000
United States
+1 555-0100 · j.example@example.com

LINE ITEMS	TOTAL QUANTITY	LEAD TIME (EST.)	QUOTED SUBTOTAL
25	25 plates	14 days	$17,957.75

#	ITEM AND SPECIFICATION	QTY	UNIT PRICE	EXTENDED
01	**Handled orifice plate — 304 SS, 0.500 in**	1	$718.31	$718.31

Material	304 Stainless Steel	Handle length from bore center	14.000 in
Thickness	0.500 in	Handle hole	Ø0.625 in, center 1.000 in from end
Plate outside diameter	8.000 in		
Bore diameter	4.125 in	Chamfer	0.0625 in × 45°, downstream face
Bore tolerance	± 0.002 in		
Handle width	2.500 in	Handle marking	“FT-4410 4.125 BORE”
		Selected lead time	14 calendar days (est.)

#	ITEM AND SPECIFICATION	QTY	UNIT PRICE	EXTENDED
02	**Handled orifice plate — 304 SS, 0.500 in**	1	$718.31	$718.31

Material	304 Stainless Steel	Handle length from bore center	14.000 in
Thickness	0.500 in	Handle hole	Ø0.625 in, center 1.000 in from end
Plate outside diameter	8.000 in		
Bore diameter	4.125 in	Chamfer	0.0625 in × 45°, downstream face
Bore tolerance	± 0.002 in		
Handle width	2.500 in	Handle marking	“FT-4410 4.125 BORE”
		Selected lead time	14 calendar days (est.)

#	ITEM AND SPECIFICATION	QTY	UNIT PRICE	EXTENDED
03	**Handled orifice plate — 304 SS, 0.500 in**	1	$718.31	$718.31

Material	304 Stainless Steel	Handle length from bore center	14.000 in
Thickness	0.500 in	Handle hole	Ø0.625 in, center 1.000 in from end
Plate outside diameter	8.000 in		
Bore diameter	4.125 in	Chamfer	0.0625 in × 45°, downstream face
Bore tolerance	± 0.002 in		
Handle width	2.500 in	Handle marking	“FT-4410 4.125 BORE”
		Selected lead time	14 calendar days (est.)

MOCKUP · SYNTHETIC SAMPLE DATA · NOT A VALID QUOTATION

#	ITEM AND SPECIFICATION	QTY	UNIT PRICE	EXTENDED
04	**Handled orifice plate — 304 SS, 0.500 in**	1	$718.31	$718.31
	Material: 304 Stainless Steel; Thickness: 0.500 in; Plate outside diameter: 8.000 in; Bore diameter: 4.125 in; Bore tolerance: ± 0.002 in; Handle width: 2.500 in; Handle length from bore center: 14.000 in; Handle hole: Ø0.625 in, center 1.000 in from end; Chamfer: 0.0625 in × 45°, downstream face; Handle marking: “FT-4410 4.125 BORE”; Selected lead time: 14 calendar days (est.)			
05	**Handled orifice plate — 304 SS, 0.500 in**	1	$718.31	$718.31
	Material: 304 Stainless Steel; Thickness: 0.500 in; Plate outside diameter: 8.000 in; Bore diameter: 4.125 in; Bore tolerance: ± 0.002 in; Handle width: 2.500 in; Handle length from bore center: 14.000 in; Handle hole: Ø0.625 in, center 1.000 in from end; Chamfer: 0.0625 in × 45°, downstream face; Handle marking: “FT-4410 4.125 BORE”; Selected lead time: 14 calendar days (est.)			
06	**Handled orifice plate — 304 SS, 0.500 in**	1	$718.31	$718.31
	Material: 304 Stainless Steel; Thickness: 0.500 in; Plate outside diameter: 8.000 in; Bore diameter: 4.125 in; Bore tolerance: ± 0.002 in; Handle width: 2.500 in; Handle length from bore center: 14.000 in; Handle hole: Ø0.625 in, center 1.000 in from end; Chamfer: 0.0625 in × 45°, downstream face; Handle marking: “FT-4410 4.125 BORE”; Selected lead time: 14 calendar days (est.)			
07	**Handled orifice plate — 304 SS, 0.500 in**	1	$718.31	$718.31
	Material: 304 Stainless Steel; Thickness: 0.500 in; Plate outside diameter: 8.000 in; Bore diameter: 4.125 in; Bore tolerance: ± 0.002 in; Handle width: 2.500 in; Handle length from bore center: 14.000 in; Handle hole: Ø0.625 in, center 1.000 in from end; Chamfer: 0.0625 in × 45°, downstream face; Handle marking: “FT-4410 4.125 BORE”; Selected lead time: 14 calendar days (est.)			
08	**Handled orifice plate — 304 SS, 0.500 in**	1	$718.31	$718.31
	Material: 304 Stainless Steel; Thickness: 0.500 in; Plate outside diameter: 8.000 in; Bore diameter: 4.125 in; Bore tolerance: ± 0.002 in; Handle width: 2.500 in; Handle length from bore center: 14.000 in; Handle hole: Ø0.625 in, center 1.000 in from end; Chamfer: 0.0625 in × 45°, downstream face; Handle marking: “FT-4410 4.125 BORE”; Selected lead time: 14 calendar days (est.)			

MOCKUP · SYNTHETIC SAMPLE DATA · NOT A VALID QUOTATION

#	ITEM AND SPECIFICATION	QTY	UNIT PRICE	EXTENDED
09	**Handled orifice plate — 304 SS, 0.500 in**	1	$718.31	**$718.31**
	Material: 304 Stainless Steel; Thickness: 0.500 in; Plate outside diameter: 8.000 in; Bore diameter: 4.125 in; Bore tolerance: ± 0.002 in; Handle width: 2.500 in; Handle length from bore center: 14.000 in; Handle hole: Ø0.625 in, center 1.000 in from end; Chamfer: 0.0625 in × 45°, downstream face; Handle marking: “FT-4410 4.125 BORE”; Selected lead time: 14 calendar days (est.)			
10	**Handled orifice plate — 304 SS, 0.500 in**	1	$718.31	**$718.31**
	Material: 304 Stainless Steel; Thickness: 0.500 in; Plate outside diameter: 8.000 in; Bore diameter: 4.125 in; Bore tolerance: ± 0.002 in; Handle width: 2.500 in; Handle length from bore center: 14.000 in; Handle hole: Ø0.625 in, center 1.000 in from end; Chamfer: 0.0625 in × 45°, downstream face; Handle marking: “FT-4410 4.125 BORE”; Selected lead time: 14 calendar days (est.)			
11	**Handled orifice plate — 304 SS, 0.500 in**	1	$718.31	**$718.31**
	Material: 304 Stainless Steel; Thickness: 0.500 in; Plate outside diameter: 8.000 in; Bore diameter: 4.125 in; Bore tolerance: ± 0.002 in; Handle width: 2.500 in; Handle length from bore center: 14.000 in; Handle hole: Ø0.625 in, center 1.000 in from end; Chamfer: 0.0625 in × 45°, downstream face; Handle marking: “FT-4410 4.125 BORE”; Selected lead time: 14 calendar days (est.)			
12	**Handled orifice plate — 304 SS, 0.500 in**	1	$718.31	**$718.31**
	Material: 304 Stainless Steel; Thickness: 0.500 in; Plate outside diameter: 8.000 in; Bore diameter: 4.125 in; Bore tolerance: ± 0.002 in; Handle width: 2.500 in; Handle length from bore center: 14.000 in; Handle hole: Ø0.625 in, center 1.000 in from end; Chamfer: 0.0625 in × 45°, downstream face; Handle marking: “FT-4410 4.125 BORE”; Selected lead time: 14 calendar days (est.)			
13	**Handled orifice plate — 304 SS, 0.500 in**	1	$718.31	**$718.31**
	Material: 304 Stainless Steel; Thickness: 0.500 in; Plate outside diameter: 8.000 in; Bore diameter: 4.125 in; Bore tolerance: ± 0.002 in; Handle width: 2.500 in; Handle length from bore center: 14.000 in; Handle hole: Ø0.625 in, center 1.000 in from end; Chamfer: 0.0625 in × 45°, downstream face; Handle marking: “FT-4410 4.125 BORE”; Selected lead time: 14 calendar days (est.)			

MOCKUP · SYNTHETIC SAMPLE DATA · NOT A VALID QUOTATION

#	ITEM AND SPECIFICATION	QTY	UNIT PRICE	EXTENDED
14	**Handled orifice plate — 304 SS, 0.500 in**	1	$718.31	$718.31
	Material: 304 Stainless Steel; Thickness: 0.500 in; Plate outside diameter: 8.000 in; Bore diameter: 4.125 in; Bore tolerance: ± 0.002 in; Handle width: 2.500 in; Handle length from bore center: 14.000 in; Handle hole: Ø0.625 in, center 1.000 in from end; Chamfer: 0.0625 in × 45°, downstream face; Handle marking: “FT-4410 4.125 BORE”; Selected lead time: 14 calendar days (est.)			
15	**Handled orifice plate — 304 SS, 0.500 in**	1	$718.31	$718.31
	Material: 304 Stainless Steel; Thickness: 0.500 in; Plate outside diameter: 8.000 in; Bore diameter: 4.125 in; Bore tolerance: ± 0.002 in; Handle width: 2.500 in; Handle length from bore center: 14.000 in; Handle hole: Ø0.625 in, center 1.000 in from end; Chamfer: 0.0625 in × 45°, downstream face; Handle marking: “FT-4410 4.125 BORE”; Selected lead time: 14 calendar days (est.)			
16	**Handled orifice plate — 304 SS, 0.500 in**	1	$718.31	$718.31
	Material: 304 Stainless Steel; Thickness: 0.500 in; Plate outside diameter: 8.000 in; Bore diameter: 4.125 in; Bore tolerance: ± 0.002 in; Handle width: 2.500 in; Handle length from bore center: 14.000 in; Handle hole: Ø0.625 in, center 1.000 in from end; Chamfer: 0.0625 in × 45°, downstream face; Handle marking: “FT-4410 4.125 BORE”; Selected lead time: 14 calendar days (est.)			
17	**Handled orifice plate — 304 SS, 0.500 in**	1	$718.31	$718.31
	Material: 304 Stainless Steel; Thickness: 0.500 in; Plate outside diameter: 8.000 in; Bore diameter: 4.125 in; Bore tolerance: ± 0.002 in; Handle width: 2.500 in; Handle length from bore center: 14.000 in; Handle hole: Ø0.625 in, center 1.000 in from end; Chamfer: 0.0625 in × 45°, downstream face; Handle marking: “FT-4410 4.125 BORE”; Selected lead time: 14 calendar days (est.)			
18	**Handled orifice plate — 304 SS, 0.500 in**	1	$718.31	$718.31
	Material: 304 Stainless Steel; Thickness: 0.500 in; Plate outside diameter: 8.000 in; Bore diameter: 4.125 in; Bore tolerance: ± 0.002 in; Handle width: 2.500 in; Handle length from bore center: 14.000 in; Handle hole: Ø0.625 in, center 1.000 in from end; Chamfer: 0.0625 in × 45°, downstream face; Handle marking: “FT-4410 4.125 BORE”; Selected lead time: 14 calendar days (est.)			

MOCKUP · SYNTHETIC SAMPLE DATA · NOT A VALID QUOTATION

#	ITEM AND SPECIFICATION	QTY	UNIT PRICE	EXTENDED
19	**Handled orifice plate — 304 SS, 0.500 in**	1	$718.31	$718.31
	Material: 304 Stainless Steel; Thickness: 0.500 in; Plate outside diameter: 8.000 in; Bore diameter: 4.125 in; Bore tolerance: ± 0.002 in; Handle width: 2.500 in; Handle length from bore center: 14.000 in; Handle hole: Ø0.625 in, center 1.000 in from end; Chamfer: 0.0625 in × 45°, downstream face; Handle marking: “FT-4410 4.125 BORE”; Selected lead time: 14 calendar days (est.)			
20	**Handled orifice plate — 304 SS, 0.500 in**	1	$718.31	$718.31
	Material: 304 Stainless Steel; Thickness: 0.500 in; Plate outside diameter: 8.000 in; Bore diameter: 4.125 in; Bore tolerance: ± 0.002 in; Handle width: 2.500 in; Handle length from bore center: 14.000 in; Handle hole: Ø0.625 in, center 1.000 in from end; Chamfer: 0.0625 in × 45°, downstream face; Handle marking: “FT-4410 4.125 BORE”; Selected lead time: 14 calendar days (est.)			
21	**Handled orifice plate — 304 SS, 0.500 in**	1	$718.31	$718.31
	Material: 304 Stainless Steel; Thickness: 0.500 in; Plate outside diameter: 8.000 in; Bore diameter: 4.125 in; Bore tolerance: ± 0.002 in; Handle width: 2.500 in; Handle length from bore center: 14.000 in; Handle hole: Ø0.625 in, center 1.000 in from end; Chamfer: 0.0625 in × 45°, downstream face; Handle marking: “FT-4410 4.125 BORE”; Selected lead time: 14 calendar days (est.)			
22	**Handled orifice plate — 304 SS, 0.500 in**	1	$718.31	$718.31
	Material: 304 Stainless Steel; Thickness: 0.500 in; Plate outside diameter: 8.000 in; Bore diameter: 4.125 in; Bore tolerance: ± 0.002 in; Handle width: 2.500 in; Handle length from bore center: 14.000 in; Handle hole: Ø0.625 in, center 1.000 in from end; Chamfer: 0.0625 in × 45°, downstream face; Handle marking: “FT-4410 4.125 BORE”; Selected lead time: 14 calendar days (est.)			
23	**Handled orifice plate — 304 SS, 0.500 in**	1	$718.31	$718.31
	Material: 304 Stainless Steel; Thickness: 0.500 in; Plate outside diameter: 8.000 in; Bore diameter: 4.125 in; Bore tolerance: ± 0.002 in; Handle width: 2.500 in; Handle length from bore center: 14.000 in; Handle hole: Ø0.625 in, center 1.000 in from end; Chamfer: 0.0625 in × 45°, downstream face; Handle marking: “FT-4410 4.125 BORE”; Selected lead time: 14 calendar days (est.)			

MOCKUP · SYNTHETIC SAMPLE DATA · NOT A VALID QUOTATION

#	ITEM AND SPECIFICATION	QTY	UNIT PRICE	EXTENDED
24	**Handled orifice plate — 304 SS, 0.500 in**	1	$718.31	$718.31

Material	304 Stainless Steel	Handle length from bore center	14.000 in
Thickness	0.500 in	Handle hole	Ø0.625 in, center 1.000 in from end
Plate outside diameter	8.000 in	Chamfer	0.0625 in × 45°, downstream face
Bore diameter	4.125 in	Handle marking	“FT-4410 4.125 BORE”
Bore tolerance	± 0.002 in	Selected lead time	14 calendar days (est.)
Handle width	2.500 in		

#	ITEM AND SPECIFICATION	QTY	UNIT PRICE	EXTENDED
25	**Handled orifice plate — 304 SS, 0.500 in**	1	$718.31	$718.31

Material	304 Stainless Steel	Handle length from bore center	14.000 in
Thickness	0.500 in	Handle hole	Ø0.625 in, center 1.000 in from end
Plate outside diameter	8.000 in	Chamfer	0.0625 in × 45°, downstream face
Bore diameter	4.125 in	Handle marking	“FT-4410 4.125 BORE”
Bore tolerance	± 0.002 in	Selected lead time	14 calendar days (est.)
Handle width	2.500 in		

SHIPPING PLANNING

Estimated total weight: 520.25 lb

Ships from the Ohio Valley. Carrier and service are selected at checkout; transit time is in addition to the manufacturing lead time.

Quoted subtotal	**$17,957.75**
Shipping	Selected at checkout
Sales tax	Calculated at checkout, if applicable
Amount due	Confirmed at checkout

HOW TO ORDER FROM THIS QUOTATION

1. Sign in at o-plates.com and open the configurator.
2. Enter each line exactly as specified on this quotation and add it to your cart.
3. Review the current price and lead time. The checkout amount governs.
4. Select shipping and pay through secure Stripe checkout.
5. Review and approve the confirmation drawing sent with your order. Manufacture follows approval.

Purchase order, invoicing or vendor setup?
sales@o-plates.com · Reference Q-2C8E41B0A6 before ordering.

QUOTATION TERMS

- This quotation may be referenced through Nov 21, 2026 (30 days).
- Prices and available lead times are revalidated at checkout and may change.
- Lead time is an estimated ship time, not a guaranteed delivery date. Drawing review and changes can affect timing.
- Plates are made to order to the specifications listed. Any change creates a new quote revision with its own number.
- This is a quotation only. It is not an order, an invoice or an approved manufacturing drawing.

Pricing reference: pcv-2026-10-21 (sample)
Terms of Sale: o-plates.com/terms.html