MOCKUP · SYNTHETIC SAMPLE DATA · NOT A VALID QUOTATION

# O-PLATES

Orifice plates, configured and priced online

# QUOTATION

| | |
|---|---|
| QUOTE NO. | Q-2C8E41B0A6 |
| DATE ISSUED | Oct 22, 2026 |
| VALID THROUGH | Nov 21, 2026 |

PREPARED FOR PURCHASING REVIEW

SUPPLIER

**Rogue Machine LLC**
O-Plates (customer-facing brand)
400 Public Rd
Yorkville, OH 43971
United States
+1 304-639-0595 · sales@o-plates.com

PREPARED FOR

**Example Process Co. (sample)**
Jordan Example
100 Sample Way
Anytown, OH 00000
United States
+1 555-0100 · j.example@example.com

| LINE ITEMS | TOTAL QUANTITY | LEAD TIME (EST.) | QUOTED SUBTOTAL |
|---|---|---|---|
| 60 | 60 plates | 14 days | $43,098.60 |

| # | ITEM AND SPECIFICATION | QTY | UNIT PRICE | EXTENDED |
|---|---|---|---|---|
| 01 | **Handled orifice plate — 304 SS, 0.500 in** | 1 | $718.31 | $718.31 |

| | | | |
|---|---|---|---|
| Material | 304 Stainless Steel | Handle length from bore center | 14.000 in |
| Thickness | 0.500 in | Handle hole | Ø0.625 in, center 1.000 in from end |
| Plate outside diameter | 8.000 in | | |
| Bore diameter | 4.125 in | Chamfer | 0.0625 in × 45°, downstream face |
| Bore tolerance | ± 0.002 in | | |
| Handle width | 2.500 in | Handle marking | “FT-4410 4.125 BORE” |
| | | Selected lead time | 14 calendar days (est.) |

| # | ITEM AND SPECIFICATION | QTY | UNIT PRICE | EXTENDED |
|---|---|---|---|---|
| 02 | **Handled orifice plate — 304 SS, 0.500 in** | 1 | $718.31 | $718.31 |

| | | | |
|---|---|---|---|
| Material | 304 Stainless Steel | Handle length from bore center | 14.000 in |
| Thickness | 0.500 in | Handle hole | Ø0.625 in, center 1.000 in from end |
| Plate outside diameter | 8.000 in | | |
| Bore diameter | 4.125 in | Chamfer | 0.0625 in × 45°, downstream face |
| Bore tolerance | ± 0.002 in | | |
| Handle width | 2.500 in | Handle marking | “FT-4410 4.125 BORE” |
| | | Selected lead time | 14 calendar days (est.) |

| # | ITEM AND SPECIFICATION | QTY | UNIT PRICE | EXTENDED |
|---|---|---|---|---|
| 03 | **Handled orifice plate — 304 SS, 0.500 in** | 1 | $718.31 | $718.31 |

| | | | |
|---|---|---|---|
| Material | 304 Stainless Steel | Handle length from bore center | 14.000 in |
| Thickness | 0.500 in | Handle hole | Ø0.625 in, center 1.000 in from end |
| Plate outside diameter | 8.000 in | | |
| Bore diameter | 4.125 in | Chamfer | 0.0625 in × 45°, downstream face |
| Bore tolerance | ± 0.002 in | | |
| Handle width | 2.500 in | Handle marking | “FT-4410 4.125 BORE” |
| | | Selected lead time | 14 calendar days (est.) |

MOCKUP · SYNTHETIC SAMPLE DATA · NOT A VALID QUOTATION



| # | ITEM AND SPECIFICATION | QTY | UNIT PRICE | EXTENDED |
|---|---|---|---|---|
| 04 | **Handled orifice plate — 304 SS, 0.500 in** | 1 | $718.31 | **$718.31** |
| | Material: 304 Stainless Steel; Thickness: 0.500 in; Plate outside diameter: 8.000 in; Bore diameter: 4.125 in; Bore tolerance: ± 0.002 in; Handle width: 2.500 in; Handle length from bore center: 14.000 in; Handle hole: Ø0.625 in, center 1.000 in from end; Chamfer: 0.0625 in × 45°, downstream face; Handle marking: “FT-4410 4.125 BORE”; Selected lead time: 14 calendar days (est.) | | | |
| 05 | **Handled orifice plate — 304 SS, 0.500 in** | 1 | $718.31 | **$718.31** |
| | Material: 304 Stainless Steel; Thickness: 0.500 in; Plate outside diameter: 8.000 in; Bore diameter: 4.125 in; Bore tolerance: ± 0.002 in; Handle width: 2.500 in; Handle length from bore center: 14.000 in; Handle hole: Ø0.625 in, center 1.000 in from end; Chamfer: 0.0625 in × 45°, downstream face; Handle marking: “FT-4410 4.125 BORE”; Selected lead time: 14 calendar days (est.) | | | |
| 06 | **Handled orifice plate — 304 SS, 0.500 in** | 1 | $718.31 | **$718.31** |
| | Material: 304 Stainless Steel; Thickness: 0.500 in; Plate outside diameter: 8.000 in; Bore diameter: 4.125 in; Bore tolerance: ± 0.002 in; Handle width: 2.500 in; Handle length from bore center: 14.000 in; Handle hole: Ø0.625 in, center 1.000 in from end; Chamfer: 0.0625 in × 45°, downstream face; Handle marking: “FT-4410 4.125 BORE”; Selected lead time: 14 calendar days (est.) | | | |
| 07 | **Handled orifice plate — 304 SS, 0.500 in** | 1 | $718.31 | **$718.31** |
| | Material: 304 Stainless Steel; Thickness: 0.500 in; Plate outside diameter: 8.000 in; Bore diameter: 4.125 in; Bore tolerance: ± 0.002 in; Handle width: 2.500 in; Handle length from bore center: 14.000 in; Handle hole: Ø0.625 in, center 1.000 in from end; Chamfer: 0.0625 in × 45°, downstream face; Handle marking: “FT-4410 4.125 BORE”; Selected lead time: 14 calendar days (est.) | | | |
| 08 | **Handled orifice plate — 304 SS, 0.500 in** | 1 | $718.31 | **$718.31** |
| | Material: 304 Stainless Steel; Thickness: 0.500 in; Plate outside diameter: 8.000 in; Bore diameter: 4.125 in; Bore tolerance: ± 0.002 in; Handle width: 2.500 in; Handle length from bore center: 14.000 in; Handle hole: Ø0.625 in, center 1.000 in from end; Chamfer: 0.0625 in × 45°, downstream face; Handle marking: “FT-4410 4.125 BORE”; Selected lead time: 14 calendar days (est.) | | | |

MOCKUP · SYNTHETIC SAMPLE DATA · NOT A VALID QUOTATION



| # | ITEM AND SPECIFICATION | QTY | UNIT PRICE | EXTENDED |
|---|---|---|---|---|
| 09 | **Handled orifice plate — 304 SS, 0.500 in** | 1 | $718.31 | **$718.31** |
| | Material: 304 Stainless Steel; Thickness: 0.500 in; Plate outside diameter: 8.000 in; Bore diameter: 4.125 in; Bore tolerance: ± 0.002 in; Handle width: 2.500 in; Handle length from bore center: 14.000 in; Handle hole: Ø0.625 in, center 1.000 in from end; Chamfer: 0.0625 in × 45°, downstream face; Handle marking: “FT-4410 4.125 BORE”; Selected lead time: 14 calendar days (est.) | | | |
| 10 | **Handled orifice plate — 304 SS, 0.500 in** | 1 | $718.31 | **$718.31** |
| | Material: 304 Stainless Steel; Thickness: 0.500 in; Plate outside diameter: 8.000 in; Bore diameter: 4.125 in; Bore tolerance: ± 0.002 in; Handle width: 2.500 in; Handle length from bore center: 14.000 in; Handle hole: Ø0.625 in, center 1.000 in from end; Chamfer: 0.0625 in × 45°, downstream face; Handle marking: “FT-4410 4.125 BORE”; Selected lead time: 14 calendar days (est.) | | | |
| 11 | **Handled orifice plate — 304 SS, 0.500 in** | 1 | $718.31 | **$718.31** |
| | Material: 304 Stainless Steel; Thickness: 0.500 in; Plate outside diameter: 8.000 in; Bore diameter: 4.125 in; Bore tolerance: ± 0.002 in; Handle width: 2.500 in; Handle length from bore center: 14.000 in; Handle hole: Ø0.625 in, center 1.000 in from end; Chamfer: 0.0625 in × 45°, downstream face; Handle marking: “FT-4410 4.125 BORE”; Selected lead time: 14 calendar days (est.) | | | |
| 12 | **Handled orifice plate — 304 SS, 0.500 in** | 1 | $718.31 | **$718.31** |
| | Material: 304 Stainless Steel; Thickness: 0.500 in; Plate outside diameter: 8.000 in; Bore diameter: 4.125 in; Bore tolerance: ± 0.002 in; Handle width: 2.500 in; Handle length from bore center: 14.000 in; Handle hole: Ø0.625 in, center 1.000 in from end; Chamfer: 0.0625 in × 45°, downstream face; Handle marking: “FT-4410 4.125 BORE”; Selected lead time: 14 calendar days (est.) | | | |
| 13 | **Handled orifice plate — 304 SS, 0.500 in** | 1 | $718.31 | **$718.31** |
| | Material: 304 Stainless Steel; Thickness: 0.500 in; Plate outside diameter: 8.000 in; Bore diameter: 4.125 in; Bore tolerance: ± 0.002 in; Handle width: 2.500 in; Handle length from bore center: 14.000 in; Handle hole: Ø0.625 in, center 1.000 in from end; Chamfer: 0.0625 in × 45°, downstream face; Handle marking: “FT-4410 4.125 BORE”; Selected lead time: 14 calendar days (est.) | | | |

MOCKUP · SYNTHETIC SAMPLE DATA · NOT A VALID QUOTATION



| # | ITEM AND SPECIFICATION | QTY | UNIT PRICE | EXTENDED |
|---|---|---|---|---|
| 14 | **Handled orifice plate — 304 SS, 0.500 in** | 1 | $718.31 | $718.31 |
| | Material: 304 Stainless Steel; Thickness: 0.500 in; Plate outside diameter: 8.000 in; Bore diameter: 4.125 in; Bore tolerance: ± 0.002 in; Handle width: 2.500 in; Handle length from bore center: 14.000 in; Handle hole: Ø0.625 in, center 1.000 in from end; Chamfer: 0.0625 in × 45°, downstream face; Handle marking: “FT-4410 4.125 BORE”; Selected lead time: 14 calendar days (est.) | | | |
| 15 | **Handled orifice plate — 304 SS, 0.500 in** | 1 | $718.31 | $718.31 |
| | Material: 304 Stainless Steel; Thickness: 0.500 in; Plate outside diameter: 8.000 in; Bore diameter: 4.125 in; Bore tolerance: ± 0.002 in; Handle width: 2.500 in; Handle length from bore center: 14.000 in; Handle hole: Ø0.625 in, center 1.000 in from end; Chamfer: 0.0625 in × 45°, downstream face; Handle marking: “FT-4410 4.125 BORE”; Selected lead time: 14 calendar days (est.) | | | |
| 16 | **Handled orifice plate — 304 SS, 0.500 in** | 1 | $718.31 | $718.31 |
| | Material: 304 Stainless Steel; Thickness: 0.500 in; Plate outside diameter: 8.000 in; Bore diameter: 4.125 in; Bore tolerance: ± 0.002 in; Handle width: 2.500 in; Handle length from bore center: 14.000 in; Handle hole: Ø0.625 in, center 1.000 in from end; Chamfer: 0.0625 in × 45°, downstream face; Handle marking: “FT-4410 4.125 BORE”; Selected lead time: 14 calendar days (est.) | | | |
| 17 | **Handled orifice plate — 304 SS, 0.500 in** | 1 | $718.31 | $718.31 |
| | Material: 304 Stainless Steel; Thickness: 0.500 in; Plate outside diameter: 8.000 in; Bore diameter: 4.125 in; Bore tolerance: ± 0.002 in; Handle width: 2.500 in; Handle length from bore center: 14.000 in; Handle hole: Ø0.625 in, center 1.000 in from end; Chamfer: 0.0625 in × 45°, downstream face; Handle marking: “FT-4410 4.125 BORE”; Selected lead time: 14 calendar days (est.) | | | |
| 18 | **Handled orifice plate — 304 SS, 0.500 in** | 1 | $718.31 | $718.31 |
| | Material: 304 Stainless Steel; Thickness: 0.500 in; Plate outside diameter: 8.000 in; Bore diameter: 4.125 in; Bore tolerance: ± 0.002 in; Handle width: 2.500 in; Handle length from bore center: 14.000 in; Handle hole: Ø0.625 in, center 1.000 in from end; Chamfer: 0.0625 in × 45°, downstream face; Handle marking: “FT-4410 4.125 BORE”; Selected lead time: 14 calendar days (est.) | | | |

MOCKUP · SYNTHETIC SAMPLE DATA · NOT A VALID QUOTATION



| # | ITEM AND SPECIFICATION | QTY | UNIT PRICE | EXTENDED |
|---|---|---|---|---|
| 19 | **Handled orifice plate — 304 SS, 0.500 in** | 1 | $718.31 | **$718.31** |
| | Material: 304 Stainless Steel; Thickness: 0.500 in; Plate outside diameter: 8.000 in; Bore diameter: 4.125 in; Bore tolerance: ± 0.002 in; Handle width: 2.500 in; Handle length from bore center: 14.000 in; Handle hole: Ø0.625 in, center 1.000 in from end; Chamfer: 0.0625 in × 45°, downstream face; Handle marking: “FT-4410 4.125 BORE”; Selected lead time: 14 calendar days (est.) | | | |
| 20 | **Handled orifice plate — 304 SS, 0.500 in** | 1 | $718.31 | **$718.31** |
| | Material: 304 Stainless Steel; Thickness: 0.500 in; Plate outside diameter: 8.000 in; Bore diameter: 4.125 in; Bore tolerance: ± 0.002 in; Handle width: 2.500 in; Handle length from bore center: 14.000 in; Handle hole: Ø0.625 in, center 1.000 in from end; Chamfer: 0.0625 in × 45°, downstream face; Handle marking: “FT-4410 4.125 BORE”; Selected lead time: 14 calendar days (est.) | | | |
| 21 | **Handled orifice plate — 304 SS, 0.500 in** | 1 | $718.31 | **$718.31** |
| | Material: 304 Stainless Steel; Thickness: 0.500 in; Plate outside diameter: 8.000 in; Bore diameter: 4.125 in; Bore tolerance: ± 0.002 in; Handle width: 2.500 in; Handle length from bore center: 14.000 in; Handle hole: Ø0.625 in, center 1.000 in from end; Chamfer: 0.0625 in × 45°, downstream face; Handle marking: “FT-4410 4.125 BORE”; Selected lead time: 14 calendar days (est.) | | | |
| 22 | **Handled orifice plate — 304 SS, 0.500 in** | 1 | $718.31 | **$718.31** |
| | Material: 304 Stainless Steel; Thickness: 0.500 in; Plate outside diameter: 8.000 in; Bore diameter: 4.125 in; Bore tolerance: ± 0.002 in; Handle width: 2.500 in; Handle length from bore center: 14.000 in; Handle hole: Ø0.625 in, center 1.000 in from end; Chamfer: 0.0625 in × 45°, downstream face; Handle marking: “FT-4410 4.125 BORE”; Selected lead time: 14 calendar days (est.) | | | |
| 23 | **Handled orifice plate — 304 SS, 0.500 in** | 1 | $718.31 | **$718.31** |
| | Material: 304 Stainless Steel; Thickness: 0.500 in; Plate outside diameter: 8.000 in; Bore diameter: 4.125 in; Bore tolerance: ± 0.002 in; Handle width: 2.500 in; Handle length from bore center: 14.000 in; Handle hole: Ø0.625 in, center 1.000 in from end; Chamfer: 0.0625 in × 45°, downstream face; Handle marking: “FT-4410 4.125 BORE”; Selected lead time: 14 calendar days (est.) | | | |

MOCKUP · SYNTHETIC SAMPLE DATA · NOT A VALID QUOTATION



| # | ITEM AND SPECIFICATION | QTY | UNIT PRICE | EXTENDED |
|---|---|---|---|---|
| 24 | **Handled orifice plate — 304 SS, 0.500 in** | 1 | $718.31 | **$718.31** |
| | Material: 304 Stainless Steel; Thickness: 0.500 in; Plate outside diameter: 8.000 in; Bore diameter: 4.125 in; Bore tolerance: ± 0.002 in; Handle width: 2.500 in; Handle length from bore center: 14.000 in; Handle hole: Ø0.625 in, center 1.000 in from end; Chamfer: 0.0625 in × 45°, downstream face; Handle marking: “FT-4410 4.125 BORE”; Selected lead time: 14 calendar days (est.) | | | |
| 25 | **Handled orifice plate — 304 SS, 0.500 in** | 1 | $718.31 | **$718.31** |
| | Material: 304 Stainless Steel; Thickness: 0.500 in; Plate outside diameter: 8.000 in; Bore diameter: 4.125 in; Bore tolerance: ± 0.002 in; Handle width: 2.500 in; Handle length from bore center: 14.000 in; Handle hole: Ø0.625 in, center 1.000 in from end; Chamfer: 0.0625 in × 45°, downstream face; Handle marking: “FT-4410 4.125 BORE”; Selected lead time: 14 calendar days (est.) | | | |
| 26 | **Handled orifice plate — 304 SS, 0.500 in** | 1 | $718.31 | **$718.31** |
| | Material: 304 Stainless Steel; Thickness: 0.500 in; Plate outside diameter: 8.000 in; Bore diameter: 4.125 in; Bore tolerance: ± 0.002 in; Handle width: 2.500 in; Handle length from bore center: 14.000 in; Handle hole: Ø0.625 in, center 1.000 in from end; Chamfer: 0.0625 in × 45°, downstream face; Handle marking: “FT-4410 4.125 BORE”; Selected lead time: 14 calendar days (est.) | | | |
| 27 | **Handled orifice plate — 304 SS, 0.500 in** | 1 | $718.31 | **$718.31** |
| | Material: 304 Stainless Steel; Thickness: 0.500 in; Plate outside diameter: 8.000 in; Bore diameter: 4.125 in; Bore tolerance: ± 0.002 in; Handle width: 2.500 in; Handle length from bore center: 14.000 in; Handle hole: Ø0.625 in, center 1.000 in from end; Chamfer: 0.0625 in × 45°, downstream face; Handle marking: “FT-4410 4.125 BORE”; Selected lead time: 14 calendar days (est.) | | | |
| 28 | **Handled orifice plate — 304 SS, 0.500 in** | 1 | $718.31 | **$718.31** |
| | Material: 304 Stainless Steel; Thickness: 0.500 in; Plate outside diameter: 8.000 in; Bore diameter: 4.125 in; Bore tolerance: ± 0.002 in; Handle width: 2.500 in; Handle length from bore center: 14.000 in; Handle hole: Ø0.625 in, center 1.000 in from end; Chamfer: 0.0625 in × 45°, downstream face; Handle marking: “FT-4410 4.125 BORE”; Selected lead time: 14 calendar days (est.) | | | |

MOCKUP · SYNTHETIC SAMPLE DATA · NOT A VALID QUOTATION



| # | ITEM AND SPECIFICATION | QTY | UNIT PRICE | EXTENDED |
|---|---|---|---|---|
| 29 | **Handled orifice plate — 304 SS, 0.500 in** | 1 | $718.31 | **$718.31** |
| | Material: 304 Stainless Steel; Thickness: 0.500 in; Plate outside diameter: 8.000 in; Bore diameter: 4.125 in; Bore tolerance: ± 0.002 in; Handle width: 2.500 in; Handle length from bore center: 14.000 in; Handle hole: Ø0.625 in, center 1.000 in from end; Chamfer: 0.0625 in × 45°, downstream face; Handle marking: “FT-4410 4.125 BORE”; Selected lead time: 14 calendar days (est.) | | | |
| 30 | **Handled orifice plate — 304 SS, 0.500 in** | 1 | $718.31 | **$718.31** |
| | Material: 304 Stainless Steel; Thickness: 0.500 in; Plate outside diameter: 8.000 in; Bore diameter: 4.125 in; Bore tolerance: ± 0.002 in; Handle width: 2.500 in; Handle length from bore center: 14.000 in; Handle hole: Ø0.625 in, center 1.000 in from end; Chamfer: 0.0625 in × 45°, downstream face; Handle marking: “FT-4410 4.125 BORE”; Selected lead time: 14 calendar days (est.) | | | |
| 31 | **Handled orifice plate — 304 SS, 0.500 in** | 1 | $718.31 | **$718.31** |
| | Material: 304 Stainless Steel; Thickness: 0.500 in; Plate outside diameter: 8.000 in; Bore diameter: 4.125 in; Bore tolerance: ± 0.002 in; Handle width: 2.500 in; Handle length from bore center: 14.000 in; Handle hole: Ø0.625 in, center 1.000 in from end; Chamfer: 0.0625 in × 45°, downstream face; Handle marking: “FT-4410 4.125 BORE”; Selected lead time: 14 calendar days (est.) | | | |
| 32 | **Handled orifice plate — 304 SS, 0.500 in** | 1 | $718.31 | **$718.31** |
| | Material: 304 Stainless Steel; Thickness: 0.500 in; Plate outside diameter: 8.000 in; Bore diameter: 4.125 in; Bore tolerance: ± 0.002 in; Handle width: 2.500 in; Handle length from bore center: 14.000 in; Handle hole: Ø0.625 in, center 1.000 in from end; Chamfer: 0.0625 in × 45°, downstream face; Handle marking: “FT-4410 4.125 BORE”; Selected lead time: 14 calendar days (est.) | | | |
| 33 | **Handled orifice plate — 304 SS, 0.500 in** | 1 | $718.31 | **$718.31** |
| | Material: 304 Stainless Steel; Thickness: 0.500 in; Plate outside diameter: 8.000 in; Bore diameter: 4.125 in; Bore tolerance: ± 0.002 in; Handle width: 2.500 in; Handle length from bore center: 14.000 in; Handle hole: Ø0.625 in, center 1.000 in from end; Chamfer: 0.0625 in × 45°, downstream face; Handle marking: “FT-4410 4.125 BORE”; Selected lead time: 14 calendar days (est.) | | | |

MOCKUP · SYNTHETIC SAMPLE DATA · NOT A VALID QUOTATION



| # | ITEM AND SPECIFICATION | QTY | UNIT PRICE | EXTENDED |
|---|---|---|---|---|
| 34 | **Handled orifice plate — 304 SS, 0.500 in** | 1 | $718.31 | **$718.31** |
| | Material: 304 Stainless Steel; Thickness: 0.500 in; Plate outside diameter: 8.000 in; Bore diameter: 4.125 in; Bore tolerance: ± 0.002 in; Handle width: 2.500 in; Handle length from bore center: 14.000 in; Handle hole: Ø0.625 in, center 1.000 in from end; Chamfer: 0.0625 in × 45°, downstream face; Handle marking: “FT-4410 4.125 BORE”; Selected lead time: 14 calendar days (est.) | | | |
| 35 | **Handled orifice plate — 304 SS, 0.500 in** | 1 | $718.31 | **$718.31** |
| | Material: 304 Stainless Steel; Thickness: 0.500 in; Plate outside diameter: 8.000 in; Bore diameter: 4.125 in; Bore tolerance: ± 0.002 in; Handle width: 2.500 in; Handle length from bore center: 14.000 in; Handle hole: Ø0.625 in, center 1.000 in from end; Chamfer: 0.0625 in × 45°, downstream face; Handle marking: “FT-4410 4.125 BORE”; Selected lead time: 14 calendar days (est.) | | | |
| 36 | **Handled orifice plate — 304 SS, 0.500 in** | 1 | $718.31 | **$718.31** |
| | Material: 304 Stainless Steel; Thickness: 0.500 in; Plate outside diameter: 8.000 in; Bore diameter: 4.125 in; Bore tolerance: ± 0.002 in; Handle width: 2.500 in; Handle length from bore center: 14.000 in; Handle hole: Ø0.625 in, center 1.000 in from end; Chamfer: 0.0625 in × 45°, downstream face; Handle marking: “FT-4410 4.125 BORE”; Selected lead time: 14 calendar days (est.) | | | |
| 37 | **Handled orifice plate — 304 SS, 0.500 in** | 1 | $718.31 | **$718.31** |
| | Material: 304 Stainless Steel; Thickness: 0.500 in; Plate outside diameter: 8.000 in; Bore diameter: 4.125 in; Bore tolerance: ± 0.002 in; Handle width: 2.500 in; Handle length from bore center: 14.000 in; Handle hole: Ø0.625 in, center 1.000 in from end; Chamfer: 0.0625 in × 45°, downstream face; Handle marking: “FT-4410 4.125 BORE”; Selected lead time: 14 calendar days (est.) | | | |
| 38 | **Handled orifice plate — 304 SS, 0.500 in** | 1 | $718.31 | **$718.31** |
| | Material: 304 Stainless Steel; Thickness: 0.500 in; Plate outside diameter: 8.000 in; Bore diameter: 4.125 in; Bore tolerance: ± 0.002 in; Handle width: 2.500 in; Handle length from bore center: 14.000 in; Handle hole: Ø0.625 in, center 1.000 in from end; Chamfer: 0.0625 in × 45°, downstream face; Handle marking: “FT-4410 4.125 BORE”; Selected lead time: 14 calendar days (est.) | | | |

MOCKUP · SYNTHETIC SAMPLE DATA · NOT A VALID QUOTATION



| # | ITEM AND SPECIFICATION | QTY | UNIT PRICE | EXTENDED |
|---|---|---|---|---|
| 39 | **Handled orifice plate — 304 SS, 0.500 in** | 1 | $718.31 | **$718.31** |
| | Material: 304 Stainless Steel; Thickness: 0.500 in; Plate outside diameter: 8.000 in; Bore diameter: 4.125 in; Bore tolerance: ± 0.002 in; Handle width: 2.500 in; Handle length from bore center: 14.000 in; Handle hole: Ø0.625 in, center 1.000 in from end; Chamfer: 0.0625 in × 45°, downstream face; Handle marking: “FT-4410 4.125 BORE”; Selected lead time: 14 calendar days (est.) | | | |
| 40 | **Handled orifice plate — 304 SS, 0.500 in** | 1 | $718.31 | **$718.31** |
| | Material: 304 Stainless Steel; Thickness: 0.500 in; Plate outside diameter: 8.000 in; Bore diameter: 4.125 in; Bore tolerance: ± 0.002 in; Handle width: 2.500 in; Handle length from bore center: 14.000 in; Handle hole: Ø0.625 in, center 1.000 in from end; Chamfer: 0.0625 in × 45°, downstream face; Handle marking: “FT-4410 4.125 BORE”; Selected lead time: 14 calendar days (est.) | | | |
| 41 | **Handled orifice plate — 304 SS, 0.500 in** | 1 | $718.31 | **$718.31** |
| | Material: 304 Stainless Steel; Thickness: 0.500 in; Plate outside diameter: 8.000 in; Bore diameter: 4.125 in; Bore tolerance: ± 0.002 in; Handle width: 2.500 in; Handle length from bore center: 14.000 in; Handle hole: Ø0.625 in, center 1.000 in from end; Chamfer: 0.0625 in × 45°, downstream face; Handle marking: “FT-4410 4.125 BORE”; Selected lead time: 14 calendar days (est.) | | | |
| 42 | **Handled orifice plate — 304 SS, 0.500 in** | 1 | $718.31 | **$718.31** |
| | Material: 304 Stainless Steel; Thickness: 0.500 in; Plate outside diameter: 8.000 in; Bore diameter: 4.125 in; Bore tolerance: ± 0.002 in; Handle width: 2.500 in; Handle length from bore center: 14.000 in; Handle hole: Ø0.625 in, center 1.000 in from end; Chamfer: 0.0625 in × 45°, downstream face; Handle marking: “FT-4410 4.125 BORE”; Selected lead time: 14 calendar days (est.) | | | |
| 43 | **Handled orifice plate — 304 SS, 0.500 in** | 1 | $718.31 | **$718.31** |
| | Material: 304 Stainless Steel; Thickness: 0.500 in; Plate outside diameter: 8.000 in; Bore diameter: 4.125 in; Bore tolerance: ± 0.002 in; Handle width: 2.500 in; Handle length from bore center: 14.000 in; Handle hole: Ø0.625 in, center 1.000 in from end; Chamfer: 0.0625 in × 45°, downstream face; Handle marking: “FT-4410 4.125 BORE”; Selected lead time: 14 calendar days (est.) | | | |

MOCKUP · SYNTHETIC SAMPLE DATA · NOT A VALID QUOTATION



| # | ITEM AND SPECIFICATION | QTY | UNIT PRICE | EXTENDED |
|---|---|---|---|---|
| 44 | **Handled orifice plate — 304 SS, 0.500 in** | 1 | $718.31 | **$718.31** |
| | Material: 304 Stainless Steel; Thickness: 0.500 in; Plate outside diameter: 8.000 in; Bore diameter: 4.125 in; Bore tolerance: ± 0.002 in; Handle width: 2.500 in; Handle length from bore center: 14.000 in; Handle hole: Ø0.625 in, center 1.000 in from end; Chamfer: 0.0625 in × 45°, downstream face; Handle marking: “FT-4410 4.125 BORE”; Selected lead time: 14 calendar days (est.) | | | |
| 45 | **Handled orifice plate — 304 SS, 0.500 in** | 1 | $718.31 | **$718.31** |
| | Material: 304 Stainless Steel; Thickness: 0.500 in; Plate outside diameter: 8.000 in; Bore diameter: 4.125 in; Bore tolerance: ± 0.002 in; Handle width: 2.500 in; Handle length from bore center: 14.000 in; Handle hole: Ø0.625 in, center 1.000 in from end; Chamfer: 0.0625 in × 45°, downstream face; Handle marking: “FT-4410 4.125 BORE”; Selected lead time: 14 calendar days (est.) | | | |
| 46 | **Handled orifice plate — 304 SS, 0.500 in** | 1 | $718.31 | **$718.31** |
| | Material: 304 Stainless Steel; Thickness: 0.500 in; Plate outside diameter: 8.000 in; Bore diameter: 4.125 in; Bore tolerance: ± 0.002 in; Handle width: 2.500 in; Handle length from bore center: 14.000 in; Handle hole: Ø0.625 in, center 1.000 in from end; Chamfer: 0.0625 in × 45°, downstream face; Handle marking: “FT-4410 4.125 BORE”; Selected lead time: 14 calendar days (est.) | | | |
| 47 | **Handled orifice plate — 304 SS, 0.500 in** | 1 | $718.31 | **$718.31** |
| | Material: 304 Stainless Steel; Thickness: 0.500 in; Plate outside diameter: 8.000 in; Bore diameter: 4.125 in; Bore tolerance: ± 0.002 in; Handle width: 2.500 in; Handle length from bore center: 14.000 in; Handle hole: Ø0.625 in, center 1.000 in from end; Chamfer: 0.0625 in × 45°, downstream face; Handle marking: “FT-4410 4.125 BORE”; Selected lead time: 14 calendar days (est.) | | | |
| 48 | **Handled orifice plate — 304 SS, 0.500 in** | 1 | $718.31 | **$718.31** |
| | Material: 304 Stainless Steel; Thickness: 0.500 in; Plate outside diameter: 8.000 in; Bore diameter: 4.125 in; Bore tolerance: ± 0.002 in; Handle width: 2.500 in; Handle length from bore center: 14.000 in; Handle hole: Ø0.625 in, center 1.000 in from end; Chamfer: 0.0625 in × 45°, downstream face; Handle marking: “FT-4410 4.125 BORE”; Selected lead time: 14 calendar days (est.) | | | |

MOCKUP · SYNTHETIC SAMPLE DATA · NOT A VALID QUOTATION



| # | ITEM AND SPECIFICATION | QTY | UNIT PRICE | EXTENDED |
|---|---|---|---|---|
| 49 | **Handled orifice plate — 304 SS, 0.500 in** | 1 | $718.31 | $718.31 |
| | Material: 304 Stainless Steel; Thickness: 0.500 in; Plate outside diameter: 8.000 in; Bore diameter: 4.125 in; Bore tolerance: ± 0.002 in; Handle width: 2.500 in; Handle length from bore center: 14.000 in; Handle hole: Ø0.625 in, center 1.000 in from end; Chamfer: 0.0625 in × 45°, downstream face; Handle marking: “FT-4410 4.125 BORE”; Selected lead time: 14 calendar days (est.) | | | |
| 50 | **Handled orifice plate — 304 SS, 0.500 in** | 1 | $718.31 | $718.31 |
| | Material: 304 Stainless Steel; Thickness: 0.500 in; Plate outside diameter: 8.000 in; Bore diameter: 4.125 in; Bore tolerance: ± 0.002 in; Handle width: 2.500 in; Handle length from bore center: 14.000 in; Handle hole: Ø0.625 in, center 1.000 in from end; Chamfer: 0.0625 in × 45°, downstream face; Handle marking: “FT-4410 4.125 BORE”; Selected lead time: 14 calendar days (est.) | | | |
| 51 | **Handled orifice plate — 304 SS, 0.500 in** | 1 | $718.31 | $718.31 |
| | Material: 304 Stainless Steel; Thickness: 0.500 in; Plate outside diameter: 8.000 in; Bore diameter: 4.125 in; Bore tolerance: ± 0.002 in; Handle width: 2.500 in; Handle length from bore center: 14.000 in; Handle hole: Ø0.625 in, center 1.000 in from end; Chamfer: 0.0625 in × 45°, downstream face; Handle marking: “FT-4410 4.125 BORE”; Selected lead time: 14 calendar days (est.) | | | |
| 52 | **Handled orifice plate — 304 SS, 0.500 in** | 1 | $718.31 | $718.31 |
| | Material: 304 Stainless Steel; Thickness: 0.500 in; Plate outside diameter: 8.000 in; Bore diameter: 4.125 in; Bore tolerance: ± 0.002 in; Handle width: 2.500 in; Handle length from bore center: 14.000 in; Handle hole: Ø0.625 in, center 1.000 in from end; Chamfer: 0.0625 in × 45°, downstream face; Handle marking: “FT-4410 4.125 BORE”; Selected lead time: 14 calendar days (est.) | | | |
| 53 | **Handled orifice plate — 304 SS, 0.500 in** | 1 | $718.31 | $718.31 |
| | Material: 304 Stainless Steel; Thickness: 0.500 in; Plate outside diameter: 8.000 in; Bore diameter: 4.125 in; Bore tolerance: ± 0.002 in; Handle width: 2.500 in; Handle length from bore center: 14.000 in; Handle hole: Ø0.625 in, center 1.000 in from end; Chamfer: 0.0625 in × 45°, downstream face; Handle marking: “FT-4410 4.125 BORE”; Selected lead time: 14 calendar days (est.) | | | |

MOCKUP · SYNTHETIC SAMPLE DATA · NOT A VALID QUOTATION



| # | ITEM AND SPECIFICATION | QTY | UNIT PRICE | EXTENDED |
|---|---|---|---|---|
| 54 | **Handled orifice plate — 304 SS, 0.500 in** | 1 | $718.31 | **$718.31** |
| | Material: 304 Stainless Steel; Thickness: 0.500 in; Plate outside diameter: 8.000 in; Bore diameter: 4.125 in; Bore tolerance: ± 0.002 in; Handle width: 2.500 in; Handle length from bore center: 14.000 in; Handle hole: Ø0.625 in, center 1.000 in from end; Chamfer: 0.0625 in × 45°, downstream face; Handle marking: “FT-4410 4.125 BORE”; Selected lead time: 14 calendar days (est.) | | | |
| 55 | **Handled orifice plate — 304 SS, 0.500 in** | 1 | $718.31 | **$718.31** |
| | Material: 304 Stainless Steel; Thickness: 0.500 in; Plate outside diameter: 8.000 in; Bore diameter: 4.125 in; Bore tolerance: ± 0.002 in; Handle width: 2.500 in; Handle length from bore center: 14.000 in; Handle hole: Ø0.625 in, center 1.000 in from end; Chamfer: 0.0625 in × 45°, downstream face; Handle marking: “FT-4410 4.125 BORE”; Selected lead time: 14 calendar days (est.) | | | |
| 56 | **Handled orifice plate — 304 SS, 0.500 in** | 1 | $718.31 | **$718.31** |
| | Material: 304 Stainless Steel; Thickness: 0.500 in; Plate outside diameter: 8.000 in; Bore diameter: 4.125 in; Bore tolerance: ± 0.002 in; Handle width: 2.500 in; Handle length from bore center: 14.000 in; Handle hole: Ø0.625 in, center 1.000 in from end; Chamfer: 0.0625 in × 45°, downstream face; Handle marking: “FT-4410 4.125 BORE”; Selected lead time: 14 calendar days (est.) | | | |
| 57 | **Handled orifice plate — 304 SS, 0.500 in** | 1 | $718.31 | **$718.31** |
| | Material: 304 Stainless Steel; Thickness: 0.500 in; Plate outside diameter: 8.000 in; Bore diameter: 4.125 in; Bore tolerance: ± 0.002 in; Handle width: 2.500 in; Handle length from bore center: 14.000 in; Handle hole: Ø0.625 in, center 1.000 in from end; Chamfer: 0.0625 in × 45°, downstream face; Handle marking: “FT-4410 4.125 BORE”; Selected lead time: 14 calendar days (est.) | | | |
| 58 | **Handled orifice plate — 304 SS, 0.500 in** | 1 | $718.31 | **$718.31** |
| | Material: 304 Stainless Steel; Thickness: 0.500 in; Plate outside diameter: 8.000 in; Bore diameter: 4.125 in; Bore tolerance: ± 0.002 in; Handle width: 2.500 in; Handle length from bore center: 14.000 in; Handle hole: Ø0.625 in, center 1.000 in from end; Chamfer: 0.0625 in × 45°, downstream face; Handle marking: “FT-4410 4.125 BORE”; Selected lead time: 14 calendar days (est.) | | | |

MOCKUP · SYNTHETIC SAMPLE DATA · NOT A VALID QUOTATION



| # | ITEM AND SPECIFICATION | QTY | UNIT PRICE | EXTENDED |
|---|---|---|---|---|
| 59 | **Handled orifice plate — 304 SS, 0.500 in** | 1 | $718.31 | $718.31 |

| | | | |
|---|---|---|---|
| Material | 304 Stainless Steel | Handle length from bore center | 14.000 in |
| Thickness | 0.500 in | Handle hole | Ø0.625 in, center 1.000 in from end |
| Plate outside diameter | 8.000 in | Chamfer | 0.0625 in × 45°, downstream face |
| Bore diameter | 4.125 in | Handle marking | “FT-4410 4.125 BORE” |
| Bore tolerance | ± 0.002 in | Selected lead time | 14 calendar days (est.) |
| Handle width | 2.500 in | | |

| # | ITEM AND SPECIFICATION | QTY | UNIT PRICE | EXTENDED |
|---|---|---|---|---|
| 60 | **Handled orifice plate — 304 SS, 0.500 in** | 1 | $718.31 | $718.31 |

| | | | |
|---|---|---|---|
| Material | 304 Stainless Steel | Handle length from bore center | 14.000 in |
| Thickness | 0.500 in | Handle hole | Ø0.625 in, center 1.000 in from end |
| Plate outside diameter | 8.000 in | Chamfer | 0.0625 in × 45°, downstream face |
| Bore diameter | 4.125 in | Handle marking | “FT-4410 4.125 BORE” |
| Bore tolerance | ± 0.002 in | Selected lead time | 14 calendar days (est.) |
| Handle width | 2.500 in | | |

### SHIPPING PLANNING

Estimated total weight: 1,248.60 lb

Ships from the Ohio Valley. Carrier and service are selected at checkout; transit time is in addition to the manufacturing lead time.

| | |
|---|---|
| **Quoted subtotal** | **$43,098.60** |
| Shipping | Selected at checkout |
| Sales tax | Calculated at checkout, if applicable |
| Amount due | Confirmed at checkout |

### HOW TO ORDER FROM THIS QUOTATION

1. Sign in at o-plates.com and open the configurator.
2. Enter each line exactly as specified on this quotation and add it to your cart.
3. Review the current price and lead time. The checkout amount governs.
4. Select shipping and pay through secure Stripe checkout.
5. Review and approve the confirmation drawing sent with your order. Manufacture follows approval.

**Purchase order, invoicing or vendor setup?**
sales@o-plates.com · Reference Q-2C8E41B0A6 before ordering.

### QUOTATION TERMS

- This quotation may be referenced through Nov 21, 2026 (30 days).
- Prices and available lead times are revalidated at checkout and may change.
- Lead time is an estimated ship time, not a guaranteed delivery date. Drawing review and changes can affect timing.
- Plates are made to order to the specifications listed. Any change creates a new quote revision with its own number.
- This is a quotation only. It is not an order, an invoice or an approved manufacturing drawing.

Pricing reference: pcv-2026-10-21 (sample)
**Terms of Sale: o-plates.com/terms.html**