

Dengue CDSS - Clinical Trajectory Report

Generated: 2026-03-07 22:10 | WHO 2009 Classification Engine | For Clinical Decision Support Only

Patient Demographics

Age: 0 years | Sex: Male | Patient: Arjun Mehta Age | Body Metrics: Not Recorded

Continuous Severity Score

Severity: 40.0/100 - Stable

- Haematological: 40.0 pts
- Haemodynamic: 0 pts
- Trend Velocity: 0 pts
- Urine Output: 0 pts

WHO 2009 Dengue Classification

Dengue Without Warning Signs - Group A: Outpatient management may be appropriate with close follow-up

Longitudinal Vitals Matrix - Core CBC & Haemodynamics	
Parameter	Report A
Date/Time	03-07 09:00 AM
Platelets (c/uL)	-
Hematocrit (%)	40.0
Hemoglobin (g/dL)	13.0
RBC (M/uL)	4.50
BP (mmHg)	120/80
Heart Rate (bpm)	72
MAP (mmHg)	93.3

Dengue CDSS - Clinical Trajectory Report

Generated: 2026-03-07 22:10 | WHO 2009 Classification Engine | For Clinical Decision Support Only

Shock Index	0.60
Pulse Pressure	40
Urine (mL/kg/hr)	-

Extended Vital Signs

Parameter	Report A
Temperature	37.0C
GCS (3-15)	15
Cap Refill Time	N/A

Clinical Signs & Symptoms

Parameter	Report A
WHO Warning Signs (n)	0
Symptoms	None

AI-Powered Clinical Assessment

Risk Classification: LOW RISK (0.0%)

95% Confidence Interval: 0.0% - 0.0%

24-Hour Platelet Forecast: 0 cells/uL

Model: Sensitivity 99.77% | Specificity 100% | AUC=0.9996 | Forecast R2=0.9953 | MAE=2,515 | n=2,455

Discharge Readiness: NOT YET READY

- ? Afebrile >=48 hours: Not recorded - ask patient
- ? Platelet trend improving: Need >=2 serial counts to assess

Dengue CDSS - Clinical Trajectory Report

Generated: 2026-03-07 22:10 | WHO 2009 Classification Engine | For Clinical Decision Support Only

- x Platelets $\geq 50,000$ cells/uL: Current: 0 (Below threshold)
- + Haemodynamics stable: SI=0.60, MAP=93.3, PP=40 mmHg
- ? Adequate urine output: Not recorded
- + No active WHO warning signs: None present
- ? Tolerating oral fluids: Not recorded - assess clinically

DISCLAIMER: This report is generated by a Clinical Decision Support System. All findings must be interpreted by a qualified clinician. This tool does not replace professional medical judgment.