User
-int userId
-String username
-String role
-String password
-String status
+User()
+User(int, String, String, String, String)
+getUserId() : int
+setUserId(int) : void
+getUsername() : String
+setUsername(String) : void
+getRole() : String
+setRole(String) : void
+getPassword() : String
+setPassword(String) : void
+getStatus() : String
+setStatus(String) : void
Main
+main(String[]) : void
creates
StyleConstants
+Color PRIMARY_COLOR
+Color SECONDARY_COLOR
+Color ACCENT_COLOR
+Color SIDEBAR_COLOR
+Color SIDEBAR_TEXT_COLOR
+Font TITLE_FONT
+Font BUTTON_FONT
+Font REGULAR_FONT
MainFrame
-CardLayout cardLayout
-JPanel mainPanel
+MainFrame()
+showDashboard(String) : void
+logout() : void
references
contains
LoginServiceImpl
+validateCredentials(String, String) : String
+isUserActive(String) : boolean
LoginPanel
-MainFrame mainFrame
-LoginService loginService
+LoginPanel(MainFrame)
implements
uses
<<interface>>
LoginService
+validateCredentials(String, String) : String
+isUserActive(String) : boolean
DashboardPanel
-MainFrame mainFrame
-String userRole
-JPanel contentPanel
-CardLayout contentLayout
-Map<String, JButton> navButtons
-ProductService productService
+DashboardPanel(MainFrame, String)
-createSidebar() : JPanel
-addNavButton(JPanel, String, String) : void
contains
StockServiceImpl
-List<Runnable> observers
+loadProducts() : List<String>
+loadProductIds() : List<Integer>
+loadSuppliers() : List<String>
+loadSupplierIds() : List<Integer>
+recordStockInflow(int, int, int, String) : boolean
+recordStockOutflow(int, int, String) : boolean
+loadLowStockItems() : List<LowStockItem>
+createReorderRequest(int, int, int) : boolean
+addStockObserver(Runnable) : void
+notifyStockObservers() : void
uses
uses
uses
creates/uses
ReorderRequest
-int requestId
-int productId
-int supplierId
-int requestedQuantity
-String status
+ReorderRequest()
+ReorderRequest(int, int, int, int, String)
+getRequestId() : int
+setRequestId(int) : void
+getProductId() : int
+setProductId(int) : void
+getSupplierId() : int
+setSupplierId(int) : void
+getRequestedQuantity() : int
+setRequestedQuantity(int) : void
+getStatus() : String
+setStatus(String) : void
StockOutflow
-int outflowId
-int productId
-int quantity
-String reason
-String date
+StockOutflow()
+StockOutflow(int, int, int, String, String)
+getOutflowId() : int
+setOutflowId(int) : void
+getProductId() : int
+setProductId(int) : void
+getQuantity() : int
+setQuantity(int) : void
+getReason() : String
+setReason(String) : void
+getDate() : String
+setDate(String) : void
StockInflow
-int inflowId
-int productId
-int supplierId
-int quantityReceived
-String date
+StockInflow()
+StockInflow(int, int, int, int, String)
+getInflowId() : int
+setInflowId(int) : void
+getProductId() : int
+setProductId(int) : void
+getSupplierId() : int
+setSupplierId(int) : void
+getQuantityReceived() : int
+setQuantityReceived(int) : void
+getDate() : String
+setDate(String) : void
LowStockItem
-int productId
-String productName
-int stockQuantity
-int threshold
-String status
+LowStockItem()
+LowStockItem(int, String, int, int, String)
+getProductId() : int
+setProductId(int) : void
+getProductName() : String
+setProductName(String) : void
+getStockQuantity() : int
+setStockQuantity(int) : void
+getThreshold() : int
+setThreshold(int) : void
+getStatus() : String
+setStatus(String) : void
references
references
references
references
references
creates/uses
Product
-int productId
-String productName
-int categoryId
-double price
-int stockQuantity
+Product()
+Product(int, String, int, double, int)
+getProductId() : int
+setProductId(int) : void
+getProductName() : String
+setProductName(String) : void
+getCategoryId() : int
+setCategoryId(int) : void
+getPrice() : double
+setPrice(double) : void
+getStockQuantity() : int
+setStockQuantity(int) : void
Supplier
-int supplierId
-String supplierName
-String phone
-String email
-String address
+Supplier()
+Supplier(int, String, String, String, String)
+getSupplierId() : int
+setSupplierId(int) : void
+getSupplierName() : String
+setSupplierName(String) : void
+getPhone() : String
+setPhone(String) : void
+getEmail() : String
+setEmail(String) : void
+getAddress() : String
+setAddress(String) : void
ProductServiceImpl
+loadAllCategoryNames() : List<String>
+loadCategoryNameIdMap() : Map<String, Integer>
+addCategory(String) : boolean
+deleteCategory(int) : boolean
+loadCategorySummary() : List<Map>
+resetCategoryAutoIncrement() : void
+saveProduct(String, double, int, int) : boolean
+isProductNameDuplicate(String) : boolean
+findAvailableProductId() : int
+deleteProduct(int) : boolean
+shiftProductIdsAfterDelete(int) : void
+getAllProductsSortedByName() : List<Product>
+searchProducts(String) : List<Map>
+getSearchSuggestions(String) : List<String>
+loadProductById(int) : Map<String, Object>
+updateProduct(int, String, int, double) : boolean
uses
uses
uses
UserServiceImpl
+loadUsers() : List<Map>
+addUser(String, String) : boolean
+deactivateUser(int) : boolean
+deleteUser(int) : boolean
+activateUser(int) : boolean
+isUsernameTaken(String) : boolean
SupplierServiceImpl
+saveSupplier(Supplier) : boolean
ReportsServiceImpl
+generateStockReport() : String
+generatePurchaseReport(String, String) : String
uses
implements
uses
uses
implements
uses
implements
DBHandler
-String URL
-String USER
-String PASS
-DBHandler instance
-DBHandler()
+getInstance() : DBHandler
+getConnection() : Connection
<<interface>>
UserService
+loadUsers() : List<Map>
+addUser(String, String) : boolean
+deactivateUser(int) : boolean
+deleteUser(int) : boolean
+activateUser(int) : boolean
+isUsernameTaken(String) : boolean
contains
UserManagementPanel
-UserService userService
+UserManagementPanel()
-loadUsers() : void
-addUser() : void
-deactivateUser() : void
-deleteUser() : void
-activateUser() : void
ReportsPanel
-ReportsService reportsService
+ReportsPanel()
-generateStockReport() : void
-generatePurchaseReport() : void
contains
SupplierPanel
-SupplierService supplierService
+SupplierPanel()
-addSupplier() : void
implements
uses
uses
uses
<<interface>>
SupplierService
+saveSupplier(Supplier) : boolean
<<interface>>
ReportsService
+generateStockReport() : String
+generatePurchaseReport(String, String) : String
ProductSearchPanel
-ProductService productService
+ProductSearchPanel(ProductService)
-searchProducts() : void
-displayResults(List) : void
StockManagementPanel
-String userRole
-StockService stockService
-CardLayout cardLayout
-JPanel contentPanel
+StockManagementPanel(String)
-createMainMenu() : JPanel
contains
contains
contains
uses
LowStockPanel
-StockService stockService
+LowStockPanel(StockService)
-loadLowStockItems() : void
-createReorderRequest() : void
StockOutflowPanel
-StockService stockService
+StockOutflowPanel(StockService)
-loadProducts() : void
-recordOutflow() : void
StockInflowPanel
-StockService stockService
+StockInflowPanel(StockService)
-loadProducts() : void
-loadSuppliers() : void
-recordInflow() : void
ProductManagementPanel
-ProductService productService
-CardLayout cardLayout
-JPanel contentPanel
+ProductManagementPanel()
-createMainMenu() : JPanel
HomePanel
-String userRole
+HomePanel(String)
contains
contains
contains
contains
uses
CategoryPanel
-ProductService productService
+CategoryPanel(ProductService)
-loadCategories() : void
-addCategory() : void
-deleteCategory() : void
UpdateProductPanel
-ProductService productService
-ProductUpdateListener updateListener
+UpdateProductPanel(ProductService, ProductUpdateListener)
-loadProducts() : void
-loadProductDetails(int) : void
-updateProduct() : void
DeleteProductPanel
-ProductService productService
-ProductUpdateListener updateListener
+DeleteProductPanel(ProductService, ProductUpdateListener)
-loadProducts() : void
-deleteProduct() : void
AddProductPanel
-ProductService productService
-ProductUpdateListener updateListener
+AddProductPanel(ProductService, ProductUpdateListener)
-loadCategories() : void
-saveProduct() : void
uses
uses
uses
implements
implements
implements
uses
<<interface>>
StockService
+loadProducts() : List<String>
+loadProductIds() : List<Integer>
+loadSuppliers() : List<String>
+loadSupplierIds() : List<Integer>
+recordStockInflow(int, int, int, String) : boolean
+recordStockOutflow(int, int, String) : boolean
+loadLowStockItems() : List<LowStockItem>
+createReorderRequest(int, int, int) : boolean
+addStockObserver(Runnable) : void
+notifyStockObservers() : void
<<interface>>
ProductService
+loadAllCategoryNames() : List<String>
+loadCategoryNameIdMap() : Map<String, Integer>
+addCategory(String) : boolean
+deleteCategory(int) : boolean
+loadCategorySummary() : List<Map>
+resetCategoryAutoIncrement() : void
+saveProduct(String, double, int, int) : boolean
+isProductNameDuplicate(String) : boolean
+findAvailableProductId() : int
+deleteProduct(int) : boolean
+shiftProductIdsAfterDelete(int) : void
+getAllProductsSortedByName() : List<Product>
+searchProducts(String) : List<Map>
+getSearchSuggestions(String) : List<String>
+loadProductById(int) : Map<String, Object>
+updateProduct(int, String, int, double) : boolean
<<interface>>
ProductUpdateListener
+onProductUpdated() : void