WARNING flwr 2024-03-23 10:35:52,352 l logger.py:118 l DEPRECATED FEATURE: `FedXgbNnAvg` strategy

This is a deprecated feature. It will be removed entirely in future versions of Flower.

WARNING flwr 2024-03-23 10:35:52,356 I app.py:211 I Both server and strategy were provided, ignoring strategy

INFO flwr 2024-03-23 10:35:52,357 l app.py:178 l Starting Flower simulation, config: ServerConfig(num_rounds=5, round_timeout=None)

Data partitioned across 3 clients and 0.0 of local dataset reserved for validation.

FL experiment configured for 5 rounds with 3 client in the pool.

FL round will proceed with 100.0% of clients sampled, at least 1.

2024-03-23 10:35:55,005 INFO worker.py:1621 -- Started a local Ray instance.

INFO flwr 2024-03-23 10:35:56,796 I app.py:213 I Flower VCE: Ray initialized with resources: {'CPU': 40.0, 'object store memory': 27515675443.0, 'memory':

55031350887.0, 'node:__internal_head__': 1.0, 'node:10.10.1.148': 1.0, 'GPU': 1.0}

INFO flwr 2024-03-23 10:35:56,798 | app.py:219 | Optimize your simulation with Flower VCE: https://flower.dev/docs/framework/how-to-run-simulations.html

INFO flwr 2024-03-23 10:35:56,799 I app.py:242 I Flower VCE: Resources for each Virtual Client: {'num_cpus': 1}

INFO flwr 2024-03-23 10:35:56,850 I app.py:288 I Flower VCE: Creating VirtualClientEngineActorPool with 40 actors

INFO flwr 2024-03-23 10:35:56,851 | 2437557820.py:20 | Initializing global parameters

INFO flwr 2024-03-23 10:35:56,853 | 2437557820.py:226 | Requesting initial parameters from one random client

[2m[36m(DefaultActor pid=733408)[0m /home/user/.local/lib/python3.10/site-packages/torch/cuda/__init__.py:141: UserWarning: CUDA initialization: Unexpected error from cudaGetDeviceCount(). Did you run some cuda functions before calling NumCudaDevices() that might have already set an error? Error 803: system has unsupported display driver / cuda driver combination (Triggered internally at ../c10/cuda/CUDAFunctions.cpp:108.)

[2m[36m(DefaultActor pid=733408)[0m return torch._C._cuda_getDeviceCount() > 0

[2m[36m(DefaultActor pid=733408)[0m /home/user/.local/lib/python3.10/site-packages/torch/utils/data/_utils/collate.py:183: UserWarning: The given NumPy array is not writable, and PyTorch does not support non-writable tensors. This means writing to this tensor will result in undefined behavior. You may want to copy the array to protect its data or make it writable before converting it to a tensor. This type of warning will be suppressed for the rest of this program. (Triggered internally at ../ torch/csrc/utils/tensor_numpy.cpp:206.)

[2m[36m(DefaultActor pid=733408)[0m return collate([torch.as_tensor(b) for b in batch], collate_fn_map=collate_fn_map)

INFO flwr 2024-03-23 10:36:24,793 | 2437557820.py:231 | Received initial parameters from one random client

INFO flwr 2024-03-23 10:36:24,795 | 2437557820.py:23 | Evaluating initial

```
parameters
```

/home/user/.local/lib/python3.10/site-packages/torch/cuda/__init__.py:141:
UserWarning: CUDA initialization: Unexpected error from cudaGetDeviceCount().
Did you run some cuda functions before calling NumCudaDevices() that might have already set an error? Error 803: system has unsupported display driver / cuda driver combination (Triggered internally at ../c10/cuda/CUDAFunctions.cpp:108.)
return torch._C._cuda_getDeviceCount() > 0

INFO flwr 2024-03-23 10:37:48,052 | 2437557820.py:26 | initial parameters (loss, other metrics): 0.01497905547214261, {'accuracy': tensor(0.0013)} INFO flwr 2024-03-23 10:37:48,056 | 2437557820.py:36 | FL starting DEBUG flwr 2024-03-23 10:37:48,057 | 2437557820.py:165 | fit_round 1: strategy sampled 3 clients (out of 3)

Evaluation on the server: test_loss=0.0150, test_accuracy=0.0013 Configuring round 1

[2m[36m(DefaultActor pid=733407)[0m /home/user/.local/lib/python3.10/site-packages/torch/cuda/__init__.py:141: UserWarning: CUDA initialization: Unexpected error from cudaGetDeviceCount(). Did you run some cuda functions before calling NumCudaDevices() that might have already set an error? Error 803: system has unsupported display driver / cuda driver combination (Triggered internally at ../c10/cuda/CUDAFunctions.cpp:108.)

[2m[36m(DefaultActor pid=733407)[0m return torch._C._cuda_getDeviceCount() > 0

[2m[36m(DefaultActor pid=733406)[0m /home/user/.local/lib/python3.10/site-packages/torch/cuda/__init__.py:141: UserWarning: CUDA initialization: Unexpected error from cudaGetDeviceCount(). Did you run some cuda functions before calling NumCudaDevices() that might have already set an error? Error 803: system has unsupported display driver / cuda driver combination (Triggered internally at ../c10/cuda/CUDAFunctions.cpp:108.)

[2m[36m(DefaultActor pid=733406)[0m return torch._C._cuda_getDeviceCount() > 0

[2m[36m(DefaultActor pid=733407)[0m /home/user/.local/lib/python3.10/site-packages/torch/utils/data/_utils/collate.py:183: UserWarning: The given NumPy array is not writable, and PyTorch does not support non-writable tensors. This means writing to this tensor will result in undefined behavior. You may want to copy the array to protect its data or make it writable before converting it to a tensor. This type of warning will be suppressed for the rest of this program. (Triggered internally at ../ torch/csrc/utils/tensor_numpy.cpp:206.)

[2m[36m(DefaultActor pid=733407)[0m return collate([torch.as_tensor(b) for b in batch], collate_fn_map=collate_fn_map)

[2m[36m(DefaultActor pid=733408)[0m Client 0: only had its own tree

[2m[36m(DefaultActor pid=733407)[0m Client 1: only had its own tree

[2m[36m(DefaultActor pid=733406)[0m Client 2: only had its own tree

[2m[36m(DefaultActor pid=733408)[0m Client 0: training for 50 iterations/updates

[2m[36m(DefaultActor pid=733408)[0m Client 0: training round complete, 3200 examples processed

[2m[36m(DefaultActor pid=733407)[0m Client 1: training for 50 iterations/updates [2m[36m(DefaultActor pid=733407)[0m Client 1: training round complete, 3200 examples processed

[2m[36m(DefaultActor pid=733406)[0m Client 2: training for 50 iterations/updates

DEBUG flwr 2024-03-23 10:38:49,747 | 2437557820.py:180 | fit_round 1 received 3 results and 0 failures

WARNING flwr 2024-03-23 10:38:49,752 | fedxgb_nn_avg.py:102 | No

fit_metrics_aggregation_fn provided

Server side aggregated 3 trees.

f off

[2m[36m(DefaultActor pid=733406)[0m Client 2: training round complete, 3200 examples processed

INFO flwr 2024-03-23 10:42:22,143 | 2437557820.py:51 | fit progress: (1,

0.00917022571678092, {'accuracy': tensor(0.9988)}, 274.0862308289943)

INFO flwr 2024-03-23 10:42:22,148 | 2437557820.py:98 | evaluate_round 1: no clients selected, cancel

DEBUG flwr 2024-03-23 10:42:22,149 | 2437557820.py:165 | fit_round 2: strategy sampled 3 clients (out of 3)

Evaluation on the server: test loss=0.0092, test accuracy=0.9988

Configuring round 2

[2m[36m(DefaultActor pid=733407)[0m Client 2: recieved 3 trees

[2m[36m(DefaultActor pid=733406)[0m Client 1: training for 50 iterations/updates [2m[36m(DefaultActor pid=733408)[0m Client 0: recieved 3 trees[32m [repeated 2x across cluster] (Ray deduplicates logs by default. Set RAY_DEDUP_LOGS=0 to disable log deduplication, or see https://docs.ray.io/en/master/ray-observability/ray-logging.html#log-deduplication for more options.)[0m

[2m[36m(DefaultActor pid=733406)[0m Client 1: training round complete, 3200 examples processed

DEBUG flwr 2024-03-23 10:43:25,934 | 2437557820.py:180 | fit_round 2 received 3 results and 0 failures

Server side aggregated 3 trees.

f off

INFO flwr 2024-03-23 10:44:27,860 | 2437557820.py:51 | fit progress: (2, $\,$

0.005275848104488284, {'accuracy': tensor(0.9987)}, 399.8035189469956)

INFO flwr 2024-03-23 10:44:27,862 | 2437557820.py:98 | evaluate_round 2: no clients selected, cancel

DEBUG flwr 2024-03-23 10:44:27,863 | 2437557820.py:165 | fit_round 3: strategy sampled 3 clients (out of 3)

Evaluation on the server: test_loss=0.0053, test_accuracy=0.9987

Configuring round 3

[2m[36m(DefaultActor pid=733407)[0m Client 2: training for 50 iterations/updates[32m [repeated 2x across cluster][0m

[2m[36m(DefaultActor pid=733407)[0m Client 2: recieved 3 trees

[2m[36m(DefaultActor pid=733407)[0m Client 2: training round complete, 3200

examples processed[32m [repeated 2x across cluster][0m

[2m[36m(DefaultActor pid=733406)[0m Client 0: recieved 3 trees

[2m[36m(DefaultActor pid=733406)[0m Client 0: training for 50 iterations/updates

[2m[36m(DefaultActor pid=733408)[0m Client 1: recieved 3 trees

[2m[36m(DefaultActor pid=733406)[0m Client 0: training round complete, 3200 examples processed

[2m[36m(DefaultActor pid=733407)[0m Client 2: training for 50 iterations/updates DEBUG flwr 2024-03-23 10:45:17,016 | 2437557820.py:180 | fit_round 3 received 3 results and 0 failures

Server side aggregated 3 trees.

f off

INFO flwr 2024-03-23 10:46:31,849 | 2437557820.py:51 | fit progress: (3,

0.002900565591391469, {'accuracy': tensor(0.9987)}, 523.7923428459908)

INFO flwr 2024-03-23 10:46:31,853 | 2437557820.py:98 | evaluate_round 3: no clients selected, cancel

DEBUG flwr 2024-03-23 10:46:31,854 | 2437557820.py:165 | fit_round 4: strategy sampled 3 clients (out of 3)

Evaluation on the server: test_loss=0.0029, test_accuracy=0.9987

Configuring round 4

[2m[36m(DefaultActor pid=733408)[0m Client 2: recieved 3 trees

[2m[36m(DefaultActor pid=733408)[0m Client 1: training round complete, 3200

examples processed[32m [repeated 2x across cluster][0m

[2m[36m(DefaultActor pid=733408)[0m Client 1: training for 50 iterations/updates

[2m[36m(DefaultActor pid=733408)[0m Client 2: training for 50 iterations/updates

[2m[36m(DefaultActor pid=733406)[0m Client 1: recieved 3 trees[32m [repeated 2x across cluster][0m

[2m[36m(DefaultActor pid=733408)[0m Client 2: training round complete, 3200 examples processed

[2m[36m(DefaultActor pid=733406)[0m Client 1: training for 50 iterations/updates[32m [repeated 2x across cluster][0m

[2m[36m(DefaultActor pid=733407)[0m Client 0: training round complete, 3200 examples processed

DEBUG flwr 2024-03-23 10:47:33,804 | 2437557820.py:180 | fit_round 4 received 3 results and 0 failures

[2m[36m(DefaultActor pid=733406)[0m Client 1: training round complete, 3200 examples processed

Server side aggregated 3 trees.

f off

INFO flwr 2024-03-23 10:48:58,847 | 2437557820.py:51 | fit progress: (4,

0.0015603436968774983, {'accuracy': tensor(0.9987)}, 670.790060829997)

INFO flwr 2024-03-23 10:48:58,849 | 2437557820.py:98 | evaluate_round 4: no clients selected, cancel

DEBUG flwr 2024-03-23 10:48:58,849 | 2437557820.py:165 | fit_round 5: strategy sampled 3 clients (out of 3)

Evaluation on the server: test_loss=0.0016, test_accuracy=0.9987

Configuring round 5

[2m[36m(DefaultActor pid=733407)[0m Client 0: recieved 3 trees

[2m[36m(DefaultActor pid=733407)[0m Client 0: training for 50 iterations/updates [2m[36m(DefaultActor pid=733408)[0m Client 2: recieved 3 trees[32m [repeated 2x across cluster][0m

[2m[36m(DefaultActor pid=733407)[0m Client 0: training round complete, 3200 examples processed

[2m[36m(DefaultActor pid=733408)[0m Client 2: training for 50 iterations/updates[32m [repeated 2x across cluster][0m

[2m[36m(DefaultActor pid=733408)[0m Client 2: training round complete, 3200 examples processed[32m [repeated 2x across cluster][0m

DEBUG flwr 2024-03-23 10:49:49,687 | 2437557820.py:180 | fit_round 5 received 3 results and 0 failures

Server side aggregated 3 trees.

f off

INFO flwr 2024-03-23 10:56:12,617 | 2437557820.py:51 | fit progress: (5, 0.0008277318145600831, {'accuracy': tensor(0.9987)}, 1104.5597491049994) INFO flwr 2024-03-23 10:56:12,619 | 2437557820.pv:98 | evaluate round 5: no clients selected, cancel INFO flwr 2024-03-23 10:56:12,619 | 2437557820.py:79 | FL finished in 1104.5623159819952 INFO flwr 2024-03-23 10:56:12,620 | app.py:226 | app_fit: losses_distributed [] INFO flwr 2024-03-23 10:56:12,621 | app.py:227 | app fit: metrics distributed fit {} INFO flwr 2024-03-23 10:56:12,621 | app.py:228 | app_fit: metrics_distributed {} INFO flwr 2024-03-23 10:56:12,622 | app.py:229 | app_fit: losses_centralized [(0, 0.01497905547214261), (1, 0.00917022571678092), (2, 0.005275848104488284), 0.0008277318145600831)] INFO flwr 2024-03-23 10:56:12,624 | app.py:230 | app_fit: metrics_centralized {'accuracy': [(0, tensor(0.0013)), (1, tensor(0.9988)), (2, tensor(0.9987)), (3, tensor(0.9987)), (4, tensor(0.9987)), (5, tensor(0.9987))]} Evaluation on the server: test loss=0.0008, test accuracy=0.9987 History (loss, centralized): round 0: 0.01497905547214261 round 1: 0.00917022571678092 round 2: 0.005275848104488284 round 3: 0.002900565591391469 round 4: 0.0015603436968774983 round 5: 0.0008277318145600831 History (metrics, centralized): {'accuracy': [(0, tensor(0.0013)), (1, tensor(0.9988)), (2, tensor(0.9987)), (3, tensor(0.9987)), (4, tensor(0.9987)), (5, tensor(0.9987))]}