# BRAC UNIVERSITY

Quiz 3 **Department of Computer Science and Engineering** **SET E**

CSE110: Programming Language I Duration: 35 minutes Marks: 20

| Name:<br><br>(Please write in CAPITAL LETTERS) | ID: | Section: 30 |
|---|---|---|

1. Suppose you are given a list of lists. You have to make a dictionary where the key will be the last element of each list and the value will be a tuple of the remaining elements of the list. [Your program should work for any given dictionary] **You are not allowed to use slicing**.

   [Marks 10]
   [CO 3 + CO 4+ CO 6]

   **Given List 1:**
   [['Red', 'Blue', 'Violet'], ['Blue', 'Yellow','Green'], ['Red', 'Yellow','Orange']]

   **Output:**
   {'Violet': ('Red', 'Blue'), 'Green': ('Blue', 'Yellow'), 'Orange': ('Red', 'Yellow')}

   **Given List 2:**
   [['Red', 'Yellow','Blue', 'Black'], ['Red', 'White','Pink']]

   **Output:**
   {'Black': ('Red', 'Yellow', 'Blue'), 'Pink': ('Red', 'White')}

2. Illustrate the outputs of the following statements. Provide your workings on the answer script to verify your outputs. Your answer will not be accepted without the workings. All the outputs must be in the question paper.

[Marks 10]
[CO 3 + CO 4+ CO 6]

| | | Output |
|---|---|---|
| **1** | list_1 = [4, 8, 7, -2, 0, 5, 7.0, 0, 9.5, -1] | |
| **2** | new_list = [] | |
| **3** | val1 = 1 | |
| **4** | val2 = -1 | |
| **5** | new_list = list_1 | |
| **6** | while (val1 < (28%10)+1): | |
| **7** | list_1[val1] = val1 + 4 | |
| **8** | val2 = 1 | |
| **9** | while (val2 < val1): | |
| **10** | list_1[val1] = new_list[val1+1] - list_1[val2-2] - val1+1 | |
| **11** | val2 = val2 + 1 | |
| **12** | print(new_list[val1]) | |
| **13** | val1 = val1 + 1 | |
| **14** | print(new_list[2]) | |
| **15** | variable = (tuple(list_1)[-3],) | |
| **16** | print(variable) | |