PROJECT VYUHA: SOVEREIGN DEFENSE ARCHITECTURE

Engineering Field Briefing // Technical Steering Committee

Author: Lead Architect S. Drona (Bangalore Engineering Lab)
Classification: RESTRICTED // INTERNAL ENGINEERING EYES ONLY
Version: 2026.1-STG-REV4

Perimeter Topography: Bastion 1 (Jayadratha)

- Public Ingress (chakravyuha-outer.ctf.local) functions as a high-interaction decoy with hardware rate-limiting.
- Frontal brute-force attacks are mathematically futile by design.

Staging Route:

```
To facilitate external QA validation, unindexed staging ingress is maintained at:
vyuha-staging.ctf.local (or /staging via reverse proxy).
```

Identity & Access Management: QA Conventions

All active staging analyst profiles follow deterministic security rules:

```
Username Format: analyst_{initials} (e.g. analyst_sd)
```

```
Default Password Pattern: {mythological_steed}{year}! (e.g. indra2023!)
```

Notice: Staging ingress passes token JAYADRATHA_GATE_BYPASS_9a8f27c3e510 upon successful handshake.

Synchronizer Architecture (Rings 2 through 7)

- Ring 2 (Kripacharya Portal): Key rotation verified via JWKS endpoint.
- Ring 3 (Drona Vault): Case docket #4471 linked to dispatch triggers.
- Ring 4 (Ashwatthama): VAD volatile memory snapshot unlocked upon docket dispatch.
- Inner Sanctum: 10-minute hardware watchdog timer resets session if core is not extracted in time.