Name: Rohan Vinayak Chaudhari

Batch: Data Engineering

Date:01/02/2024

Topic: Python

Solution:

1.Python:



	PassengerId	Survived	Pclass	Name	Sex	Age	SibSp	Parch	Ticket	Fare	Cabin	Embarked
0	1	0	3	Braund, Mr. Owen Harris	male	22.0	1	0	A/5 21171	7.2500	NaN	S
1	2	1	1	Cumings, Mrs. John Bradley (Florence Briggs Th...	female	38.0	1	0	PC 17599	71.2833	C85	C
2	3	1	3	Heikkinen, Miss. Laina	female	26.0	0	0	STON/O2. 3101282	7.9250	NaN	S
3	4	1	1	Futrelle, Mrs. Jacques Heath (Lily May Peel)	female	35.0	1	0	113803	53.1000	C123	S
4	5	0	3	Allen, Mr. William Henry	male	35.0	0	0	373450	8.0500	NaN	S
...	...	...	...	...	...	...	...	...	...	...	...	...
886	887	0	2	Montvila, Rev. Juozas	male	27.0	0	0	211536	13.0000	NaN	S

jupyter Rohan_Chaudhari_Assignment Last Checkpoint: an hour ago (autosaved)

Logout

File Edit View Insert Cell Kernel Widgets Help

Trusted | Python 3 (ipykernel)

Run Code

Filter data using query

In [35]:
```
filtered_df = df.query("Survived == 1 and Age > 30")
```

In [36]:
```
filtered_df
```

Out[36]:

	PassengerId	Survived	Pclass	Name	Sex	Age	SibSp	Parch	Ticket	Fare	Cabin	Embarked
1	2	1	1	Cumings, Mrs. John Bradley (Florence Briggs Th...	female	38.0	1	0	PC 17599	71.2833	C85	C
3	4	1	1	Futrelle, Mrs. Jacques Heath (Lily May Peel)	female	35.0	1	0	113803	53.1000	C123	S
11	12	1	1	Bonnell, Miss. Elizabeth	female	58.0	0	0	113783	26.5500	C103	S
15	16	1	2	Hewlett, Mrs. (Mary D Kingcome)	female	55.0	0	0	248706	16.0000	NaN	S
21	22	1	2	Beesley, Mr. Lawrence	male	34.0	0	0	248698	13.0000	D56	S
...	...	...	...	...	...	...	...	...	...	...	...	...
857	858	1	1	Daly, Mr. Peter Denis	male	51.0	0	0	113055	26.5500	E17	S
862	863	1	1	Swift, Mrs. Frederick Joel (Margaret Welles Ba...	female	48.0	0	0	17466	25.9292	D17	S
865	866	1	2	Bystrom, Mrs. (Karolina)	female	42.0	0	0	236852	13.0000	NaN	S
871	872	1	1	Beckwith, Mrs. Richard Leonard (Sallie Monypeny)	female	47.0	1	1	11751	52.5542	D35	S
879	880	1	1	Potter, Mrs. Thomas Jr (Lily Alexenia Wilson)	female	56.0	0	1	11767	83.1583	C50	C

124 rows × 12 columns

jupyter Rohan_Chaudhari_Assignment Last Checkpoint: an hour ago (autosaved)

Logout

File Edit View Insert Cell Kernel Widgets Help

Trusted | Python 3 (ipykernel)

Run Code

Count

In [40]:
```
df['Age'].value_counts()
```

Out[40]:
```
Age
24.00    30
22.00    27
18.00    26
19.00    25
28.00    25
         ..
36.50     1
55.50     1
0.92      1
23.50     1
74.00     1
Name: count, Length: 88, dtype: int64
```

In [19]:
```
print(df.count())
```

```
PassengerId    891
Survived       891
Pclass         891
Name           891
Sex            891
Age            714
SibSp          891
Parch          891
Ticket         891
```


jupyter Rohan_Chaudhari_Assignment Last Checkpoint: an hour ago (autosaved)
Logout
File Edit View Insert Cell Kernel Widgets Help
Trusted
Python 3 (pykernel)
Run
Code
In [44]: df.isnull().sum()
Out[44]:
PassengerId 0
Survived 0
Pclass 0
Name 0
Sex 0
Age 177
SibSp 0
Parch 0
Ticket 0
Fare 0
Cabin 687
Embarked 2
dtype: int64
In [48]: df[df['Age'] > 30].count()
Out[48]:
PassengerId 305
Survived 305
Pclass 305
Name 305
Sex 305
Age 305
SibSp 305
Parch 305
Ticket 305
Fare 305
Cabin 116


jupyter Rohan_Chaudhari_Assignment Last Checkpoint: an hour ago (autosaved)
Logout
File Edit View Insert Cell Kernel Widgets Help
Trusted
Python 3 (pykernel)
Run
Code
In [49]: df[df['Age'] > 30]['PassengerId'].count()
Out[49]: 305
In [57]: df[(df['Age'] > 30) &
(df['Sex'] == 'male')]['PassengerId'].count()
Out[57]: 202

jupyter Rohan_Chaudhari_Assignment Last Checkpoint: an hour ago (autosaved)

Logout

File Edit View Insert Cell Kernel Widgets Help Trusted Python 3 (ipykernel)

Run Code

Dynamic columns

In [63]:
```
dynamic_column = ['PassengerId','Age','Sex','Fare']
df1 =pd.read_csv('https://raw.githubusercontent.com/datasciencedojo/datasets/master/titanic.csv',usecols = dynamic_column)
df1
```

Out[63]:

	PassengerId	Sex	Age	Fare
0	1	male	22.0	7.2500
1	2	female	38.0	71.2833
2	3	female	26.0	7.9250
3	4	female	35.0	53.1000
4	5	male	35.0	8.0500
...	...	...	...	...
886	887	male	27.0	13.0000
887	888	female	19.0	30.0000
888	889	female	NaN	23.4500
889	890	male	26.0	30.0000
890	891	male	32.0	7.7500

891 rows × 4 columns

jupyter Rohan_Chaudhari_Assignment Last Checkpoint: an hour ago (autosaved)

Logout

File Edit View Insert Cell Kernel Widgets Help Trusted Python 3 (ipykernel)

Run Code

Inner join

In [66]:
```
d = {'PassengerId': [1, 2, 9, 8],
     'country': ['USA', 'INDIA', 'RUSSIA', 'CHINA']}
df1=pd.DataFrame(d)
df1
```

Out[66]:

	PassengerId	country
0	1	USA
1	2	INDIA
2	9	RUSSIA
3	8	CHINA

In [70]:
```
df2=pd.merge(df,df1,on='PassengerId',how='inner')
df2
```

Out[70]:

	PassengerId	Survived	Pclass	Name	Sex	Age	SibSp	Parch	Ticket	Fare	Cabin	Embarked	country
0	1	0	3	Braund, Mr. Owen Harris	male	22.0	1	0	A/5 21171	7.2500	NaN	S	USA
1	2	1	1	Cumings, Mrs. John Bradley (Florence Briggs Th...	female	38.0	1	0	PC 17599	71.2833	C85	C	INDIA
2	8	0	3	Palsson, Master. Gosta Leonard	male	2.0	3	1	349909	21.0750	NaN	S	CHINA
3	9	1	3	Johnson, Mrs. Oscar W (Elisabeth Vilhelmina Berg)	female	27.0	0	2	347742	11.1333	NaN	S	RUSSIA

jupyter Rohan_Chaudhari_Assignment Last Checkpoint: an hour ago (autosaved)

Logout

File Edit View Insert Cell Kernel Widgets Help Trusted Python 3 (ipykernel)

Run Code

Aggregation on Joins

In [76]:
```
result_df = df2.groupby('PassengerId')['Age'].sum().reset_index()
result_df
#.reset_index()
```

Out[76]:

	PassengerId	Age
0	1	22.0
1	2	38.0
2	8	2.0
3	9	27.0

jupyter Rohan_Chaudhari_Assignment Last Checkpoint: an hour ago (autosaved)

Logout

File Edit View Insert Cell Kernel Widgets Help Trusted Python 3 (ipykernel)

Run Code

SORT VALUES

In [78]:
```
sort_df=df.sort_values(by='Age',ascending=False)
sort_df
```

Out[78]:

	PassengerId	Survived	Pclass	Name	Sex	Age	SibSp	Parch	Ticket	Fare	Cabin	Embarked
630	631	1	1	Barkworth, Mr. Algernon Henry Wilson	male	80.0	0	0	27042	30.0000	A23	S
851	852	0	3	Svensson, Mr. Johan	male	74.0	0	0	347060	7.7750	NaN	S
493	494	0	1	Artagaveytia, Mr. Ramon	male	71.0	0	0	PC 17609	49.5042	NaN	C
96	97	0	1	Goldschmidt, Mr. George B	male	71.0	0	0	PC 17754	34.6542	A5	C
116	117	0	3	Connors, Mr. Patrick	male	70.5	0	0	370369	7.7500	NaN	Q
...	...	...	...	...	...	...	...	...	...	...	...	...
859	860	0	3	Razi, Mr. Raihed	male	NaN	0	0	2629	7.2292	NaN	C
863	864	0	3	Sage, Miss. Dorothy Edith "Dolly"	female	NaN	8	2	CA. 2343	69.5500	NaN	S
868	869	0	3	van Melkebeke, Mr. Philemon	male	NaN	0	0	345777	9.5000	NaN	S
878	879	0	3	Laleff, Mr. Kristo	male	NaN	0	0	349217	7.8958	NaN	S
888	889	0	3	Johnston, Miss. Catherine Helen "Carrie"	female	NaN	1	2	W./C. 6607	23.4500	NaN	S

891 rows × 12 columns



859	860	0	3	Razi, Mr. Raihed	male	NaN	0	0	2629	7.2292	NaN	C
863	864	0	3	Sage, Miss. Dorothy Edith "Dolly"	female	NaN	8	2	CA. 2343	69.5500	NaN	S
868	869	0	3	van Melkebeke, Mr. Philemon	male	NaN	0	0	345777	9.5000	NaN	S
878	879	0	3	Laleff, Mr. Kristo	male	NaN	0	0	349217	7.8958	NaN	S
888	889	0	3	Johnston, Miss. Catherine Helen "Carrie"	female	NaN	1	2	W./C. 6607	23.4500	NaN	S

891 rows × 12 columns

DataFrame to CSV

In [80]:
```
df.to_csv('output_file.csv', index=False)
```

DataFrame to Json

In [81]:
```
df.to_json('output_file1.json', orient='records', lines=True)
```