Texture Synthesis Using VAEs

CMSC 726 Final Project, UMD -- Fall'17

Texture Synthesis




Figure from Wikipedia: Texture Synthesis

Texture Types






Figure from Wikipedia: Texture Synthesis


Texture Types



DRAW - VAEs Generative Models



Model




Gregor et al., DRAW: A recurrent neural network for image generation. ICML'15

- Use the DRAW model to generate texture.
 - Generated images are small (28x28 only).

- Use the DRAW model to generate texture.
 - Generated images are small (28x28 only).
- Loss function:
 - Cross entropy

- Use the DRAW model to generate texture.
 - Generated images are small (28x28 only).
- Loss function:
 - Cross entropy → pixel-to-pixel correspondence is not suitable for texture

- Use the DRAW model to generate texture.
 - Generated images are small (28x28 only).
- Loss function:
 - Cross entropy → pixel-to-pixel correspondence is not suitable for texture





- Use the DRAW model to generate texture.
 - Generated images are small (28x28 only).
- Loss function:
 - Cross entropy → pixel-to-pixel correspondence is not suitable for texture




Filter-bank (FB) response.








































FB + TV





How can we synthesize larger texture?

Train networks to generate immediate neighbors.



Feed generated neighbors as input to generate more tiles, and so on...













