```
<?xml version="1.0" encoding="utf-8"?>
<LinearLayout xmlns:android="http://schemas.android.com/apk/res/android"</pre>
        <ImageView</pre>
            android:src="@mipmap/votesign"></ImageView>
        <TextView
        <ScrollView
            <LinearLayout
                <TextView
```

```
<TextView
</TextView>
<EditText
    android:autofillHints="name"
    android:textStyle="italic">
</EditText>
<TextView
</TextView>
<EditText
```

```
android:layout below="@id/det
<TextView
    android:autofillHints="phone"
    android:textSize="20dp">
</TextView>
<EditText
    android:textStyle="italic">
</EditText>
<TextView
</TextView>
<EditText
```

```
</EditText>
</TextView>
<EditText
    android:textStyle="italic">
</EditText>
<TextView
</TextView>
<EditText
```

```
android:layout below="@id/det6
                </EditText>
                </Button>
            </LinearLayout>
       </ScrollView>
</LinearLayout>
```



## //forget password full code

```
<?xml version="1.0" encoding="utf-8"?>
<RelativeLayout xmlns:android="http://schemas.android.com/apk/res/android"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    android:background="@color/black"
    >


    <RelativeLayout
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:padding="10dp"
        android:background="@drawable/shape"
        android:id="@+id/header">

         <ImageView
              android:layout_width="100dp"
              android:layout_height="100dp"
              android:layout_height="100dp"
</pre>
```

```
</ImageView>
     <TextView
     </TextView>
</RelativeLayout>
<RelativeLayout
          android:textStyle="bold">
     <TextView
          android:textColor="@color/white"
          android:layout marginTop="20dp"
android:hint="Enter your Mobile Number"
android:textAlignment="center"
```

```
android:inputType="number
android:textSize="20dp" />
android:textColor="@color/black"
```

```
</RelativeLayout>
```




## //login page full code

```
<?xml version="1.0" encoding="utf-8"?>
<androidx.appcompat.widget.LinearLayoutCompat
xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:tools="http://schemas.android.com/tools"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    android:orientation="vertical"
    android:padding="3dp"
    tools:context=".login">

android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:layout_marginTop="200dp"
    android:fontFamily="sans-serif-medium"
```


```
<com.google.android.material.textfield.TextInputEditText</pre>
    android:inputType="textPassword"
```

```
android:clickable="true"
       </Button>
            ></Button>
   </LinearLayout>
</androidx.appcompat.widget.LinearLayoutCompat>
```



//final page code

```
android:hint=" Enter adhar card number
app:endIconMode="clear_text"
</com.google.android.material.textfield.TextInputLayout>
    android:inputType="textCapCharacters"
    <com.google.android.material.textfield.TextInputEditText</pre>
         android:inputType="textPassword"
</com.google.android.material.textfield.TextInputLayout>
<LinearLayout
```



```
package com.example.votingapplication;
public class createaccountpage extends AppCompatActivity {
   protected void onCreate(Bundle savedInstanceState) {
       db.execSQL("CREATE TABLE IF NOT EXISTS registration(fullnameVARCHAR
```

## //forget password code

```
package com.example.votingapplication;
import androidx.appcompat.app.AppCompatActivity;
import android.database.sqlite.SQLiteDatabase;
import android.net.eap.EapSessionConfig;
```

```
import android.os.Bundle;
import android.widget.Button;
import android.widget.EditText;

public class forgetpass extends AppCompatActivity {
    @Override
    protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);
        setContentView(R.layout.forgetpasswordpage);

        EditText phone = (EditText) findViewById(R.id.enterph);
        EditText otp = (EditText) findViewById(R.id.enotp);

        Button genotp = (Button) findViewById(R.id.bt1);
        Button resendmsg = (Button) findViewById(R.id.bt2);
        Button submitmsg = (Button) findViewById(R.id.bt3);
}
```

## //login page code

```
Button bt2 = (Button) findViewById(R.id.forgetbutton);
bt2.setOnClickListener(new View.OnClickListener() {
     @Override
     public void onClick(View v) {
                Intent intent = new Intent(login.this, forgetpass.class);
           }
        });
        Button bt3 = (Button) findViewById(R.id.submitbutton);
        bt3.setOnClickListener(new View.OnClickListener() {
           @Override
           public void onClick(View v) {
                      Intent intent = new Intent(login.this,finalpage.class);
                 }
        });
```

```
<?xml version="1.0" encoding="utf-8"?>
<manifest xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:tools="http://schemas.android.com/tools">

<application
    android:allowBackup="true"
    android:dataExtractionRules="@xml/data_extraction_rules"
    android:fullBackupContent="@xml/backup_rules"
    android:foon="@mipmap/ic_launcher"
    android:roundIcon="@mipmap/ic_launcher_round"
    android:supportsRtl="true"
    android:theme="@style/Theme.VotingApplication"
    tools:targetApi="31">
    <activity
        android:name=".login"
        android:name=".login"
        android:exported="true">
        <intent-filter>
        <action android:name="android.intent.action.MAIN" />
        <activity android:name="android.intent.action.MAIN" />
        <activity android:name=".createaccountpage"/>
        <activity android:name=".resetpass"/>
        <activity android:name=".resetpass"/>
        <activity android:name=".resetpass"/>
        <activity android:name=".finalpage"/>
        </activity android:name=".finalpage"/>
        </application>
```