

RxDemoApp

Execution time
21-11-2024 12:25:32
Operating system
Windows 10 64bit
Run configuration name
TestRun

Computer name
CELSYSBLR000317
Screen dimension
1920x1080
Username
rohangowda.gc

Language
en-US
Duration
43.52s



■ 6 x Success

Total warnings
0

Total errors
0

Table of Contents

■ Introduction.....	2
■ [SETUP].....	2
■ StartAUT.....	2
■ Recording1.....	2
■ Test_Database.....	2
■ Recording2.....	3
■ Image_Based_Automation.....	3
■ Recording3.....	3
■ UI_Element_Test_Area.....	4
■ Recording4.....	4
■ Upload_Testing.....	5
■ Recording5.....	5
■ Dynamic_IDs.....	6
■ Recording6.....	6
■ [TEARDOWN].....	6
■ CloseAUT.....	6

Global Parameters:

AppProcessID:

Introduction



Introduction

4.62s



SETUP

430ms



StartAUT

407ms



Time	Level	Category	Message
00:00.047	Info	Data	Current variable values: \$StartAutProcessIDVar = "
00:00.105	Info	Application	Run application 'C:\Users\rohangowda.gc\Downloads\RxDemoApp (1)\RxDemoApp.exe' in normal mode. Return value bound to \$StartAutProcessIDVar.



Recording1

4.18s



Time	Level	Category	Message
00:00.457	Info	Mouse	Mouse Left Click item 'RxMainFrame.Introduction' at 47;7.
00:02.351	Info	Mouse	Mouse Left Click item 'RxMainFrame.RxTabIntroduction.EnterYourName' at 36;11.
00:03.102	Info	Keyboard	Key sequence 'Rohan' with focus on 'RxMainFrame.RxTabIntroduction.EnterYourName'.
00:03.562	Info	Mouse	Mouse Left Click item 'RxMainFrame.RxTabIntroduction.BtnSubmitUserName' at 28;11.
00:04.233	Info	Validation	Validating AttributeEqual (Text='Welcome, Rohan!') on item 'RxMainFrame.RxTabIntroduction.LblWelcomeMessage'.
00:04.504	Success	Validation	Attribute 'Text' of element for item 'RxDemoAppRepository.RxMainFrame.RxTabIntroduction.LblWelco meMessage' does match the specified value.



Test_Database



Test_Database

11.55s



Recording2

11.54s

Time	Level	Category	Message
00:04.642	Info	Mouse	Mouse Left Click item 'RxMainFrame.TestDatabase' at 59;12.
00:05.299	Info	Mouse	Mouse Left Click item 'RxMainFrame.RxTabStandard.FirstName' at 56;12.
00:06.365	Info	Keyboard	Key sequence 'Rohan' with focus on 'RxMainFrame.RxTabStandard.FirstName'.
00:06.983	Info	Mouse	Mouse Left Click item 'RxMainFrame.RxTabStandard.LastName' at 24;6.
00:07.833	Info	Keyboard	Key sequence " with focus on 'RxMainFrame.RxTabStandard.LastName'.
00:08.333	Info	Keyboard	Key sequence 'G{LShiftKey up} C' with focus on 'RxMainFrame.RxTabStandard.LastName'.
00:08.969	Info	Mouse	Mouse Left Click item 'RxMainFrame.RxTabStandard.Open' at 7;11.
00:09.832	Info	Mouse	Mouse Left Click item 'List1000.Testing' at 116;3.
00:10.349	Info	Mouse	Mouse Left Click item 'RxMainFrame.RxTabStandard.UpDownEdit' at 44;11.
00:11.199	Info	Keyboard	Key sequence '{Back}' with focus on 'RxMainFrame.RxTabStandard.UpDownEdit'.
00:11.836	Info	Keyboard	Key sequence '23' with focus on 'RxMainFrame.RxTabStandard.UpDownEdit'.
00:12.370	Info	Mouse	Mouse Left Click item 'RxMainFrame.RxTabStandard.RdbMale' at 7;6.
00:13.215	Info	Mouse	Mouse Left Click item 'RxMainFrame.RxTabStandard.BtnAddPerson' at 26;17.
00:13.898	Info	Validation	Validating AttributeEqual (Text='Rohan G C (male, 23) Testing') on item 'RxMainFrame.RxTabStandard.RohanGCMale23Testing'.
00:14.174	Success	Validation	Attribute 'Text' of element for item 'RxDemoAppRepository.RxMainFrame.RxTabStandard.RohanGCMale23Testing' does match the specified value.
00:14.320	Info	Validation	Validating AttributeEqual (Text='1') on item 'RxMainFrame.RxTabStandard.LblNumberOfPersonsNumber'.
00:14.656	Success	Validation	Attribute 'Text' of element for item 'RxDemoAppRepository.RxMainFrame.RxTabStandard.LblNumberOfPersonsNumber' does match the specified value.
00:14.790	Info	Mouse	Mouse Left Click item 'RxMainFrame.RxTabStandard.RohanGCMale23Testing' at 129;9.
00:15.499	Info	Mouse	Mouse Left Click item 'RxMainFrame.RxTabStandard.BtnDeletePerson' at 28;13.


Image_Based_Automation

Image_Based_Automation

6.43s


Recording3

6.43s

Time	Level	Category	Message
00:16.193	Info	Mouse	Mouse Left Click item 'RxMainFrame.ImageBasedAutomation' at 82;8.
00:16.850	Info	Mouse	Mouse Left Click item 'RxMainFrame.RxTabImageBased.MonthCalendar1' at 141;15.
00:17.533	Info	Mouse	Mouse Left Click item 'RxMainFrame.RxTabImageBased.MonthCalendar1' at 128;20.
00:18.199	Info	Mouse	Mouse Left Click item 'RxMainFrame.RxTabImageBased.MonthCalendar1' at 15;17.
00:18.883	Info	Mouse	Mouse Left Click item 'RxMainFrame.RxTabImageBased.MonthCalendar1' at 15;17.
00:19.533	Info	Mouse	Mouse Left Click item 'RxMainFrame.RxTabImageBased.MonthCalendar1' at 97;53.
00:20.183	Info	Mouse	Mouse Left Click item 'RxMainFrame.RxTabImageBased.MonthCalendar1' at 44;120.
00:20.901	Info	Mouse	Mouse Left Click item 'RxMainFrame.RxTabImageBased.MonthCalendar1' at 167;116.
00:21.565	Info	Mouse	Mouse Left Click item 'RxMainFrame.RxTabImageBased.ChkShowImage' at 37;6.
00:22.216	Info	Validation	Validating AttributeEqual (ControlName='TheCat') on item 'RxMainFrame.RxTabImageBased.TheCat'.
00:22.491 	Success	Validation	Attribute 'ControlName' of element for item 'RxDemoAppRepository.RxMainFrame.RxTabImageBased.TheCat' does match the specified value.



UI_Element_Test_Area

UI_Element_Test_Area

14.2s 



Recording4


14.2s 

Time	Level	Category	Message
00:22.631	Info	Mouse	Mouse Left Click item 'RxMainFrame.UIElementTestArea' at 51;14.
00:23.282	Info	Mouse	Mouse Left Click item 'RxMainFrame.RxTabUIElements.RdbRedLight' at 9;6.
00:24.150	Info	Validation	Validating Exists on item 'RxMainFrame.RxTabUIElements.PnlColourPanel'.
00:24.513 	Success	Validation	Element for item 'PnlColourPanel' does exist.
00:24.658	Info	Mouse	Mouse Left Click item 'RxMainFrame.RxTabUIElements.RdbGreenLight' at 10;10.
00:25.466	Info	Validation	Validating Exists on item 'RxMainFrame.RxTabUIElements.PnlColourPanel'.
00:25.860 	Success	Validation	Element for item 'PnlColourPanel' does exist.
00:25.989	Info	Mouse	Mouse Left Click item 'RxMainFrame.RxTabUIElements.Down' at 8;7.



00:26.734	Info	Mouse	Mouse Left Click item 'RxMainFrame.RxTabUIElements.Down' at 8;7.
00:27.815	Info	Mouse	Mouse Left Click item 'RxMainFrame.RxTabUIElements.Down' at 8;7.
00:28.898	Info	Mouse	Mouse Left Click item 'RxMainFrame.RxTabUIElements.Down' at 8;7.
00:29.998	Info	Mouse	Mouse Left Click item 'RxMainFrame.RxTabUIElements.Down' at 8;7.
00:31.133	Info	Mouse	Mouse Left Click item 'RxMainFrame.RxTabUIElements.Down' at 8;7.
00:31.881	Info	Mouse	Mouse Left Click item 'RxMainFrame.RxTabUIElements.Down' at 8;7.
00:32.649	Info	Validation	Validating AttributeEqual (Text='Hands-on application topics') on item 'RxMainFrame.RxTabUIElements.HandsOnApplicationTopics'.
00:33.153 ✓	Success	Validation	Attribute 'Text' of element for item 'RxDemoAppRepository.RxMainFrame.RxTabUIElements.HandsOnApplicationTopics' does match the specified value.
00:33.288	Info	Mouse	Mouse Left DoubleClick item 'RxMainFrame.RxTabUIElements.RanorexStudioFundamentals' at 105;3.
00:34.117	Info	Validation	Validating AttributeEqual (Text='Ranorex Recorder') on item 'RxMainFrame.RxTabUIElements.RanorexRecorder'.
00:34.439 ✓	Success	Validation	Attribute 'Text' of element for item 'RxDemoAppRepository.RxMainFrame.RxTabUIElements.RanorexRecorder' does match the specified value.
00:34.572	Info	Mouse	Mouse Left Click item 'RxMainFrame.RxTabUIElements.LineDown' at 11;12.
00:35.465	Info	Mouse	Mouse Left Click item 'RxMainFrame.RxTabUIElements.DepartmentRow7' at 28;6.
00:36.250	Info	Validation	Validating AttributeEqual (Text='Testing') on item 'RxMainFrame.RxTabUIElements.DepartmentRow7'.
00:36.685 ✓	Success	Validation	Attribute 'Text' of element for item 'RxDemoAppRepository.RxMainFrame.RxTabUIElements.DepartmentRow7' does match the specified value.




Upload_Testing

<div>  Upload_Testing </div> <div>4.63s</div> <div>⌵</div>			
<div>  Recording5 </div> <div>4.63s</div> <div>⌵</div>			
Time	Level	Category	Message
00:36.827	Info	Mouse	Mouse Left Click item 'RxMainFrame.UploadTesting' at 42;9.
00:37.499	Info	Mouse	Mouse Left Click item 'RxMainFrame.RxTabUpload.RBFast' at 6;7.
00:38.284	Info	Mouse	Mouse Left Click item 'RxMainFrame.RxTabUpload.ResetUpload' at 21;11.
00:39.181	Info	Mouse	Mouse Left Click item 'RxMainFrame.RxTabUpload.BtnStartUpload' at 65;10.




00:39.870	Info	Validation	Validating AttributeEqual (Text='Upload finished') on item 'RxMainFrame.RxTabUpload.LblFinished'.
00:41.325 	Success	Validation	Attribute 'Text' of element for item 'RxDemoAppRepository.RxMainFrame.RxTabUpload.LblFinished' does match the specified value.

Dynamic_IDs


Dynamic_IDs
2.05s


 Recording6 1.9s 			
Time	Level	Category	Message
00:41.460	Info	Mouse	Mouse Left Click item 'RxMainFrame.DynamicIDs' at 47;7.
00:42.199	Info	Mouse	Mouse Left Click item 'RxMainFrame.ChkShowDynamicID' at 9;10.
00:42.915	Info	Validation	Validating AttributeEqual (Visible='True') on item 'RxMainFrame.Text'.
00:43.210 	Success	Validation	Attribute 'Visible' of element for item 'RxDemoAppRepository.RxMainFrame.Text' does match the specified value.

TEARDOWN

 CloseAUT 145ms 			
144ms 			
Time	Level	Category	Message
00:43.362	Info	Data	Current variable values: \$CloseAutProcessIDVar = '17436'
00:43.402	Info	Application	Closing application with Process ID bound to variable \$CloseAutProcessIDVar.