Friday, 1 October 2021

5:57 PM

Plan for

fri & Sunday

Friday-

Consecutive no Sum

Add String - 29n array-199 Multiply Strings Jennewed Linked Linked List

Max Sum of two non

over latiping Subarray

Trapping rain waster te

Slidling window Max - 9n 8-tack

Sinday.

1) Meeting Room

2 Meeting Room 2

(3) Merge Intervals

9 Interval List Intersection

Insert gneereds

(7) Coor fleet

o(n) Timer

o(n) space

Gonadhi


Jayort'

3

gno

och bur





How to find Kmax -

Generic Example -

$$\begin{array}{c} \chi t \\ \text{wood} \end{array} \qquad \begin{array}{c} \chi t \\ \text{ktorns} \rightarrow \text{Suppose it is mox} \end{array} \qquad \begin{array}{c} \chi t \\ \text{kitorns} \rightarrow \text{Suppose it is mox} \end{array} \qquad \begin{array}{c} \chi t \\ \text{kitorns} \rightarrow \text{Suppose it is mox} \end{array} \qquad \begin{array}{c} \chi t \\ \text{kitorns} \rightarrow \text{Suppose it is mox} \end{array} \qquad \begin{array}{c} \chi t \\ \text{kitorns} \rightarrow \text{Suppose it is mox} \end{array} \qquad \begin{array}{c} \chi t \\ \text{kitorns} \rightarrow \text{Suppose it is mox} \end{array} \qquad \begin{array}{c} \chi t \\ \text{kitorns} \rightarrow \text{Suppose it is mox} \end{array} \qquad \begin{array}{c} \chi t \\ \text{kitorns} \rightarrow \text{Suppose it is mox} \end{array} \qquad \begin{array}{c} \chi t \\ \text{kitorns} \rightarrow \text{Suppose it is mox} \end{array} \qquad \begin{array}{c} \chi t \\ \text{kitorns} \rightarrow \text{Suppose it is mox} \end{array} \qquad \begin{array}{c} \chi t \\ \text{kitorns} \rightarrow \text{Suppose it is mox} \end{array} \qquad \begin{array}{c} \chi t \\ \text{kitorns} \rightarrow \text{Suppose it is mox} \end{array} \qquad \begin{array}{c} \chi t \\ \text{kitorns} \rightarrow \text{Suppose it is mox} \end{array} \qquad \begin{array}{c} \chi t \\ \text{kitorns} \rightarrow \text{Suppose it is mox} \end{array} \qquad \begin{array}{c} \chi t \\ \text{kitorns} \rightarrow \text{Suppose it is mox} \end{array} \qquad \begin{array}{c} \chi t \\ \text{kitorns} \rightarrow \text{Suppose it is mox} \end{array} \qquad \begin{array}{c} \chi t \\ \text{kitorns} \rightarrow \text{Suppose it is mox} \end{array} \qquad \begin{array}{c} \chi t \\ \text{kitorns} \rightarrow \text{Suppose it is mox} \end{array} \qquad \begin{array}{c} \chi t \\ \text{kitorns} \rightarrow \text{Suppose it is mox} \end{array} \qquad \begin{array}{c} \chi t \\ \text{kitorns} \rightarrow \text{Suppose it is mox} \end{array} \qquad \begin{array}{c} \chi t \\ \text{kitorns} \rightarrow \text{Suppose it is mox} \end{array} \qquad \begin{array}{c} \chi t \\ \text{kitorns} \rightarrow \text{Suppose it is mox} \end{array} \qquad \begin{array}{c} \chi t \\ \text{kitorns} \rightarrow \text{Suppose it is mox} \end{array} \qquad \begin{array}{c} \chi t \\ \text{kitorns} \rightarrow \text{Suppose it is mox} \end{array} \qquad \begin{array}{c} \chi t \\ \text{kitorns} \rightarrow \text{Suppose it is mox} \end{array} \qquad \begin{array}{c} \chi t \\ \text{kitorns} \rightarrow \text{Suppose it is mox} \end{array} \qquad \begin{array}{c} \chi t \\ \text{kitorns} \rightarrow \text{Suppose it is mox} \end{array} \qquad \begin{array}{c} \chi t \\ \text{kitorns} \rightarrow \text{Suppose it is mox} \end{array} \qquad \begin{array}{c} \chi t \\ \text{kitorns} \rightarrow \text{Suppose it is mox} \end{array} \qquad \begin{array}{c} \chi t \\ \text{kitorns} \rightarrow \text{Suppose it is mox} \end{array} \qquad \begin{array}{c} \chi t \\ \text{kitorns} \rightarrow \text{Suppose it is mox} \end{array} \qquad \begin{array}{c} \chi t \\ \text{kitorns} \rightarrow \text{Suppose it is mox} \end{array} \qquad \begin{array}{c} \chi t \\ \text{kitorns} \rightarrow \text{Suppose it is mox} \end{array} \qquad \begin{array}{c} \chi t \\ \text{kitorns} \rightarrow \text{Suppose it is mox} \end{array} \qquad \begin{array}{c} \chi t \\ \text{kitorns} \rightarrow \text{Suppose it is mox} \end{array} \qquad \begin{array}{c} \chi t \\ \text{kitorns} \rightarrow \text{Suppose it is mox} \end{array} \qquad \begin{array}{c} \chi t \\ \text{kitorns} \rightarrow \text{Suppose it is mox} \end{array} \qquad \begin{array}{c} \chi t \\ \text{kitorns} \rightarrow \text{Suppose it is mox} \end{array} \qquad \begin{array}{c} \chi t \\ \text{kitorns} \rightarrow \text{Suppose it is mox} \end{array} \qquad \begin{array}{c} \chi t \\ \text{kitorns} \rightarrow \text{Suppose it is mox} \end{array} \qquad \begin{array}{c} \chi t \\ \text{kitorns} \rightarrow \text{Suppose it is mox} \end{array} \qquad \begin{array}{c} \chi t \\ \text{$$

linear Equation in too variables 'x'. L'X' conordi note kel, 2, 3. ... 1cmon

$$kx = N - \frac{K(K+1)}{2}$$

$$\Rightarrow x = \frac{N}{K} - \left(\frac{K-1}{2}\right),$$

$$\frac{N}{K} - \left(\frac{K-1}{2}\right) > 0$$

for K, It is from K=1 to

No. are tre Integer-=> 0 [for the godger]

Condition b/w Ml K 1) Interns of order = O(JM)

2N > K(K+). K gnormet by 1-

to find if it is possible to make target sum with k-numbers. How $KX = N - \frac{K(k-1)}{2}$ for , sr. Le or is on Britis gf in must be an Integer. if (2n- k(k1)) 1/2k == 0) { 11 x Es an Sutyor. 2= 30-12 = 18 z this is not mother

