

Task 1




- Navigated to project directory
- Initialized it as a Git repository

Task 2




- Configured the Git repository with my name and email

Task 3




- Created a “readme.txt” file and added project description
- Added the file (Staged it) using “git add readme.txt”
- Checked status of repository using “git status”

Task 4




- Committing changes to file with an apt message
- Checked status again to make sure working directory is clean

Task 5



- Opened readme.txt and added a second line.
- Ran “git diff” to view changes ive made
- ‘M’ symbol appears alongside readme.txt inferring thatg it Modified
-

Task 6




- Added “Third Line” in file. DID NOT run “git restore readme.txt” yet.



- Ran the command and it removed the “Third Line” line from the file, hence restored




- Added “Third Line” again and Staged the file. Then ran git restore again. Did not restore the file.




- Committed the change with a message.

Task 7




- “git log” shows a history of this repository. Includes all commits done.

Task 8



- After committing, “git revert 8aa8c57” removed “Third Line” from the readme.txt file

Task 9



- Staged and Committed my python code as shown above.




- Ran “git log” as shown

Task 10



- Deleted “readme.txt” file with git rm command. Red strike through file name seen above in the file bar.



- Committed the removal of the file.

Task 11

```
PS C:\Users\Rohan Joshi\Documents\2025ucp1941_TW\git-commands> git checkout a4898a8
Note: switching to 'a4898a8'.

You are in 'detached HEAD' state. You can look around, make experimental
changes and commit them, and you can discard any commits you make in this
state without impacting any branches by switching back to a branch.

If you want to create a new branch to retain commits you create, you may
do so (now or later) by using -c with the switch command. Example:

  git switch -c <new-branch-name>

Or undo this operation with:


  git switch -

Turn off this advice by setting config variable advice.detachedHead to false

HEAD is now at a4898a8 Python file committed
PS C:\Users\Rohan Joshi\Documents\2025ucp1941_TW\git-commands>
```

- Ran “git checkout <hash>”
- `readme.txt` is back in the directory, since this is the project as it was then.
- `git log` only shows commits up to that point.
- Unlike `git revert`, checkout creates **no new commit**. It just moves HEAD to view an old snapshot, and the history stays untouched.

Task 12



- Returned to the latest with these commands.

git branch
git checkout main
git log --oneline