

GLOBAL DISASTER RESPONSE ANALYSIS

USING PYTHON & POWER BI

DETAILED PROJECT REPORT

Submitted By
ROHAN LIPANE

ABSTRACT

Disaster events cause loss of life, infrastructure damage, economic disruption, and long recovery periods. Effective response requires information about event frequency, severity, casualties, economic loss, response time, aid, efficiency, and recovery. This project develops an interactive Power BI dashboard using a dataset containing 50,000 disaster records from 2018 to 2024. The work includes data inspection, quality checking, preprocessing, data modeling, Date-table creation, DAX calculations, visualization, validation, and documentation. The final dashboard contains pages for executive overview, geographic analysis, disaster analysis, response analysis, and recovery analysis. It allows users to filter information by date, country, disaster type, and severity. The project demonstrates how business intelligence can convert raw disaster information into meaningful insights and support data-driven planning.

TABLE OF CONTENTS

1. Introduction
2. Background and Motivation
3. Problem Statement
4. Objectives
5. Scope
6. Existing and Proposed System
7. Conceptual Background
8. System Requirements
9. Dataset Description
10. Data Dictionary
11. Methodology
12. Data Cleaning and Preprocessing
13. Data Modeling
14. DAX Measures
15. Dashboard Design
16. Implementation Details
17. Results and Discussion
18. Testing and Validation
19. Challenges and Solutions
20. Advantages and Limitations
21. Conclusion
22. Future Scope
23. References
24. Screenshot

1. INTRODUCTION

Disasters are major events that affect communities, economies, infrastructure, and public services. They may be natural, environmental, or humanitarian in nature. During and after a disaster, authorities and response organizations generate large quantities of data. This data may include the date and location of the event, type of disaster, severity, casualties, financial loss, response time, aid received, and recovery duration.

Although the availability of data has increased, raw data alone does not automatically produce useful information. Decision-makers need summarized indicators, comparisons, trends, and visual evidence. A dashboard can reduce the time required to understand a large dataset and can help users focus on regions or disaster categories that require attention.

This project uses Microsoft Power BI to build an interactive Global Disaster Response Analysis dashboard. The dashboard combines descriptive statistics, calculated measures, geographic visuals, time-based analysis, and category comparisons. It is designed as a decision-support and reporting system rather than a real-time emergency-control system.

Power BI was selected because it provides data import, transformation, relationships, DAX calculations, interactive visuals, slicers, cross-filtering, and report navigation in one environment.

2. BACKGROUND AND MOTIVATION

Disaster management is commonly divided into mitigation, preparedness, response, and recovery. Mitigation attempts to reduce risk before an event. Preparedness includes planning, training, and resource arrangement. Response includes rescue, medical support, shelter, communication, and aid distribution. Recovery includes rehabilitation, reconstruction, and restoration of services.

Each stage generates measurable information. For example, severity and casualties describe impact, response time describes operational speed, aid amount describes resource support, response efficiency describes performance, and recovery days describe the time required to return to normal conditions.

The motivation for this project is to provide a single analytical view of these indicators. Instead of checking separate tables or manually calculating totals, users can open the dashboard, select filters, and immediately compare the required information.

The project also provides practical experience in data analytics, Power BI data modeling, DAX, dashboard design, data validation, and communication of findings.

3. PROBLEM STATEMENT

Disaster-response information is difficult to analyze when it is stored in a large raw dataset. Manual analysis can lead to repeated calculations, inconsistent reporting, and difficulty in identifying important patterns. Users may not easily determine which countries have more events, which disaster types are more severe, where casualties are higher, or how response time varies across regions.

The problem addressed by this project is the design and implementation of an interactive dashboard that transforms disaster-response records into useful analytical information. The system should provide reliable KPIs, category comparisons, geographic views, time trends, and recovery analysis while allowing users to filter the information according to their requirements.

4. OBJECTIVES

The primary objective is to develop a Power BI dashboard for global disaster-response analysis.

Specific objectives are:

- Inspect and understand the dataset.
- Clean and prepare data for analysis.
- Create a reliable Power BI data model.
- Develop DAX-based KPIs.
- Analyze trends by date and country.
- Compare disaster types and severity.
- Evaluate response time and efficiency.
- Study aid and recovery indicators.
- Develop an interactive dashboard.
- Support data-driven interpretation.

5. SCOPE

The project covers the analysis of the prepared global disaster-response dataset for the period 2018–2024. It includes event frequency, disaster type, country, severity, casualties, economic loss, response time, aid amount, response efficiency, recovery days, latitude, and longitude.

The project is intended for academic analysis, reporting, and decision-support. It can help students, analysts, researchers, and organizations understand disaster-response patterns.

The project does not provide live emergency alerts, automatic rescue dispatch, medical diagnosis, official disaster forecasting, or guaranteed recommendations for real-world emergency operations.

6. EXISTING AND PROPOSED SYSTEM

In a basic or existing approach, users inspect CSV files or spreadsheets and calculate totals manually. Such an approach may be suitable for small datasets but becomes inefficient when many records and indicators are involved. It also makes it difficult to maintain consistent calculations across different reports.

The proposed system uses a centralized Power BI model. The data is prepared once, reusable DAX measures are created, and all visuals are connected to the same model. Slicers and cross-filtering allow users to investigate the data interactively.

The proposed system improves readability, reduces manual effort, supports comparisons, and provides a repeatable reporting structure.

7. CONCEPTUAL BACKGROUND

Business Intelligence is the process of collecting, transforming, analyzing, and presenting data to support decisions. A BI dashboard normally combines data sources, a semantic model, calculations, and visual components.

Power BI Desktop is used to import data, perform transformations, create relationships, write DAX, and design report pages. DAX measures are dynamic because their results change according to the selected filters and visual context.

Key concepts used in this project include KPI, aggregation, filter context, calculated column, Date table, categorical analysis, time-series analysis, geographic visualization, and cross-filtering.

A KPI is a numerical indicator used to monitor an important result. Aggregation includes operations such as sum, average, median, maximum, and distinct count. A Date table enables year-wise and month-wise analysis. A calculated column creates a value for each row, while a measure calculates a result dynamically for the current filter context.

8. SYSTEM REQUIREMENTS

The project can be developed on a standard personal computer or laptop. A modern processor, at least 4 GB RAM, sufficient storage, Windows operating system, and a stable internet connection are recommended.

The main software requirement is Microsoft Power BI Desktop. CSV or Excel tools may be used for initial inspection. Python with pandas can optionally be used for data validation and preprocessing. A web browser is useful for documentation and reference material.

The project does not require specialized hardware, a database server, or a paid cloud service for local development.

9. DATASET DESCRIPTION

The dataset used in this project is named `global_disaster_response_2018_2024.csv`. It contains 50,000 records and 12 columns. Each row represents a disaster event and includes information about the event date, location, category, impact, response, and recovery.

The dataset is suitable for descriptive analytics because it contains both categorical fields and numerical indicators. Categorical fields such as country and disaster type support grouping and comparison. Numerical fields such as casualties, economic loss, aid amount, and recovery days support aggregation and statistical analysis.

The dataset also contains latitude and longitude values, which allow geographic representation of events on a map.

10. DATA DICTIONARY

The date field stores the event date and is used for time-based analysis. Country identifies the location of the event. Disaster_type identifies the category of disaster. Severity_index represents the seriousness of the event. Casualties represents the number of affected or lost lives as recorded in the dataset.

Economic_loss_usd represents estimated financial loss in US dollars. Response_time_hours represents the time taken to respond. Aid_amount_usd represents the amount of aid associated with the event. Response_efficiency_score represents a response-performance score. Recovery_days represents the number of days required for recovery. Latitude and longitude identify the geographic position.

11. METHODOLOGY

The project follows a structured analytics lifecycle. First, the problem and expected dashboard outputs were identified. Next, the dataset was inspected to understand its structure and quality. Data types, missing values, duplicates, and unique values were checked.

After inspection, the data was prepared for Power BI. The main table was loaded, a Date table was created, and the relationship between the Date table and the disaster table was configured. DAX measures were then created for KPIs, averages, maximum values, previous-year comparisons, and percentage changes.

The dashboard was designed using multiple pages. Visuals were selected according to the type of question being answered. Finally, calculations, slicers, cross-filtering, and page navigation were tested. Documentation, screenshots, and the project report were prepared as final deliverables.

12. DATA CLEANING AND PREPROCESSING

Data cleaning improves the accuracy and reliability of analysis. The first step was to inspect the dataset using head, tail, shape, information, descriptive statistics, missing-value checks, duplicate checks, unique-value checks, and data-type checks.

Numerical columns were reviewed to ensure that they could be aggregated correctly. The date column was checked so that Power BI could recognize it as a date. Country and disaster type were reviewed as categorical fields. Latitude and longitude were checked for map visualization.

Data quality is important because incorrect data types can produce wrong totals, missing values can affect averages, and duplicate records can inflate event counts. The preprocessing stage therefore established a consistent base for the dashboard.

13. DATA MODELING

The main table in the Power BI model is `global_disaster_clean`. A separate Date table was created to support time intelligence. The Date table was related to the date field in the main disaster table.

The Date table allows the report to group events by year, month, and other time periods. It also supports previous-year calculations such as Disasters LY and percentage-change measures.

A severity category was created from the severity index. The category labels make the numerical score easier to interpret in charts and slicers. The model was tested to ensure that date selections affect the dashboard visuals consistently.

14. DAX MEASURES

DAX means Data Analysis Expressions. It is the formula language used in Power BI for creating measures, calculated columns, and calculated tables. Measures are especially useful because they respond to filters and can be reused in multiple visuals.

The project includes measures for total disasters, total casualties, total economic loss, total aid, average response time, median response time, average severity, average efficiency, average recovery days, maximum severity, maximum casualties, previous-year comparisons, percentage changes, and recovery scenarios.

Example formulas include: Total Disasters = `DISTINCTCOUNT(global_disaster_clean[EventID])`; Total Casualties = `SUM(global_disaster_clean[casualties])`; Total Economic Loss = `SUM(global_disaster_clean[economic_loss_usd])`; Total Aid = `SUM(global_disaster_clean[aid_amount_usd])`; and Avg Response Time = `AVERAGE(global_disaster_clean[response_time_hours])`.

These measures make the dashboard dynamic. For example, when a user selects a country, the same measure recalculates for that country without requiring a separate formula.

15. DASHBOARD DESIGN

The dashboard is divided into focused pages so that users can move from a high-level summary to detailed analysis. Consistent slicers, titles, labels, and formatting improve usability.

Page 1, Executive Overview, presents the major KPIs and an overall summary. Page 2, Geographic Analysis, focuses on country-wise distribution and map-based analysis. Page 3, Disaster Analysis, compares disaster types and severity categories. Page 4, Response Analysis, examines response time, aid, and efficiency. Page 5, Recovery Analysis, studies recovery days and long-recovery events.

Cards are used for headline KPIs. Line charts are used for time trends. Bar and column charts compare countries, disaster types, and severity groups. Maps show geographic distribution. Slicers allow filtering by date, country, disaster type, and severity.

16. IMPLEMENTATION DETAILS

The CSV file was imported into Power BI Desktop. After import, the fields were checked and assigned suitable data types. The Date table was created and connected to the main disaster table.

DAX measures were created in the model and tested using cards and tables. Visuals were then added to each report page. The layout was arranged to place important KPIs at the top and supporting charts below them.

Interactive behavior was tested by selecting slicer values and checking whether all relevant visuals responded correctly. Titles, labels, legends, and number formats were adjusted to improve readability.

The project files include the dataset, Power BI report, README documentation, DAX measures text file, and dashboard screenshots.

17. RESULTS AND DISCUSSION

The completed dashboard provides a consolidated view of 50,000 disaster records. It allows users to understand the overall scale of disaster activity and investigate specific countries, disaster types, and time periods.

Event count provides information about frequency, while severity, casualties, and economic loss provide information about impact. These indicators should be considered together because a country with many low-severity events may have a different risk profile from a country with fewer but more severe events.

Response time and response efficiency provide operational insight. Aid amount can be compared with severity and casualties to understand the scale of support. Recovery days help identify events that require longer rehabilitation.

The dashboard therefore supports descriptive questions such as what happened, where it happened, when it happened, and how the response and recovery indicators differ.

18. TESTING AND VALIDATION

Testing was performed at the data, calculation, and dashboard levels. At the data level, column names, data types, missing values, duplicates, and geographic fields were checked.

At the calculation level, DAX measures were placed in cards and tables and compared with expected aggregation logic. Distinct event counting was used where event-level counting was required. Average and median measures were checked for correct field references.

At the dashboard level, slicers were tested with different countries, dates, disaster types, and severity categories. Visual interactions were checked to ensure that selections filtered connected visuals. Map fields and legends were also reviewed.

Validation is important because a visually attractive dashboard is not useful if its calculations or filters are incorrect.

19. CHALLENGES AND SOLUTIONS

One challenge was understanding a large dataset with multiple numerical and categorical fields. This was addressed by inspecting the dataset and preparing a data dictionary.

Another challenge was time-based analysis. The solution was to create a separate Date table and establish a relationship with the main table.

Writing DAX measures required understanding aggregation and filter context. Reusable measures were created and tested in simple visuals before using them in complex pages.

Geographic visualization can fail when latitude and longitude are not assigned correctly. The map fields were checked and the geographic columns were used appropriately.

Dashboard readability was improved by dividing the report into multiple pages, using suitable visual types, and keeping important KPIs visible.

20. ADVANTAGES AND LIMITATIONS

Advantages include interactive analysis, reduced manual calculation, centralized KPIs, country-wise comparison, disaster-type comparison, geographic visualization, and reusable reporting.

The dashboard is useful for academic demonstration, management reporting, exploratory analysis, and understanding disaster-response patterns.

Limitations include dependence on the quality of the source dataset, absence of real-time feeds, possible estimated values, and the descriptive nature of the analysis. The dashboard does not automatically predict disasters or issue emergency instructions.

21. CONCLUSION

The project successfully demonstrates the use of Microsoft Power BI for global disaster-response analysis. A large CSV dataset was converted into a structured analytical model with a Date table, DAX measures, calculated categories, and interactive visualizations.

The dashboard combines event frequency, severity, casualties, economic loss, response time, aid amount, response efficiency, and recovery duration. Its multi-page design allows users to begin with an overview and then investigate geographic, disaster, response, and recovery details.

The project shows that business intelligence can make complex information easier to understand and can support evidence-based planning. It also provides a strong foundation for future predictive and real-time disaster analytics.

22. FUTURE SCOPE

Future improvements may include live API connections, automatic data refresh, real-time alerts, satellite imagery, advanced GIS layers, and mobile-friendly reporting.

Machine-learning models could be added to predict severity, response time, casualties, or recovery duration. Risk scores could be developed for countries and regions. A recommendation system could support aid allocation based on severity, casualties, and recovery requirements.

Additional improvements may include automated email reports, role-based access, cloud publishing, scenario analysis, and integration with official disaster-management systems.

23. REFERENCES

Microsoft Power BI documentation and learning resources.

Microsoft DAX documentation and function reference.

Python pandas documentation for data analysis concepts.

General disaster-management and emergency-response analytics concepts.

Project dataset: `global_disaster_response_2018_2024.csv`.

Project README, DAX measures file, dashboard screenshots, and Power BI report.





