WPL LAB 7 230905290
Rohan Shenoy CSE D Roll no32

Q1] Develop a web application using Django framework to demonstrate the transfer of multiple parameters between web pages. User should be presented with a dropdown list containing car manufacturers, a text box which takes model name of the manufacturer and a submit button. On submitting the web page, the user is forwarded to a new page. This new page should display the selected car manufacturer name and the model name.



Q2] Create a page firstPage.html with two TextBoxes [Name, Roll], DropDownList [Subjects], and a button. Create another page secondPage.html with a label and a button. When the user clicks the button in first Page, he should be sent to the second page and display the contents passed from first page in the label. The button in second page should navigate the user back to firstPage. Use Django sessions to transfer information.


127.0.0.1:8000/
http://127.0.0.1:8000/?
Name: rohan shenoy
Roll: 230905290
Subjects: Python
Go to Second Page
File Edit Selection
lab7
EXPLORER
OPEN EDITORS
settings.py q2/session_project
views.py q2/session_app
firstPage.html q2/session_app...
secondPage.html q2/session_...
urls.py q2/session_app
urls.py q2/session_project
LAB7
q1
q2
session_app
__pycache__
migrations
templates
firstPage.html
secondPage.html
__init__.py
admin.py
apps.py
models.py
tests.py
urls.py
views.py
session_project
__pycache__
__init__.py
asgi.py
settings.py
urls.py
wsgi.py
venv
db.sqlite3
manage.py
.~lock.230905290_Week7_WPL_...
230905290_Week7_WPL_CSED_3...
OUTLINE
TIMELINE
secondPage.html
urls.py .../session_app
urls.py .../session_project
q2 > session_project > urls.py
from django.contrib import admin
from django.urls import path, include
urlpatterns = [
path('admin/', admin.site.urls),
path('', include('session_app.urls')),
]
PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL
python - q2
(venv) WPD1@selab-30:~/Desktop/wpl_lab/lab7 /q2$ python manage.py runserver
WARNING: This is a development server. Do not use it in a production setting. Use a production WSGI or ASGI server instead.
For more information on production servers see: https://docs.djangoproject.com/en/5.2/howto/deployment/
[13/Mar/2026 09:08:33] "GET / HTTP/1.1" 200 576
[13/Mar/2026 09:08:41] "POST / HTTP/1.1" 302 0
[13/Mar/2026 09:08:41] "GET /second/ HTTP/1.1" 200 266
[13/Mar/2026 09:08:59] "GET /? HTTP/1.1" 200 576
Ln 8, Col 1 Spaces: 4 UTF-8 LF {} Python
EN
14:39