Experiment No.2

Title: - Left Recursion

<u>Aim:-</u> Write a program to eliminate direct and indirect left recursion.

Left Recursion:-

A grammar becomes left-recursive if it has any non-terminal 'A' whose derivation contains 'A' itself as the left-most symbol. Left-recursive grammar is considered to be a problematic situation for top-down parsers. Top-down parsers start parsing from the Start symbol, which in itself is non-terminal. So, when the parser encounters the same non-terminal in its derivation, it becomes hard for it to judge when to stop parsing the left non-terminal and it goes into an infinite loop.


Example:

(1)
$$A => A\alpha \mid \beta$$

(2)
$$S \Rightarrow A\alpha \mid \beta$$

 $A \Rightarrow Sd$

- (1) is an example of immediate left recursion, where A is any non-terminal symbol and α represents a string of non-terminals.
- (2) is an example of indirect-left recursion.



A top-down parser will first parse the A, which in-turn will yield a string consisting of A itself and the parser may go into a loop forever.

Removal of Left Recursion

One way to remove left recursion is to use the following technique:

The production

$$A \Rightarrow A\alpha \mid \beta$$

is converted into following productions

$$A' => \alpha A' \mid \epsilon$$

This does not impact the strings derived from the grammar, but it removes immediate left recursion.

Second method is to use the following algorithm, which should eliminate all direct and indirect left recursions.

START

```
Arrange non-terminals in some order like A1, A2, A3,..., An for each i from 1 to n  \{ \\  \text{for each j from 1 to i-1} \\  \{ \\  \text{replace each production of form } A_i \Longrightarrow Aj\gamma \\  \text{with } A_i \Longrightarrow \delta 1\gamma \ | \ \delta 2\gamma \ | \ \delta 3\gamma \ |...| \ \gamma \\  \text{where } A_j \Longrightarrow \delta_1 \ | \ \delta_2 |...| \ \delta_n \ \text{are current } A_j \text{ productions } \\  \} \\  \text{eliminate immediate left-recursion}
```

END

Example

```
The production set S \Rightarrow A\alpha \mid \beta A \Rightarrow Sd after applying the above algorithm, should become S \Rightarrow A\alpha \mid \beta A \Rightarrow A\alpha \mid \beta and then, remove immediate left recursion using the first technique. A \Rightarrow \beta dA' \mid \epsilon
```

Now none of the production has either direct or indirect left recursion.

Exercise:-

Q1. The following grammar can be used to describe traveling schemes:

```
TS \rightarrow TS Time Time TS \mid Station
Station \rightarrow Identifier
Time \rightarrow Nat : Nat
```

Which of the following grammars is equivalent but no longer left-recursive? (**Tick Mark right answer**)

```
a) TS \rightarrow TS (Time Time Station) * b) TS \rightarrow Station | Station Z Station \rightarrow Identifier Z \rightarrow Time Time TS | Time TS Z Station \rightarrow Identifier Station \rightarrow Identifier
```

Time \rightarrow Nat: Nat

c) TS \rightarrow Z Time Time TS | Station

d) TS \rightarrow Station Time Time Z

 $Z \rightarrow TS \mid \#$

 $Z \rightarrow Station | TS$

Station → Identifier

Station \rightarrow Identifier

Time \rightarrow Nat: Nat

Time \rightarrow Nat : Nat

Q2. Consider the grammar

$$S \, \rightarrow \, SX \mid SSb \mid XS \mid a$$

 $X \rightarrow Xb \mid Sa \mid b$

Eliminate left recursion and rewrite the grammar.

Answer:-

Q3. Is the resulting grammar of Q2. suitable for top down parsing?

Answer: