

# AI 1103 - Assignment 8

T. Rohan  
CS20BTECH11064

Download all python codes from

[https://github.com/rohanthota/Assignment\\_8/codes/Assignment\\_8.py](https://github.com/rohanthota/Assignment_8/codes/Assignment_8.py)

and latex codes from

[https://github.com/rohanthota/Assignment\\_8/Assignment\\_8.tex](https://github.com/rohanthota/Assignment_8/Assignment_8.tex)

## Question

Suppose  $n$  units are drawn from a population of  $N$  units sequentially as follows. A random sample

$U_1, U_2, \dots, U_N$  of size  $N$ , drawn from  $U(0, 1)$   
(0.0.1)

The  $k$ -th population unit is selected if

$$U_k < \frac{n - n_k}{N - k + 1}, k = 1, 2, \dots, N. \text{ where, } n_1 = 0, n_k =$$

(0.0.2)

number of units selected out of first  $k-1$  units for each  $k = 2, 3, \dots, N$ . Then,

- 1) The probability of inclusion of the second unit in the sample

$$\text{is } \frac{n}{N} \quad (0.0.3)$$

- 2) The probability of inclusion of the first and the second unit in the sample

$$\text{is } \frac{n(n-1)}{N(N-1)} \quad (0.0.4)$$

- 3) The probability of not including the first and including the second unit in the sample

$$\text{is } \frac{n(N-n)}{N(N-1)} \quad (0.0.5)$$

- 4) The probability of including the first and not including the second unit in the sample

$$\text{is } \frac{n(n-1)}{N(N-1)} \quad (0.0.6)$$

## Solution

Defining random variable  $X \in \{0, 1, 2, \dots, N\}$   
(0.0.7)

Where,  $X = i$  refers the  $i$ th unit being included.  
(0.0.8)

The first unit in the sample is included if

$$U_1 < \frac{n - n_1}{N - 1 + 1} \left( = \frac{n}{N} \right) \quad (0.0.9)$$

$$\therefore \Pr(X = 1) = \frac{n}{N} \quad (0.0.10)$$

For  $k=2$ ,

$$n_2 = 1 \text{ when, first unit is included.} \quad (0.0.11)$$

$$U_2 < \frac{n - n_2}{N - 2 + 1} \left( = \frac{n - 1}{N - 1} \right) \quad (0.0.12)$$

$$\therefore \Pr(X = 2 | X = 1) = \frac{n - 1}{N - 1} \quad (0.0.13)$$

$$\therefore \Pr(X = 1, X = 2) = \frac{n(n-1)}{N(N-1)} \quad (0.0.14)$$

Hence, option 2 is correct.

$$n_2 = 0 \text{ when, first unit is not included.} \quad (0.0.15)$$

$$U_2 < \frac{n - n_2}{N - 2 + 1} \left( = \frac{n}{N - 1} \right) \quad (0.0.16)$$

$$\therefore \Pr(X = 2 | X \neq 1) = \frac{n}{N - 1} \quad (0.0.17)$$

$$\therefore \Pr(X \neq 1, X = 2) = \left( 1 - \frac{n}{N} \right) \times \frac{n}{N - 1} = \frac{n(N - n)}{N(N - 1)} \quad (0.0.18)$$

Hence, option 3 is correct.

From (0.0.14) and (0.0.18)

$$\Pr(X = 2) = \frac{n(n-1)}{N(N-1)} + \frac{n(N-n)}{N(N-1)} = \frac{n}{N} \quad (0.0.19)$$

Hence, option 1 is correct.

$$\Pr(X = 1, X \neq 2) = \frac{n}{N} \times \left(1 - \frac{n}{N}\right) = \frac{n(N-n)}{N^2} \quad (0.0.20)$$

Hence, option 4 is incorrect.

Therefore, Options 1, 2, 3 are correct