

Solve the following

Loops example

1. Print the following patterns using loop :

a.

*

**

b.

*

*

c.

1010101

10101

101

1

d.

1

1 2

1 2 3

1 2 3 4

1 2 3 4 5

- 1.
2. write a procedure to insert record into employee table.
the procedure should accept empno, ename, sal, job, hiredate as input parameter
write insert statement inside procedure insert_rec to add one record into table

create procedure insert_rec(peno int,pnm varchar(20),psal decimal(9,2),pjob
varchar(20),phiredate date)
begin
 insert into emp(empno,ename,sal,job,hiredate)
 values(peno,pnm,psal,pjob,phiredate)
end//
3. write a procedure to delete record from employee table.
the procedure should accept empno as input parameter.
write delete statement inside procedure delete_emp to delete one record from emp
table
4. write a procedure to display empno,ename,deptno,dname for all employees with sal
> given salary. pass salary as a parameter to procedure

5. write a procedure to find min,max,avg of salary and number of employees in the given deptno.
deptno --→ in parameter
min,max,avg and count ---→ out type parameter
execute procedure and then display values min,max,avg and count
6. write a procedure to display all pid,pname,cid,cname and salesman name(use product,category and salesman table)
7. write a procedure to display all vehicles bought by a customer. pass customer name as a parameter.(use vehicle,salesman,custome and relation table)
8. Write a procedure that displays the following information of all emp

Empno,Name,job,Salary,Status,deptno

Note: - Status will be (Greater, Lesser or Equal) respective to average salary of their own department. Display an error message Emp table is empty if there is no matching record.

9. Write a procedure to update salary in emp table based on following rules.

Exp <= 35 then no Update

Exp > 35 and <= 38 then 20% of salary

Exp > 38 then 25% of salary

10. Write a procedure and a function.

Function: write a function to calculate number of years of experience of employee.(note: pass hiredate as a parameter)

Procedure: Capture the value returned by the above function to calculate the additional allowance for the emp based on the experience.

Additional Allowance = Year of experience x 3000

Calculate the additional allowance

and store Empno, ename, Date of Joining, and Experience in years and additional allowance in Emp_Allowance table.

```
create table emp_allowance(
```

```
empno int,
```

```
ename varchar(20),
```

```
hiredate date,
```

```
experience int,
```

```
allowance decimal(9,2));
```

11. Write a function to compute the following. Function should take sal and hiredate as input and return the netsal.

DA = 15% Salary, HRA= 20% of Salary, TA= 8% of Salary, PF- 10% of sal
 Netsal=sal+DA+HRA+TA-PF+special_allowance
 Special Allowance will be decided based on the service in the company.
 < 1 Year Nil
 >=1 Year< 2 Year 10% of Salary
 >=2 Year< 4 Year 20% of Salary
 >4 Year 30% of Salary

12. Write query to display empno,ename,sal,netsal for all employees(note: use function written in question 10)

Q2. Write trigger

1. Write a trigger to store the old salary details in Emp _Back (Emp _Back has the same structure as emp table without any constraint) table.

(note :create emp_back table before writing trigger)

----- to create emp_back table

```
create table emp_back(
empno int,
ename varchar(20),
oldsal decimal(9,2),
newsal decimal(9,2)
)
```

(note :

execute procedure written in Q8 and

check the entries in EMP_back table after execution of the procedure)

2. Write a trigger which add entry in audit table when user tries to insert or delete records in employee table store empno,name,username and date on which operation performed and which action is done insert or delete. in emp_audit table. create table before writing trigger.

```
create table empaudit(
empno int;
ename varchar(20),
username varchar(20);
chdate date;
action varchar(20)
);
```

3. Create table vehicle_history. Write a trigger to store old vehicleprice and new vehicle price in history table before you update price in vehicle table (note: use vehicle table).

```
create table vehicle_history(
```

```
vno int,  
vname varchar(20),  
oldprice decimal(9,2),  
newprice decimal(9,2),  
chdate date,  
username varchar(20)  
);
```