




RETRIEVE THE TOTAL NUMBER OF ORDERS PLACED.

```
COUNT(order_id) as total_orders
FROM

order_details;
```







CALCULATE THE TOTAL REVENUE GENERATED FROM PIZZA SALES.

```
SELECT

ROUND(SUM(order_details.quantity * pizzas.price),


AS total_sales

FROM

order_details

JOIN

pizzas ON pizzas.pizza_id = order_details.pizza_id;
```







IDENTIFY THE HIGHEST-PRICED PIZZA

Result Grid		
	name	price
•	The Greek Pizza	35.95



## **LARANA PIZZA**

```
-- Identify the most common pizza size ordered.

SELECT

pizzas.size,

COUNT(order_details.order_details_id) AS order_count

FROM

pizzas

JOIN

order_details ON pizzas.pizza_id = order_details.pizza_id

GROUP BY pizzas.size

ORDER BY order_count DESC;
```

Result Grid			
	size	order_count	
•	L	18526	
	M	15385	
	S	14137	
	XL	544	
	XXL	28	



## **LARANA PIZZA**

```
-- List the top 5 most ordered pizza types
-- along with their quantities.
SELECT
    pizza_types.name, SUM(order_details.quantity) AS quantity
FROM
    pizza_types
        JOIN
    pizzas ON pizza_types.pizza_type_id = pizzas.pizza_type_id
        JOIN
    order_details ON order_details.pizza_id = pizzas.pizza_id
GROUP BY pizza_types.name
ORDER BY quantity DESC
LIMIT 5;
```

