

Windows Installation Guide — Claude Power Kit

The install script is a bash script. Running it in **Windows PowerShell** will **not work**. You need **Git Bash** (or WSL). This guide walks you through the full setup.

Why PowerShell Fails

What you tried	Why it breaks
<code>bash ~/claude-power-kit/install.sh</code> <code>cd ~/neural-command-system && npm run dev</code>	PowerShell doesn't have <code>bash</code> built-in <code>&&</code> is not valid in PowerShell 5.x

The fix is simple: **use Git Bash for everything below**.

Step 1 — Install Prerequisites

Open **Windows PowerShell** (just this once) and run each line:

```
winget install Git.Git
winget install OpenJS.NodeJS.LTS
winget install Python.Python.3.11
```

After installation, **close PowerShell** — you will not use it again.

If `winget` is not available, download installers manually: - Git for Windows: <https://git-scm.com/download/win>
- Node.js LTS: <https://nodejs.org>
- Python 3.11+: <https://python.org/downloads>

Step 2 — Open Git Bash

Git Bash is installed with “Git for Windows”. Open it one of these ways:

- **Right-click** any folder → **Git Bash Here**
- **Start Menu** → search `Git Bash` → open it
- In Windows Explorer, navigate to `C:\Users\<YourName>` and right-click → **Git Bash Here**

You'll see a terminal with a `$` prompt instead of `PS >`. That's Git Bash.

Step 3 — Clone and Install

Run these commands **inside Git Bash** (not PowerShell):

```
git clone https://github.com/rohit-vc26/claude-power-kit ~/claude-power-kit
cd ~/claude-power-kit
bash install.sh
```

The installer auto-detects Windows (Git Bash / MINGW) and adjusts accordingly.

Step 4 — Start the NCS Dashboard

After install completes, start the NCS dashboard from **Git Bash**:

```
cd ~/neural-command-system
npm run dev
```

Then open your browser at: <http://localhost:3777>

PowerShell users: if you want to use PowerShell, run the two commands separately — `&&` doesn't work in PowerShell 5.x:

```
cd ~\neural-command-system
npm run dev
```

Step 5 — Open Claude Code

```
claude
```

Or launch from your project folder:

```
cd ~/your-project
claude
```

Type `/terra` in any Claude Code session to activate the full workflow.

Common Issues

bash: command not found in PowerShell

You're in PowerShell, not Git Bash. Open Git Bash from Start Menu and re-run.

'&&' is not a valid statement separator

PowerShell 5.x doesn't support `&&`. Either: - Use Git Bash (recommended) - Upgrade to PowerShell 7: `winget install Microsoft.PowerShell` - Run the commands one at a time in PowerShell

python3: command not found in Git Bash

Git Bash on Windows uses `python` not `python3`. Run this once in Git Bash to create an alias:

```
echo "alias python3=python" >> ~/.bashrc && source ~/.bashrc
```

node: command not found in Git Bash after installing Node

Close and reopen Git Bash — it needs a fresh session to pick up the new PATH.

NCS clone fails (network/proxy error)

If your corporate network blocks GitHub, clone manually over HTTPS:

```
git clone https://github.com/rohit-vc26/IQ.git ~/neural-command-system
cd ~/neural-command-system
npm install
```

Claude Code not found after `npm install -g @anthropic-ai/claude-code`

Close and reopen Git Bash, then try `claude --version`. If still missing:

```
npm list -g @anthropic-ai/claude-code
# Check the path shown and add it to your PATH in ~/.bashrc
```

WSL Alternative (Advanced)

If you prefer a full Linux environment on Windows:

```
# In PowerShell (admin)
wsl --install
```

After WSL installs and you set up Ubuntu, follow the standard Linux install:

```
git clone https://github.com/rohit-vc26/claude-power-kit ~/claude-power-kit
cd ~/claude-power-kit
bash install.sh
```

WSL gives you native `bash`, `python3`, and full Linux PATH — no quirks.

Quick Reference: PowerShell vs Git Bash

Task	PowerShell	Git Bash
Run install script	<code>bash install.sh</code> (fails)	<code>bash install.sh</code>
Chain commands	<code>cmd1 && cmd2</code> (fails in 5.x)	<code>cmd1 && cmd2</code>
Home directory ~	<code>C:\Users\name</code>	<code>/c/Users/name</code>
Python	<code>python</code>	<code>python</code> or <code>python3</code>
Background processes	Different syntax	Unix-standard