

Report from Jul 5, 2026, 2:18:56 PM

<https://www.brickwooddevelopers.in/>

Analyze



Discover what your real users are experiencing

[No Data](#)



Diagnose performance issues



Performance



Accessibility



Best Practices



SEO

2/2


Agentic Browsing




Performance

Values are estimated and may vary. The [performance score is calculated](#) directly from these metrics. [See calculator.](#)

▲ 0-49 ■ 50-89 ● 90-100





METRICS

Expand view

▲ First Contentful Paint
3.1 s

▲ Largest Contentful Paint
6.6 s

● Total Blocking Time
120 ms

● Cumulative Layout Shift
0.003

● Speed Index
3.2 s

📅 Captured at Jul 5, 2026 at 2:19 PM GMT+5:30


👤 Single page session

📶 Slow 4G throttling

📱 Emulated Moto G Power with Lighthouse 13.4.0

🕒 Initial page load

🔗 Using HeadlessChromium 146.0.7680.177 with
lr






Show audits relevant to: [All](#) [FCP](#) [LCP](#) [TBT](#) [CLS](#)

INSIGHTS

▲ Improve image delivery — Est savings of 636 KiB

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](#) [LCP](#) [FCP](#) [Unscored](#)

	URL	Resource Size	Est Savings
brickwooddevelopers.in	1st Party	728.5 KiB	636.0 KiB
Embassy of Bhutan 	/Images/Bhutan.webp (www.brickwooddevelopers.in)	228.9 KiB	227.4 KiB
	This image file is larger than it needs to be (1280x1281) for its displayed dimensions (105x105). Use responsive images to reduce the image download size.		227.4 KiB
Brickwood Developers 	/Images/5_cropped.png (www.brickwooddevelopers.in)	167.0 KiB	164.5 KiB
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		105.3 KiB
	This image file is larger than it needs to be (1095x346) for its displayed dimensions (222x70). Use responsive images to reduce the image download size.		160.2 KiB
	Brickwood Developers /Images/5.png (www.brickwooddevelopers.in)	122.0 KiB	119.9 KiB
Brickwood Developers Logo 			
	This image file is larger than it needs to be (2000x2000) for its displayed dimensions (263x263). Use responsive images to reduce the image download size.		119.9 KiB
Delhi Development Authority 			

<pre>logo-img" onerror="this.style.display='none'; this.nextElementSibling.style.display='block';"> </pre>		Brickwood Developers —	<pre>/Images/DDA.webp (www.brickwooddevelopers.in)</pre>	75.9 KiB	75.4 KiB
			This image file is larger than it needs to be (1280x1280) for its displayed dimensions (105x105). Use responsive images to reduce the image download size.		75.4 KiB
<pre>Hindustan Unilever Limited </pre>			<pre>/Images/HUL.webp (www.brickwooddevelopers.in)</pre>	43.9 KiB	43.5 KiB
			This image file is larger than it needs to be (1080x1080) for its displayed dimensions (105x105). Use responsive images to reduce the image download size.		43.5 KiB
<pre> </pre>			<pre>/Images/herobanner.webp (www.brickwooddevelopers.in)</pre>	90.8 KiB	5.3 KiB
			Increasing the image compression factor could improve this image's download size.		5.3 KiB

▲ Forced reflow

A forced reflow occurs when JavaScript queries geometric properties (such as `offsetWidth`) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows](#) and possible mitigations. Unscored

Source

https://www.brickwooddevelopers.in:818:24

Total reflow time

85 ms

▲ LCP request discovery

^

Optimize LCP by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading LCP Unscored

- ✔

LCP resources should not use loading=lazy
- ✘

fetchpriority=high should be applied
- ✔

Request is discoverable in initial document




Brickwood Developers Logo
``

○ Layout shift culprits

^

Layout shifts occur when elements move absent any user interaction. [Investigate the causes of layout shifts](#), such as elements being added, removed, or their fonts changing as the page loads. CLS Unscored

Element	Layout shift score
Total	0.003
 TRUSTED SINCE 2001 · DELHI NCR Building Delhi's Best From dream renovations to... <code><div class="hero-content"></code>	0.003
...v17/rP2Yp2ywx....woff2 (fonts.gstatic.com)	Web font
...v40/nuFiD-vYS....woff2 (fonts.gstatic.com)	Web font
...v17/rP2Yp2ywx....woff2 (fonts.gstatic.com)	Web font

○ Optimize DOM size

^


A large DOM can increase the duration of style calculations and layout reflows, impacting page responsiveness. A large DOM will also increase memory usage. [Learn how to avoid an excessive DOM size](#). Unscored

Statistic	Element	Value
Total elements		386
DOM depth	div.t-footer > div.t-stars > svg > path <path d="M12 213.09 6.26L22 9.27l-5 4.87 1.18 6.88L12 17.77l-6.18 3.25L7 14.14 2 9...">	11
Most children	Vasant Kunj Dwarka Mahipalpur Mehrauli Saidulajab Greater Kailash Chattarpur Sa... <div class="areas-list reveal reveal-delay-1">	13

☐ LCP breakdown

Each [subpart has specific improvement strategies](#). Ideally, most of the LCP time should be spent on loading the resources, not within delays. LCP Unscored

Subpart	Duration
Time to first byte	180 ms
Resource load delay	690 ms
Resource load duration	1,240 ms
Element render delay	50 ms



Brickwood Developers Logo

☐ 3rd parties

3rd party code can significantly impact load performance. [Reduce and defer loading of 3rd party code](#) to prioritize your page's content. Unscored

3rd party	Transfer size	Main thread time
Google Tag Manager Tag-Manager	158 KiB	182 ms
/gtag/js?id=G-RZE8ZKYBFQ (www.googletagmanager.com)	158 KiB	182 ms
Google Fonts Cdn	95 KiB	0 ms
...v40/nuFiD-vYS....woff2 (fonts.gstatic.com)	38 KiB	0 ms
...v17/rP2Yp2ywx....woff2 (fonts.gstatic.com)	37 KiB	0 ms
...v17/rP2Yp2ywx....woff2 (fonts.gstatic.com)	19 KiB	0 ms
/css2?family=... (fonts.googleapis.com)	1 KiB	0 ms
Google Analytics Analytics	1 KiB	0 ms

These insights are also available in the Chrome DevTools Performance Panel - [record a trace](#) to view more detailed information.

DIAGNOSTICS

▲ Reduce unused JavaScript — Est savings of 67 KiB


Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript.](#) LCP FCP

Unscored

URL	Transfer Size	Est Savings
Google Tag Manager Tag-Manager	157.3 KiB	66.9 KiB
/gtag/js?id=G-RZE8ZKYBFQ (www.googletagmanager.com)	157.3 KiB	66.9 KiB

■ Image elements do not have explicit width and height

Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](#) CLS Unscored

URL
brickwooddevelopers.in 1st Party
 Brickwood Developers Logo <pre></pre> Embassy of Bhutan <pre></pre> Delhi Development Authority <pre><img src="Images/DDA.webp" alt="Delhi</pre>

```
Development Authority" class="client-logo-  
img" onerror="this.style.display='none';  
this.nextElementSibling.style.display='bloc  
k';">
```

/Images/DDA.webp (www.brickwooddevelo
pers.in)

Hindustan Unilever Limited

```

```

/Images/HUL.webp (www.brickwooddevelo
pers.in)

○ Avoid long main-thread tasks — 3 long tasks found



Lists the longest tasks on the main thread, useful for identifying worst contributors to input delay. [Learn how to avoid long main-thread tasks](#) TBT Unscored

☒ Show 3rd-party resources (2)

URL	Start Time	Duration
Google Tag Manager Tag-Manager		215 ms
/gtag/js?id=G-RZE8ZKYBFQ (www.googletagmanager.com)	4,198 ms	119 ms
/gtag/js?id=G-RZE8ZKYBFQ (www.googletagmanager.com)	4,317 ms	96 ms
brickwooddevelopers.in 1st Party		60 ms
https://www.brickwooddevelopers.in	1,194 ms	60 ms

○ Avoid non-composited animations — 1 animated element found



More information about the performance of your application. These numbers don't [directly affect](#) the Performance score.

PASSED AUDITS (16)

Hide

● Use efficient cache lifetimes



● Document request latency



● Duplicated JavaScript



● Font display ▼

○ INP breakdown ▲

Start investigating [how to improve INP](#) by looking at the longest subpart. Unscored

● Legacy JavaScript ▼

● Network dependency tree ▼

● Render-blocking requests ▼

● Optimize viewport for mobile ▼

● Minify CSS ▼

● Minify JavaScript ▼

● Reduce unused CSS ▼

● Avoids enormous network payloads — Total size was 1,001 KiB ▼

○ User Timing marks and measures ▲

Consider instrumenting your app with the User Timing API to measure your app's real-world performance during key user experiences. [Learn more about User Timing marks.](#)

Unscored

● JavaScript execution time — 0.2 s ▲

Consider reducing the time spent parsing, compiling, and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to reduce Javascript execution time.](#) TBT Unscored

☒ Show 3rd-party resources (1)

URL	Total CPU Time	Script Evaluation	Script Parse
brickwooddevelopers.in 1st Party	546 ms	10 ms	2 ms
https://www.brickwooddevelopers.in	546 ms	10 ms	2 ms

Google Tag Manager Tag-Manager	222 ms	144 ms	74 ms
/gtag/js?id=G-RZE8ZKYBFQ (www.googletagmanager.com)	222 ms	144 ms	74 ms
Unattributable	63 ms	4 ms	0 ms
Unattributable	63 ms	4 ms	0 ms

● Minimizes main-thread work — 0.8 s

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](#)

TBT Unscored

Category	Time Spent
Style & Layout	260 ms
Other	234 ms
Script Evaluation	159 ms
Rendering	94 ms
Script Parsing & Compilation	76 ms
Parse HTML & CSS	11 ms



Accessibility

These checks highlight opportunities to [improve the accessibility of your web app](#). Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so [manual testing](#) is also encouraged.

CONTRAST

▲ Background and foreground colors do not have a sufficient contrast ratio. ^

Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast.](#)

Failing Elements

01

01 Residential Construction Ground-up construction of homes and residences str...

<div class="service-card">

© 2026 Brickwood Developers. All rights reserved.

<p>

Building Delhi NCR's finest homes, offices, and spaces since 2001. | Udyam Cert...

<footer>

These are opportunities to improve the legibility of your content.

BEST PRACTICES

▲ Touch targets do not have sufficient size or spacing. ^

Touch targets with sufficient size and spacing help users who may have difficulty targeting small controls to activate the targets. [Learn more about touch targets.](#)

Failing Elements

Go to slide 1

<button class="carousel-dot active" aria-label="Go to slide 1">

Go to slide 2

<button class="carousel-dot" aria-label="Go to slide 2">

Go to slide 2

<button class="carousel-dot" aria-label="Go to slide 2">

Go to slide 1

<button class="carousel-dot active" aria-label="Go to slide 1">

Go to slide 3

<button class="carousel-dot" aria-label="Go to slide 3">

Go to slide 3

```
<button class="carousel-dot" aria-label="Go to slide 3">
```

Go to slide 2

```
<button class="carousel-dot" aria-label="Go to slide 2">
```

Go to slide 4

```
<button class="carousel-dot" aria-label="Go to slide 4">
```

Go to slide 4

```
<button class="carousel-dot" aria-label="Go to slide 4">
```

Go to slide 3

```
<button class="carousel-dot" aria-label="Go to slide 3">
```

Go to slide 5

```
<button class="carousel-dot" aria-label="Go to slide 5">
```

Go to slide 5

```
<button class="carousel-dot" aria-label="Go to slide 5">
```

Go to slide 4

```
<button class="carousel-dot" aria-label="Go to slide 4">
```

Go to slide 6

```
<button class="carousel-dot" aria-label="Go to slide 6">
```

Go to slide 6

```
<button class="carousel-dot" aria-label="Go to slide 6">
```

Go to slide 5

```
<button class="carousel-dot" aria-label="Go to slide 5">
```

Go to slide 7

```
<button class="carousel-dot" aria-label="Go to slide 7">
```

Go to slide 7

```
<button class="carousel-dot" aria-label="Go to slide 7">
```

Go to slide 6

```
<button class="carousel-dot" aria-label="Go to slide 6">
```

Go to slide 8

```
<button class="carousel-dot" aria-label="Go to slide 8">
```

Go to slide 8

```
<button class="carousel-dot" aria-label="Go to slide 8">
```

Go to slide 7

```
<button class="carousel-dot" aria-label="Go to slide 7">
```

Review 1

```
<button class="t-dot active" aria-label="Review 1">
```

Review 2

```
<button class="t-dot" aria-label="Review 2">
```

Review 2

```
<button class="t-dot" aria-label="Review 2">
```

Review 1

```
<button class="t-dot active" aria-label="Review 1">
```

Review 3

```
<button class="t-dot" aria-label="Review 3">
```

Review 3

```
<button class="t-dot" aria-label="Review 3">
```

Review 2

```
<button class="t-dot" aria-label="Review 2">
```

Review 4

```
<button class="t-dot" aria-label="Review 4">
```

Review 4

```
<button class="t-dot" aria-label="Review 4">
```

Review 3

```
<button class="t-dot" aria-label="Review 3">
```

Review 5

```
<button class="t-dot" aria-label="Review 5">
```

Review 5

```
<button class="t-dot" aria-label="Review 5">
```

Review 4

```
<button class="t-dot" aria-label="Review 4">
```

Identical links have the same purpose.



These items highlight common accessibility best practices.

NAVIGATION

Heading elements are not in a sequentially-descending order



Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. [Learn more about heading order.](#)

Failing Elements

QUICK LINKS

[<h4>](#)

These are opportunities to improve keyboard navigation in your application.

ADDITIONAL ITEMS TO MANUALLY CHECK (10)

Hide

- ☐ Interactive controls are keyboard focusable



Custom interactive controls are keyboard focusable and display a focus indicator. [Learn how to make custom controls focusable.](#) Unscored

- ☐ Interactive elements indicate their purpose and state



- ☐ The page has a logical tab order



- ☐ Visual order on the page follows DOM order



- ☐ User focus is not accidentally trapped in a region



- ☐ The user's focus is directed to new content added to the page



- ☐ HTML5 landmark elements are used to improve navigation



- ☐ Offscreen content is hidden from assistive technology



- ☐ Custom controls have associated labels



- ☐ Custom controls have ARIA roles



These items address areas which an automated testing tool cannot cover. Learn more in our guide on [conducting an accessibility review](#).

PASSED AUDITS (16)

Hide

- ☒ `[aria-*)` attributes match their roles



- ☒ `[aria-hidden="true"]` is not present on the document `<body>`



- ☒ `[aria-*)` attributes have valid values



- ☒ `[aria-*)` attributes are valid and not misspelled



- ☒ Buttons have an accessible name



- Image elements have `[alt]` attributes
- `[user-scalable="no"]` is not used in the `<meta name="viewport">` element and the `[maximum-scale]` attribute is not less than 5.
- ARIA attributes are used as specified for the element's role
- Elements use only permitted ARIA attributes
- Document has a `<title>` element
- `<html>` element has a `[lang]` attribute
- `<html>` element has a valid value for its `[lang]` attribute
- Links have a discernible name
- Lists contain only `<li>` elements and script supporting elements (`<script>` and `<template>`).
- List items (`<li>`) are contained within `<ul>`, `<ol>` or `<menu>` parent elements
- Document has a main landmark.

NOT APPLICABLE (43)

Show



Best Practices

GENERAL

▲ Browser errors were logged to the console



Errors logged to the console indicate unresolved problems. They can come from network request failures and other browser concerns. [Learn more about this errors in console diagnostic audit](#)

Source	Description
brickwooddevelopers.in 1st Party	
/Images/logo-dnd.png:1:0 (www.brickwooddevelopers.in)	Failed to load resource: the server responded with a status of 404 (Not Found)

TRUST AND SAFETY

- ☐ Ensure CSP is effective against XSS attacks ▼
- ☐ Use a strong HSTS policy ▼
- ☐ Ensure proper origin isolation with COOP ▼
- ☐ Mitigate clickjacking with XFO or CSP ▼
- ☐ Mitigate DOM-based XSS with Trusted Types ▼

BROWSER COMPATIBILITY

- ☐ Baseline Features ▼

PASSED AUDITS (12)

Show

NOT APPLICABLE (2)

Show



SEO

These checks ensure that your page is following basic search engine optimization advice. There are many additional factors Lighthouse does not score here that may affect your search ranking, including performance on [Core Web Vitals](#). [Learn more about Google Search Essentials](#).

ADDITIONAL ITEMS TO MANUALLY CHECK (1)

Hide

- ☐ Structured data is valid



Run these additional validators on your site to check additional SEO best practices.

PASSED AUDITS (10)

Show

● 2/2

Agentic Browsing

These checks ensure high-quality, [browsable websites for AI agents](#) and validate the correctness of WebMCP integrations. This category is still under development and subject to change.

PASSED AUDITS (2)

Show

More on PageSpeed Insights

What's new

Documentation

Learn about Web Performance

Ask questions on Stack Overflow

Mailing list

Related Content

Updates

Web Fundamentals

Case Studies

Podcasts

Connect

Twitter

Youtube

 for Developers

Chrome

Firebase

All products

Terms and Privacy Policy

For details, see the [Google Developers Site Policies](#).