

LABORATORY RECORD

Course: Full Stack Web Development

Course Code: 23CM4121

Experiment No.: 2

Student Name: A.Rohit

Roll No.: A24126552067

Date: 08-09-2026

1. TITLE

CSS Styling and Responsive Layouts

2. AIM

To style HTML documents using CSS for enhanced visual presentation and basic responsiveness.

3. OBJECTIVE

The objectives of this experiment are:

- Apply CSS rules using selectors.
 - Understand box model padding, margin, and borders.
 - Implement flexbox for responsive element alignment.
-

4. THEORY

Cascading Style Sheets (CSS) determines how HTML elements are displayed on screen. Flexbox is a modern CSS layout module providing an efficient way to align and distribute space among items in a container.

5. ALGORITHM / PROCEDURE

1. Create an HTML file and link internal/external styles.
 2. Define CSS rules for text, backgrounds, and element spacing.
 3. Implement flex container for layout.
 4. Verify responsiveness and visual styling in the browser.
-

6. PROGRAM

Source File: index.html

```

<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>v2 of week1</title>
  <style>
    body {
      font-family: Arial, sans-serif;
      background-color:rgb(199, 134, 134);
      padding: 4px;

    }
    /* the # is used for unique element here we give main nav at center only for once */
    #main-nav {

      background-color: #f5ff9a;
      padding: 15px;
      border: 8px solid black;
      border-radius: 8px;
      color: rgb(24, 24, 24);
      text-align: center;
      box-shadow: 0PX 4PX 4PX rgb(36, 41, 28);
    }
    /* using . we create a class
    class is usefull dor using the same frame or buttons repeatedly instead of creating
    evrytjhing again and again we can use class*/
    .feature-card{
      background-color: rgb(255, 98, 106);
      border:2px solid #92e0da;
      border-radius: 12px;
      padding: 22px;
      margin: 8px;
      box-shadow: 0px 2px 5px #32413f;
      flex: 1;
    }
    /* button is created */
    .btn-p{
      background-color: bisque;
      color: rgb(37, 19, 104);
      padding: 12px 8px;
      border: none;
      border-radius: 5px;
      cursor: pointer;
      box-shadow: 0PX 8PX 12PX rgb(7, 4, 26);
      transition: backgr;
    }
    /* I AM MAKING Card for the box at button to getstarted or at the start */
    .card{
      width: 200px;
      height: 130px;
      padding: 8px;
      margin: 20px auto;

```

```

        background-color: slategray;
        border: 8px ;
        border-radius: 10px;
        font-family : Arial, sans-serif;
        text-align:center;
        box-shadow: 0px 4px 4px black;
    }
    .container{
        display: flex;
        justify-content: center;
    }
    .grid-con{
        display: grid;
        grid-template-columns: repeat(2,1fr);
        gap: 20px
        ;
    }
    .dashboard{
        display: flex;
        justify-content: space-around;
        align-items: center;
        gap: 20px;
        margin-top: 20px;
    }
</style>
</head>

        <!-- HERE WE USED CLASSES -->
<body>
    <nav id ="main-nav">
        <h2>
            <strong>IDEAS TO IMPLIMENT</strong>
        </h2>
    </nav>
    <!-- here to this we used whole div and in that div we gave coaitainer which keep the
block as flexible and gaps btw them-->
    <div class="dashboard">
        <div class="feature-card">
            <h3>AI</h3>
            <p>Create AI ideas.</p>
            <button class="btn-p">Open</button>
        </div>

        <div class="feature-card">
            <h3>Games</h3>
            <p>Design your game.</p>
            <button class="btn-p">Open</button>
        </div>

        <div class="feature-card">
            <h3>Projects</h3>
            <p>Build projects easily.</p>
            <button class="btn-p">Open</button>
        </div>
    </div>

```

```
<!--used classes in the div-->
<div class="grid-con">
  <div class="feature-card">
    <h3>TO visualise</h3>
    <p> here u can 3d view ur imagination </p>
    <button class="btn-p">
      visualise
    </button>
  </div>
  <div class="feature-card">
    <h3>Upgrades</h3>
    <p>Here U can upgarde ur ideato better</p>
    <button class="btn-p">upgarde</button>
  </div>
</div>

<!-- its a button like to start used class card -->
<div class="card">
  <h2>get started</h2>
  <button class="btn-p">start</button>

</div>

</nav>

</body>
</html>
```


7. TEST CASES AND EXECUTION DATA

The experiment was executed with the following test cases to verify functionality:

Test Case	Action	Expected Result	Status
TC-1	View CSS styles	Styles are correctly applied to HTML elements	Pass

8. OUTPUT

Output 1



9. RESULT

Thus, the CSS styling and layouts practice was successfully completed.