

Skill-2

The screenshot displays the SQL Enterprise Manager interface. The left sidebar shows the 'Database' tree with 'skill2' selected. The main query window contains the following SQL code:

```
1 • create database skill2n;  
2 • use skill2n;  
3  
4 -- STEP 1: CREATE TABLE  
5 • CREATE TABLE orders (  
6     ord_no INT PRIMARY KEY,  
7     purch_amt DECIMAL(10,2),  
8     ord_date DATE,  
9     customer_id INT,  
10    salesman_id INT  
11 );  
12  
13 -- STEP 2: INSERT DATA  
14 • INSERT INTO orders VALUES  
15 (70001,150.50,'2012-10-05',3005,5002),  
16 (70009,270.65,'2012-09-10',3001,5005),  
17 (70002,65.26,'2012-10-05',3002,5001),  
18 (70004,110.50,'2012-08-17',3009,5003),  
19 (70007,948.50,'2012-09-10',3005,5002),  
20 (70005,2400.60,'2012-07-27',3007,5001),  
21 (70008,5760.00,'2012-09-10',3002,5001),
```

The 'Output' pane at the bottom shows the execution of the 'use skill2n' command:

#	Time	Action
1	21:20:41	use skill2n

Rohita_2520090235 x

Edit View Query Database Server Tools Scripting Help

gator:..... Query 1 skill2 x skill1

Limit to 500

21 (70008,5760.00,'2012-09-10',3002,5001),

22 (70010,1983.43,'2012-10-10',3004,5006),

23 (70003,2480.40,'2012-10-10',3009,5003),

24 (70012,250.45,'2012-06-27',3008,5002),

25 (70011,75.29,'2012-08-17',3003,5007),

26 (70013,3045.60,'2012-04-25',3002,5001);

27

28 • SELECT *

29 FROM orders

30 WHERE purch_amt > 2000;

ORMANCE

Dashboard

Instruction Schemas

mation:.....

o object selected

Result Grid

Filter Rows: Edit:

	ord_no	purch_amt	ord_date	customer_id	salesman_id
▶	70003	2480.40	2012-10-10	3009	5003
	70005	2400.60	2012-07-27	3007	5001
	70008	5760.00	2012-09-10	3002	5001
	70013	3045.60	2012-04-25	3002	5001
*	NULL	NULL	NULL	NULL	NULL

Rohita_2520090235

EditViewQueryDatabaseServerToolsScriptingHelp



ator:.....

IGEMENT

Server Status

Client Connections

Users and Privileges

Status and System Variables

Data Export

Data Import/Restore

NCE

Startup / Shutdown

Server Logs

Options File

RMANCE

Dashboard

istrationSchemas

iation:.....

object selected

Query 1skill2skill1

Limit to 50000

30WHERE purch_amt > 2000;

31

32•SELECT *

33FROM orders

34WHERE ord_date='2012-09-10';

35

36•SELECT *

37FROM orders

38WHERE salesman_id=5001;

39

<

Result Grid

Filter Rows:

Edit: 

	ord_no	purch_amt	ord_date	customer_id	salesman_id
▶	70007	948.50	2012-09-10	3005	5002
	70008	5760.00	2012-09-10	3002	5001
	70009	270.65	2012-09-10	3001	5005
*	NULL	NULL	NULL	NULL	NULL

Rohita_2520090235

EditViewQueryDatabaseServerToolsScriptingHelp



itor:.....

GEMENT

Server Status

Client Connections

Users and Privileges

Status and System Variables

Data Export

Data Import/Restore

ACE

Startup / Shutdown

Server Logs

Options File

RMANCE

Dashboard

strationSchemas

ation

object selected

Query 1skill2skill1

Limit to 50000

36 • SELECT *

37 FROM orders

38 WHERE salesman_id=5001;

39

40 • SELECT *

41 FROM orders

42 ORDER BY purch_amt DESC;

43

44 • SELECT *

45 FROM orders

<

Result Grid

Filter Rows:

Edit: 

	ord_no	purch_amt	ord_date	customer_id	salesman_id
▶	70007	948.50	2012-09-10	3005	5002
	70008	5760.00	2012-09-10	3002	5001
	70009	270.65	2012-09-10	3001	5005
*	NULL	NULL	NULL	NULL	NULL

Rohita_2520090235 x

Edit
View
Query
Database
Server
Tools
Scripting
Help

itor:.....

Query 1
skill2 x skill1

Limit to 50

GEMENT
Server Status
Client Connections
Users and Privileges
Status and System Variables
Data Export
Data Import/Restore
NCE
Startup / Shutdown
Server Logs
Options File

RMANCE
Dashboard
stration Schemas
ation

object selected

```

36 • SELECT *
37 FROM orders
38 WHERE salesman_id=5001;
39
40 • SELECT *
41 FROM orders
42 ORDER BY purch_amt DESC;
43
44 • SELECT *
45 FROM orders

```

<

Result Grid Filter Rows: Edit:

	ord_no	purch_amt	ord_date	customer_id	salesman_i
▶	70008	5760.00	2012-09-10	3002	5001
	70013	3045.60	2012-04-25	3002	5001
	70003	2480.40	2012-10-10	3009	5003
	70005	2400.60	2012-07-27	3007	5001
	70010	1983.43	2012-10-10	3004	5006
	70007	948.50	2012-09-10	3005	5002
	70009	270.65	2012-09-10	3001	5005
	70012	250.45	2012-06-27	3008	5002
	70001	150.50	2012-10-05	3005	5002

Rohita_2520090235 x

Edit
View
Query
Database
Server
Tools
Scripting
Help

SQL
[Icons]

itor:.....
Query 1
skill2 x
skill1

GEMENT
Server Status
Client Connections
Users and Privileges
Status and System Variables
Data Export
Data Import/Restore
NCE [Icon]
Startup / Shutdown
Server Logs
Options File
RMANCE
Dashboard
stration
Schemas
ation

[Icons]
Limit to

42 ORDER BY purch_amt DESC;
43
44 • SELECT *
45 FROM orders
46 ORDER BY ord_date;
47
48 • SELECT SUM(purch_amt) AS total_revenue
49 FROM orders;
50
51 • SELECT AVG(purch_amt) AS average_order

<

Result Grid
[Icons]
Filter Rows:
Edit:

	ord_no	purch_amt	ord_date	customer_id	salesman
▶	70013	3045.60	2012-04-25	3002	5001
	70012	250.45	2012-06-27	3008	5002
	70005	2400.60	2012-07-27	3007	5001
	70004	110.50	2012-08-17	3009	5003
	70011	75.29	2012-08-17	3003	5007
	70007	948.50	2012-09-10	3005	5002
	70008	5760.00	2012-09-10	3002	5001
	70009	270.65	2012-09-10	3001	5005

object selected

Rohita_2520090235

FileEditViewQueryDatabaseServerToolsScriptingHelp

tor.....

Query 1skill2skill1

SEMENT

Server Status

Client Connections

Users and Privileges

Status and System Variables

Data Export

Data Import/Restore

ICE

Startup / Shutdown

Server Logs

Options File

PERFORMANCE

Dashboard

ConfigurationSchemas

tion

48 • SELECT SUM(purch_amt) AS total_revenue

49 FROM orders;

50

51 • SELECT AVG(purch_amt) AS average_order

52 FROM orders;

53

54 • SELECT MAX(purch_amt) AS highest_order

55 FROM orders;

56

57 • SELECT MIN(purch_amt) AS lowest_order

<

Result Grid

Filter Rows:

Export:

	average_order
▶	1461.765000

Rohita_2520090235

FileViewQueryDatabaseServerToolsScriptingHelp

or:.....

Query 1skill2skill1

EMENT

erver Status

lient Connections

isers and Privileges

tatus and System Variables

ata Export

ata Import/Restore

CE

tartup / Shutdown

erver Logs

ptions File

MANCE

ashboard

trationSchemas

tion.....

51 • SELECT AVG(purch_amt) AS average_order

52 FROM orders;

53

54 • SELECT MAX(purch_amt) AS highest_order

55 FROM orders;

56

57 • SELECT MIN(purch_amt) AS lowest_order

58 FROM orders;

59

60 • SELECT COUNT(*) AS total_orders

<

Result Grid

Filter Rows:

Export:

	highest_order
▶	5760.00

Rohita_2520090235 x

EditViewQueryDatabaseServerToolsScriptingHelp



ator.....Query 1skill2 x skill1

AGEMENT

Server Status

Client Connections

Users and Privileges

Status and System Variables

Data Export

Data Import/Restore

NCE 

Startup / Shutdown

Server Logs

Options File

FORMANCE

Dashboard

istration Schemas

ation

.....

Limit to 50

54 • SELECT MAX(purch_amt) AS highest_order

55 FROM orders;

56

57 • SELECT MIN(purch_amt) AS lowest_order

58 FROM orders;

59

60 • SELECT COUNT(*) AS total_orders

61 FROM orders;

62

63 • SELECT salesman_id,

<

Result Grid 

Filter Rows:

Export: 

	lowest_order
▶	65.26

Rohita_2520090235 x

EditViewQueryDatabaseServerToolsScriptingHelp



itor:.....

GEMENT

Server Status

Client Connections

Users and Privileges

Status and System Variables

Data Export

Data Import/Restore

NCE 

Startup / Shutdown

Server Logs

Options File

RMANCE

Dashboard

stration

Schemas

ation

Query 1skill2 x skill1

 Limit to

54 • SELECT MAX(purch_amt) AS highest_order

55 FROM orders;

56

57 • SELECT MIN(purch_amt) AS lowest_order

58 FROM orders;

59

60 • SELECT COUNT(*) AS total_orders

61 FROM orders;

62

63 • SELECT salesman_id,

<

Result Grid



 Filter Rows:

Export:

	total_orders
▶	12

Rohita_2520090235 x

Edit View Query Database Server Tools Scripting Help



ator.....

MANAGEMENT

Server Status

Client Connections

Users and Privileges

Status and System Variables

Data Export

Data Import/Restore

ANCE 

Startup / Shutdown

Server Logs

Options File

FORMANCE

Dashboard

ustration Schemas

nation

object selected

Query 1 skill2 x skill1

 Limit to 50000 rows

61 FROM orders;

62

63 • SELECT salesman_id,

64 SUM(purch_amt) AS total_sales

65 FROM orders

66 GROUP BY salesman_id;

67

68 • SELECT customer_id,

69 SUM(purch_amt) AS total_purchase

70 FROM orders

<

Result Grid 

Filter Rows:

Export:  Wr

	salesman_id	total_sales
▶	5002	1349.45
	5001	11271.46
	5003	2590.90
	5005	270.65
	5006	1983.43
	5007	75.29

Rohita_2520090235

EditViewQueryDatabaseServerToolsScriptingHelp



tor:.....

GEMENT

Server Status

Client Connections

Users and Privileges

Status and System Variables

Data Export

Data Import/Restore

▼

Startup / Shutdown

Server Logs

Options File

RMANCE

Dashboard

stration

Schemas

ation

Query 1skill2skill1

Limit to 50

64SUM(purch_amt) AS total_sales

65FROM orders

66GROUP BY salesman_id;

67

68•SELECT customer_id,

69SUM(purch_amt) AS total_purchase

70FROM orders

71GROUP BY customer_id;

72

73•SELECT customer_id,

<

Result Grid



Filter Rows:

Export:



	salesman_id	total_sales
▶	5002	1349.45
	5001	11271.46
	5003	2590.90
	5005	270.65
	5006	1983.43
	5007	75.29

object selected

Rohita_2520090235

FileEditViewQueryDatabaseServerToolsScriptingHelp

Query 1skill2skill1

Limit to 500

70FROM orders

71GROUP BY customer_id;

72

73• SELECT customer_id,

74MAX(purch_amt) AS highest_purchase

75FROM orders

76GROUP BY customer_id;

77

78• SELECT salesman_id,

79SUM(purch_amt) AS total_sales

<

Result Grid

Filter Rows:

Export:

	customer_id	highest_purchase
▶	3005	948.50
	3002	5760.00
	3009	2480.40
	3007	2400.60
	3001	270.65
	3004	1983.43
	3003	75.29
	3008	250.45

SERVER

Server Status

Client Connections

Users and Privileges

Status and System Variables

Data Export

Data Import/Restore

ENGINE

Startup / Shutdown

Server Logs

Options File

PERFORMANCE

Dashboard

ConfigurationSchemas

Position

object selected

Rohita_2520090235

EditViewQueryDatabaseServerToolsScriptingHelp



ator:.....

Query 1skill2skill1



Limit to 50

76GROUP BY customer_id;

77

78 • SELECT salesman_id,

79SUM(purch_amt) AS total_sales

80FROM orders

81GROUP BY salesman_id

82HAVING SUM(purch_amt) > 3000;

83

84 • SELECT customer_id,

85SUM(purch_amt) AS total_purchase

<

Result Grid



 Filter Rows:

Export:



	salesman_id	total_sales
▶	5001	11271.46

ADMINISTRATION

Server Status

Client Connections

Users and Privileges

Status and System Variables

Data Export

Data Import/Restore

PERFORMANCE

Dashboard

Administration

Schemas

ation:.....

Rohita_2520090235 x

File Edit View Query Database Server Tools Scripting Help

Query 1 skill2 x skill1

82 HAVING SUM(purch_amt) > 3000;

83

84 • SELECT customer_id,

85 SUM(purch_amt) AS total_purchase

86 FROM orders

87 GROUP BY customer_id

88 HAVING SUM(purch_amt) > 2500;

89

90 • SELECT customer_id,

91 COUNT(*) AS total_orders

Result Grid

	customer_id	total_purchase
▶	3002	8870.86
	3009	2590.90

object selected

Rohita_2520090235

EditViewQueryDatabaseServerToolsScriptingHelp



itor:.....

GEMENT

Server Status

Client Connections

Users and Privileges

Status and System Variables

Data Export

Data Import/Restore

NCE

Startup / Shutdown

Server Logs

Options File

RMANCE

Dashboard

strationSchemas

ation:.....

object selected

Query 1skill2skill1



88HAVING SUM(purch_amt) > 2500;

89

90•SELECT customer_id,

91COUNT(*) AS total_order

92FROM orders

93GROUP BY customer_id

94HAVING COUNT(*) > 1;

95

96•SELECT customer_id,

97SUM(purch_amt) AS tota

<

Result Grid



 Filter Rows:

	customer_id	total_orders
▶	3005	2
	3002	3
	3009	2

Rohita_2520090235

FileEditViewQueryDatabaseServerToolsScriptingHelp

tor.....

Query 1skill2skill1

Limit to 500

SEMENT

Server Status

Client Connections

Users and Privileges

Status and System Variables

Data Export

Data Import/Restore

ICE

Startup / Shutdown

Server Logs

Options File

FORMANCE

Dashboard

strationSchemas

ation.....

94HAVING COUNT(*) > 1;

95

96 • SELECT customer_id,

97SUM(purch_amt) AS total_purchase

98FROM orders

99GROUP BY customer_id

100HAVING SUM(purch_amt) > 1000

101ORDER BY total_purchase DESC;

102

103 • SELECT customer_id,

<

Result Grid

Filter Rows:

Export:

	customer_id	total_purchase
▶	3002	8870.86
	3009	2590.90
	3007	2400.60
	3004	1983.43
	3005	1099.00

object selected

Rohita_2520090235

Editor

Query 1skill2skill1

Server Status

Client Connections

Users and Privileges

Status and System Variables

Data Export

Data Import/Restore

MySQL

Startup / Shutdown

Server Logs

Options File

Performance

Dashboard

Administration

Schemas

GROUP BY customer_id

HAVING SUM(purch_amt) > 1000

ORDER BY total_purchase DESC;

SELECT customer_id,

MAX(purch_amt) AS max_purchase

FROM orders

GROUP BY customer_id

HAVING MAX(purch_amt) BETWEEN 2000 AND 6000;

Limit to 50000 rows

Result Grid

Filter Rows:

Export:

Wrap

	customer_id	max_purchase
▶	3002	5760.00
	3009	2480.40
	3007	2400.60

object selected

Rohita_2520090235 x

Edit View Query Database Server Tools Scripting Help

SQL

itor:.....

Query 1 skill2 x skill1

Limit to 50000

104 MAX(purch_amt) AS max_purchase
105 FROM orders
106 GROUP BY customer_id
107 HAVING MAX(purch_amt) BETWEEN 2000 AND 6000;
108
109 • SELECT salesman_id,
110 COUNT(*) AS total_orders
111 FROM orders
112 GROUP BY salesman_id
113 HAVING COUNT(*) >= 2;

Result Grid

	salesman_id	total_orders
▶	5002	3
	5001	4
	5003	2

object selected

The screenshot shows the MySQL Workbench interface. On the left is the 'Server' sidebar with sections like 'Server Status', 'Client Connections', 'Users and Privileges', 'Status and System Variables', 'Data Export', 'Data Import/Restore', 'Performance', 'Startup / Shutdown', 'Server Logs', and 'Options File'. The main area displays a SQL query in the 'Query 1' tab:

```

106 GROUP BY customer_id
107 HAVING
108
109 • SELECT salesman_id,
110         COUNT(*) AS total_orders
111 FROM orders
112 GROUP BY salesman_id
113 HAVING COUNT(*) >= 2;
114
115 • SELECT ord_date,

```

Below the query editor, the 'Result Grid' is visible, showing the results of the query. The grid has two columns: 'ord_date' and 'highest_purchase'. The results are as follows:

ord_date	highest_purchase
2012-10-10	2480.40
2012-07-27	2400.60
2012-09-10	5760.00
2012-04-25	3045.60