APRIL SALFORD & CO. 2026

PIZZA DAY

SQL Project





WHAT IS PIZZA DAY?



PIZZA DAY IS YOUR NEIGHBORHOOD DESTINATION FOR DELICIOUS, VERSATILE PIZZAS LOVED BY MILLIONS. MORE THAN JUST A MEAL, IT'S A CELEBRATION OF FLAVOR EVERY DAY.

AT PIZZA DAY, EVERY VISIT IS A CHANCE TO EXPLORE THE HISTORY, CULTURE, AND CREATIVITY BEHIND PIZZA—WHILE SAVORING ENDLESS FLAVORS CRAFTED JUST FOR YOU.

THE DATA MODEL OF PIZZA DAYS DATA





LIST OF BUISNESS PROBLEMS

TODAY, PIZZA IS A UNIVERSAL LANGUAGE OF COMFORT AND INDULGENCE.

QUESTIONS

1) RETRIEVE THE TOTAL NUMBER OF ORDERS PLACED.
2) CALCULATE THE TOTAL REVENUE GENERATED FROM PIZZA SALES.
3) IDENTIFY THE HIGHEST-PRICED PIZZA.
4) IDENTIFY THE MOST COMMON PIZZA SIZE ORDERED.
5)LIST THE TOP 5 MOST ORDERED PIZZA TYPES ALONG WITH THEIR QUANTITIES.
6) JOIN THE NECESSARY TABLES TO FIND THE TOTAL QUANTITY OF EACH PIZZA CATEGORY ORDERED.
7) DETERMINE THE DISTRIBUTION OF ORDERS BY HOUR OF THE DAY.
8) JOIN RELEVANT TABLES TO FIND THE CATEGORY-WISE DISTRIBUTION OF PIZZAS.
9) GROUP THE ORDERS BY DATE AND CALCULATE THE AVERAGE NUMBER OF PIZZAS ORDERED PER DAY.
10)ANALYZE THE CUMULATIVE REVENUE GENERATED OVER TIME.

1) RETRIEVE THE TOTAL NUMBER OF ORDERS PLACED.

QUERY

```
SELECT COUNT(order_id) AS Total_orders
FROM orders;
```

OUTPUT

Result Grid

	Total_orders
▶	21350



2) CALCULATE THE TOTAL REVENUE GENERATED FROM PIZZA SALES

QUERY

```sql
SELECT
    ROUND(SUM(order_details.quantity * pizzas.price),
            2) AS Total_revenue_generated
FROM
    order_details
        JOIN
    pizzas ON order_details.pizza_id = pizzas.pizza_id;
```

OUTPUT

Result Grid | Filter Rows:

	Total_revenue_generated
▶	817860.05

3) IDENTIFY THE HIGHEST-PRICED PIZZA



QUERY

```sql
SELECT
    pizza_types.name AS Pizza_Name,
    pizzas.price AS Highest_priced_pizza
FROM
    pizzas
        JOIN
    pizza_types ON pizzas.pizza_type_id = pizza_types.pizza_type_id
ORDER BY pizzas.price DESC
LIMIT 1;
```

OUTPUT

Result Grid | Filter Rows:

Pizza_Name	Highest_priced_pizza
The Greek Pizza	35.95



4) IDENTIFY THE MOST COMMON PIZZA SIZE ORDERED.

More than food—it's a cultural phenomenon.

QUERY

```sql
SELECT
    pizzas.size AS Pizza_sizes,
    COUNT(orders.order_id) AS Pizzas_ordered
FROM
    order_details
        JOIN
    pizzas ON order_details.pizza_id = pizzas.pizza_id
        JOIN
    orders ON order_details.order_id = orders.order_id
GROUP BY pizzas.size
ORDER BY pizzas_ordered DESC
LIMIT 1;
```

OUTPUT

Result Grid | Filter Rows:

Pizza_sizes	Pizzas_ordered
L	18526

5) LIST THE TOP 5 MOST ORDERED PIZZA TYPES ALONG WITH THEIR QUANTITIES.

QUERY

```
SELECT
    pizza_types.name, SUM(order_details.quantity)
FROM
    pizza_types
        JOIN
    pizzas ON pizza_types.pizza_type_id = pizzas.pizza_type_id
        JOIN
    order_details ON order_details.pizza_id = pizzas.pizza_id
GROUP BY pizza_types.pizza_type_id , pizza_types.name;
```



OUTPUT

Result Grid | Filter Rows:

Pizza_type	Order_quantity
The Classic Deluxe Pizza	2453
The Barbecue Chicken Pizza	2432
The Hawaiian Pizza	2422
The Pepperoni Pizza	2418
The Thai Chicken Pizza	2371

6) JOIN THE NECESSARY TABLES TO FIND THE TOTAL QUANTITY OF EACH PIZZA CATEGORY ORDERED.

QUERY

```sql
SELECT
    pizza_types.category AS Pizza_Category,
    SUM(order_details.quantity) AS Total_quantity_ordered
FROM
    pizzas
        JOIN
    pizza_types ON pizza_types.pizza_type_id = pizzas.pizza_type_id
        JOIN
    order_details ON pizzas.pizza_id = order_details.pizza_id
GROUP BY Pizza_Category
ORDER BY Total_quantity_ordered DESC;
```

OUTPUT

Result Grid | Filter Rows:

Pizza_Category	Total_quantity_ordered
Classic	14888
Supreme	11987
Veggie	11649
Chicken	11050

Where the fun is as endless as the toppings.

7) DETERMINE THE DISTRIBUTION OF ORDERS BY HOUR OF THE DAY.

QUERY

```
SELECT
    HOUR(order_time) AS hour, COUNT(order_id) AS Order_count
FROM
    orders
GROUP BY hour
ORDER BY hour;
```





OUTPUT

Result Grid

hour	Order_count
9	1
10	8
11	1231
12	2520
13	2455
14	1472
15	1468
16	1920
17	2336
18	2399
19	2009
20	1642
21	1198
22	663
23	28

9) GROUP THE ORDERS BY DATE AND CALCULATE THE AVERAGE NUMBER OF PIZZAS ORDERED PER DAY.

QUERY

```sql
SELECT
    DAYOFMONTH(order_date) AS Day_number,
    ROUND(AVG(order_id), 0) AS Average_orders
FROM
    orders
GROUP BY Day_number;
```

OUTPUT

Result Grid Filte

hour	Order_count
9	1
10	8
11	1231
12	2520
13	2455
14	1472
15	1468
16	1920
17	2336
18	2399
19	2009
20	1642
21	1198
22	663
23	28

2009

Crafting the perfect pie, right in your kitchen.

10)CALCULATE THE PERCENTAGE CONTRIBUTION OF EACH PIZZA TYPE TO TOTAL REVENUE.

QUERY

```
SELECT order_date, SUM(revenue) OVER(order by order_date) as cum_revenue
FROM (SELECT orders.order_date, ROUND(SUM(order_details.quantity * pizzas.price), 2) AS revenue
FROM order_details
JOIN orders
ON order_details.order_id  = orders.order_id
JOIN pizzas
ON order_details.pizza_id = pizzas.pizza_id
GROUP BY orders.order_date) as sales;
```

OUTPUT

Result Grid | Filter Rows:

order_date	cum_revenue
2015-01-01	2713.85
2015-01-02	5445.75
2015-01-03	8108.15
2015-01-04	9863.6
2015-01-05	11929.55
2015-01-06	14358.5
2015-01-07	16560.7
2015-01-08	19399.05

APRIL

SALFORD & CO.

2026

THANK YOU



123 ANYWHERE ST., ANY CITY, ST 12345