

Default Layout

Table art_category

* Pk	id	INTEGER
*	cat_name	VARCHAR(255)
Indexes		
Pk	pk_art_category	id

Table art_order

* Pk	id	INTEGER	
*	order_date	DATE	
*	order_qty	INTEGER	
*	order_price	REAL	
* Idx	product_id	BIGINT	
Indexes			
Pk	pk_art_order	id	
	art_order_product_id_9c57f640	product_id	
Foreign Keys			
	Fk (product_id) ref art_product (id)		

Table art_payment

* Pk	id	INTEGER	
*	payment_mode	VARCHAR(255)	
*	date	DATE	
*	success_status	BOOLEAN	
* Idx	order_id	BIGINT	
Indexe	S		
Pk	pk_art_payment	id	
	art_payment_order_id_34ebdfe6	order_id	
Foreign Keys			
	Fk_0 (order_id) ref art_order (id)		

Table art_product * Pk id

* Pk	id	INTEGER
*	product_name	VARCHAR(255)
*	product_price	INTEGER
*	product_qty	INTEGER
*	product_image	VARCHAR(100)
* Idx	product_cat_id	BIGINT
* Idx	user_id	INTEGER
Indexes		
Pk	pk_art_product	id
	art_product_product_cat_id_046a6e24	product_cat_id
	art_product_user_id_cb4bf32e	user_id
Foreign	Keys	

Tal	hl	e	art	t 1	nr	O	dı	1C	t
I u	$^{-1}$	•	ui i		ρ_{I}	•	u	u	·

Fk_1 (product_cat_id) ref art_category (id)

Fk_2 (user_id) ref auth_user (id)

Table auth_group

* Pk	id	INTEGER
* Unq	name	VARCHAR(150)

Indexes

Pk pk_auth_group id

Unq unq_auth_group_name name

Table auth_group_permissions

* Pk	id	INTEGER
* Unq	group_id	INTEGER
* Unq	permission_id	INTEGER

Indexes

Pk pk_auth_group_permissions id

 $Unq \qquad auth_group_permissions_group_id_permission_id_0cd325b0 \quad group_id, permission_id$

_uniq

auth_group_permissions_group_id_b120cbf9 group_id

Foreign Keys

Fk_3 (group_id) ref auth_group (id)

Fk_4 (permission_id) ref auth_permission (id)

Table auth_permission

* Pk	id	INTEGER
* Unq	content_type_id	INTEGER
* Unq	codename	VARCHAR(100)
*	name	VARCHAR(255)

Indexes

Unq

Pk pk_auth_permission id

auth_permission_content_type_id_codename_01ab375a_uniq_content_type_id, codename

auth_permission_content_type_id_2f476e4b content_type_id

Foreign Keys

Fk_5 (content_type_id) ref django_content_type (id)

Table auth_user

* Pk	id	INTEGER
*	password	VARCHAR(128)
	last_login	DATETIME
*	is_superuser	BOOLEAN
* Unq	username	VARCHAR(150)
*	last_name	VARCHAR(150)
*	email	VARCHAR(254)

T_{α}	h	٦	01141	user
- 1 a	U.	le	auu	i usei

*	is_staff	BOOLEAN
*	is_active	BOOLEAN
*	date_joined	DATETIME
*	first_name	VARCHAR(150)
Indexes		
Pk	pk_auth_user	id
Una	ung auth user username	username

Table auth_user_groups

id

* Unq	user_id	INTEGER
* Unq	group_id	INTEGER
Indexes		
Pk	pk_auth_user_groups	id
Unq	auth_user_groups_user_id_group_id_94350c0c_uniq	user_id, group_id
	auth_user_groups_user_id_6a12ed8b	user_id
	auth_user_groups_group_id_97559544	group_id

INTEGER

Foreign Keys

* Pk

Fk_6 (user_id) ref auth_user (id)
Fk_7 (group_id) ref auth_group (id)

Table auth_user_user_permissions

* Pk	id	INTEGER
* Unq	user_id	INTEGER
* Unq	permission_id	INTEGER
Indexes		
Pk	pk_auth_user_permissions	id
Unq	auth_user_user_permissions_user_id_permission_id_14a6b632_uniq	user_id, permission_id
	auth_user_user_permissions_user_id_a95ead1b	user_id
	auth_user_user_permissions_permission_id_1fbb5f2c	permission_id
Foreign	Vove	

Foreign Keys

Fk_8 (user_id) ref auth_user (id)

Fk_9 (permission_id) ref auth_permission (id)

Table django_admin_log

object_id TEXT * object_repr VARCHAR(200) * action_flag SMALLINT * change_message TEXT Idx content_type_id INTEGER
* action_flag SMALLINT * change_message TEXT
* change_message TEXT
change_message
Idx content_type_id INTEGER
* Idx user_id INTEGER
* action_time DATETIME

Indexes

Table d	1000	odmin	100
Table d	lango	aumm	108

Pk	pk_django_admin_log	id
	django_admin_log_content_type_id_c4bce8eb	content_type_id
	django_admin_log_user_id_c564eba6	user_id
Foreign	Keys	
	Fk_10 (content_type_id) ref django_content_type (id)	
	Fk_11 (user_id) ref auth_user (id)	
Constraints		

"action_flag" >= 0

Table django_content_type

Cns_django_admin_log_action_flag

* Pk	id	INTEGER
* Unq	app_label	VARCHAR(100)
* Unq	model	VARCHAR(100)
Indexes		
Pk	pk_django_content_type	id
Unq	django_content_type_app_label_model_76bd3d3b_uniq	app_label, model

Table django_migrations

* Pk	id	INTEGER
*	арр	VARCHAR(255)
*	name	VARCHAR(255)
*	applied	DATETIME
Indexes		
Pk	pk_django_migrations	id

Table django_session

* Pk	session_key	VARCHAR(40)
*	session_data	TEXT
* Idx	expire_date	DATETIME
Indexes		
Pk	pk_django_session	session_key
	django_session_expire_date_a5c62663	expire_date