Input

Run SQL

```
CREATE table Virtusa
(
EmpNo int,
EmpName varchar(50),
JobProfile varchar(50),
Bonus varchar(50),
label varchar(50)

);
```

Output          Available Tables

SQL query successfully executed. However, the result set is empty.

**Programiz**
Online SQL Editor

**Input**                    🌙  ⋮   **Run SQL**

```
INSERT INTO Virtusa (Empno, EmpName,
JobProfile, Bonus, label)
VALUES ('1', 'Rohit Bisen', 'Java Full Stack
Developer', '50000', 'A');
```

**Output**          **Available Tables**

SQL query successfully executed. However,
the result set is empty.

**Programiz**
Online SQL Editor

**Input**    **Run SQL**

```sql
Select* From Virtusa;
```

**Output**    **Available Tables**

| EmpNo | EmpName | JobProfile | Bonus | label |
|-------|---------|------------|-------|-------|
| 1 | Rohit | Java Full Stack Developer | 50000 | A |

| EmpNo | EmpName | JobProfile |
|---|---|---|
| 1 | Rohit | Java Full Stack Developer |
| 2 | Yuvan Hanwat | Java Full Stack Developer |
| 2 | Yuvan Hanwat | Java Full Stack Developer |
| 3 | Sonu jha | Java Full Stack Developer |
| 4 | karan bansal | Java Full Stack Developer |
| 5 | Ravi Kumar | Java Full Stack Developer |
| 6 | Shivendra Patel | Java Full Stack Developer |
| 7 | Dhirendra Kewat | Java Full Stack Developer |
| 8 | Vinus Garg | Java Full Stack Developer |
| 9 | Kahkasa | Java Full Stack Developer |
| 10 | Kajal | Java Full Stack Developer |

Select EmpName, label, bonus From Virtusa;

**RUN**    **RESTORE**

| Tablename | Records |
| --- | --- |
| Meeting_Details | 32 |
| Meeting_Employees | 57 |
| Room_Details | 11 |
| General_Details | 18 |
| Employee_Details | 65 |

| EmpName | label | Bonus |
| --- | --- | --- |
| Rohit | A | 50000 |
| Sonu jha | A | 50000 |
| karan bansal | A | 50000 |
| Ravi Kumar | A | 50000 |
| Shivendra Patel | A | 50000 |
| Dhirendra Kewat | A | 50000 |
| Vinus Garg | A | 50000 |
| Kahkasa | A | 50000 |
| Kajal | A | 50000 |
| Yuvan Hanwat | A | 50000 |

10 rows selected

```
UPDATE Virtusa
SET
    EmpName = 'Vinus Kumar garg'
WHERE
    EmpNo = 8;
```

**RUN**          **RESTORE**

| Tablename | Records |
|---|---|
| Meeting_Details | 32 |
| Meeting_Employees | 57 |
| Room_Details | 11 |
| General_Details | 18 |
| Employee_Details | 65 |

| EmpName | JobProfile | Bonus |
|---|---|---|
| Rohit | Java Full Stack Developer | 50000 |
| Sonu jha | Java Full Stack Developer | 50000 |
| karan bansal | Java Full Stack Developer | 50000 |
| Ravi Kumar | Java Full Stack Developer | 50000 |
| Shivendra Patel | Java Full Stack Developer | 50000 |
| Dhirendra Kewat | Java Full Stack Developer | 50000 |
| Vinus Kumar garg | Java Full Stack Developer | 50000 |
| Kahkasa | Java Full Stack Developer | 50000 |
| Kajal | Java Full Stack Developer | 50000 |
| Yuvan Hanwat | Java Full Stack Developer | 50000 |

StdName varchar(50),
ClgName varchar(50),
Location varchar (50),
TrainStatus varchar(25),
Bonus varchar (50)
).

**RUN**　　　　　**RESTORE**

| Tablename | Records |
|---|---|
| Meeting_Details | 32 |
| Meeting_Employees | 57 |
| Room_Details | 11 |
| General_Details | 18 |
| Employee_Details | 65 |

```
INSERT INTO NewJoinee ( StdName, ClgName, Location,
TrainStatus, Bonus)
VALUES ( 'Rohit', 'Ies Clg', 'Bhopal', '75' ,'50000');
```

RUN          RESTORE

| Tablename | Records |
|---|---|
| Meeting_Details | 32 |
| Meeting_Employees | 57 |
| Room_Details | 11 |
| General_Details | 18 |
| Employee_Details | 65 |

```
INSERT INTO NewJoinee ( StdName, ClgName, Location,
TrainStatus, Bonus)
VALUES ( 'Kajal', 'Ies Clg', 'Bhopal', '40' ,'50000');
```

| RUN | RESTORE |

| Tablename | Records |
| --- | --- |
| Meeting_Details | 32 |
| Meeting_Employees | 57 |
| Room_Details | 11 |
| General_Details | 18 |
| Employee_Details | 65 |

| StdName | ClgName | Location | TrainStatus | Bo |
|---|---|---|---|---|
| Rohit | Ies Clg | Bhopal | 75 | 5C |
| Yuvan | Ies Clg | Bhopal | 75 | 5C |
| Sonu jha | Ies Clg | Bhopal | 75 | 5C |
| Ravi Kumar | Ies Clg | Bhopal | 50 | 5C |
| Karan Bansal | Ies Clg | Bhopal | 50 | 5C |
| Shivendra Patel | Ies Clg | Bhopal | 50 | 5C |
| Dhirenda kewat | Ies Clg | Bhopal | 50 | 5C |
| Vinus Kumar Garg | Ies Clg | Bhopal | 50 | 5C |
| Kahkasa | Ies Clg | Bhopal | 40 | 5C |
| Kajal | Ies Clg | Bhopal | 40 | 5C |

```
Select StdName
from NewJoinee
where
TrainStatus>=75;
```

| RUN | RESTORE |
|---|---|

| Tablename | Records |
|---|---|
| Meeting_Details | 32 |
| Meeting_Employees | 57 |
| Room_Details | 11 |
| General_Details | 18 |
| Employee_Details | 65 |

| StdName |
| --- |
| Rohit |
| Yuvan |
| Sonu jha |