



Assignment Python Programming

Name :- ROHIT CHOUDHARY
Course :-B.Tech CSE
Univrsity Roll No. :-2215001485
Class Roll no. :-51
Section :-U(2)

1. Python Program for n-th Fibonacci number.

Answer:

```
n=int(input('Enter the nth number:'))
n1=0
n2=1
n3=0
for i in range(1,n-1):
    if i==1:
        print(n1,n2,sep=" ",end=" ")
    n3=n1+n2
    n1=n2
    n2=n3
    print(n3,end=" ")
```

Output:

```
Enter the nth number:10
0 1 1 2 3 5 8 13 21 34
|
```

2. Python Program for How to check if a given number is Fibonacci number?

Answer:

```
n=int(input("Enter the number: "))
n1=0
n2=1
n3=1
if n==0 or n==1:
    print("Yes")
else:
    while n1<n:
        n1=n2+n3
        n3=n2
        n2=n1
    if n1==n:
        print("Yes")
    else:
        print("No")
```

|

Output:

```
Enter the number: 34
Yes
```

```
Enter the number: 10
No
```

Question 3: Python Program for n\th multiple of a number in Fibonacci Series

Answer:

```
n1=int(input('Enter the number:'))
n2=int(input('Enter the nth:'))
f1 = 0
f2 = 1
i =2;
while i!=0:
    f3 = f1 + f2;
    f1 = f2;
    f2 = f3;
    if f2%n1 == 0:
        print(n2*i)
    i+=1
```

Output:

```
Enter the number:4
Enter the nth:5
30
```

Question 4: Program to print ASCII Value of a character.

Answer:

```
x=input('Enter any Character:')
n=ord(x)
print('The ASCII value of given character is',n)
```

Output:

```
Enter any Character:P
The ASCII value of given character is 80
```

Question 5: Python Program for Sum of squares of first n natural numbers.

Answer:

```
x=int(input('Enter a number:'))
i=1
sum=0
while(i<=x):
    k=i*i
    print(k,end=" ")
    sum=sum+k
    i+=1
print('\nThe sum of squares of natural nos.is',sum)
```

Output:

```
Enter a number:5
1 4 9 16 25
The sum of squares of natural nos.is 55
```

Question 6: Write a Python program to swap two numbers using bitwise operator.

Answer:

```
x=int(input('Enter the 1st number:'))
y=int(input('Enter the 2nd number:'))
x=x^y
y=x^y
x=x^y
print(x,y)
```

Output:

```
Enter the 1st number:5
Enter the 2nd number:6
6 5
```

Question 7: Write a Python program to check whether a character is alphabet or not.

Answer:

```
x=input('Enter a Character:')
if x>='a' and x<='z':
    print("It is an alphabet")
elif x>='A' and x<='Z':
    print("It is an alphabet")
else:
    print("It is not an alphabet")
```

Output:

Enter a Character:a It is an alphabet	Enter a Character:4 It is not an alphabet
--	--

Question 8: Write a Python program to input any alphabet and check whether it is vowel or consonant.

Answer:

```
x=input('Enter a Character:')
if(x=='a' or x=='e' or x=='i' or x=='o' or x=='u'):
    print('Entered character is vowel')
elif(x=='A' or x=='E' or x=='I' or x=='O' or x=='U'):
    print('Entered character is vowel')
else:
    print('Entered character is consonant')
```

Output:

Enter a Character:a Entered character is vowel	Enter a Character:K Entered character is consonant
---	---

Question 9: Write a Python program to input any character and check whether it is alphabet, digit or special character.

Answer:

```

x=input("Please Enter Your Own Character : ")
if(ord(x)>=48 and ord(x)<=57):
    print("The Given Character",x,"is a Digit")
elif((ord(x)>=65 and ord(x)<=90) or (ord(x)>=97 and ord(x)<=122)):
    print("The Given Character",x,"is an Alphabet")
else:
    print("The Given Character",x,"is a Special Character")

```

Output:

```

-----
Please Enter Your Own Character : P
The Given Character P is an Alphabet
Please Enter Your Own Character : @
The Given Character @ is a Special Character

```

Question 10: Write a Python program to input marks of five subjects Physics, Chemistry, Biology, Mathematics and Computer. Calculate percentage and grade according to

following:

Percentage $\geq 90\%$: Grade A

Percentage $\geq 80\%$: Grade B

Percentage $\geq 70\%$: Grade C

Percentage $\geq 60\%$: Grade D

Percentage $\geq 40\%$: Grade E

Percentage $< 40\%$: Grade F

Answer:

```

phy=float(input('Enter the marks of Physics:'))
math=float(input('Enter the marks of Mathematics:'))
chem=float(input('Enter the marks of Chemistry:'))
bio=float(input('Enter the marks of Biology:'))
comp=float(input('Enter the marks of Computer:'))
obt_marks=phy+math+chem+bio+comp
P=(obt_marks/500)*100
print('The percentage is',P)
if(P>=90):
    print("Grade A")
elif(P>=80):
    print("Grade B")
elif(P>=70):
    print("Grade C")
elif(P>=60):
    print("Grade D")
elif(P>=40):
    print("Grade E")
else:
    print("Grade F")

```

Output:

```

Enter the marks of Physics:95
Enter the marks of Mathematics:57
Enter the marks of Chemistry:68
Enter the marks of Biology:87
Enter the marks of Computer:78
The percentage is 77.0
Grade C

```

Question 11: Write a Python program to input basic salary of an employee and calculate its Gross salary according to following: Basic Salary <= 10000 : HRA = 20%, DA = 80% Basic Salary <= 20000 : HRA = 25%, DA = 90% Basic Salary > 20000 : HRA = 30%, DA = 95%.

Answer:

```

sal=float(input('Enter the basic salary:'))
if(sal<=10000):
    hra=0.2*sal
    da=0.8*sal
    Salary=sal+hra+da
elif(sal<=20000):
    hra=0.25*sal
    da=0.9*sal
    Salary=hra+da+sal
else:
    hra=0.3*sal
    da=0.95*sal
    Salary=hra+da+sal
print('The gross salary is',Salary)

```

Output:

```

Enter the basic salary:25000
The gross salary is 56250.0

```

Question 12: Write a Python program to input electricity unit charges and calculate total electricity bill according to the given condition: For first 50 units Rs. 0.50/unit For next 100 units Rs. 0.75/unit For next 100 units Rs. 1.20/unit For unit above 250 Rs. 1.50/unit An additional surcharge of 20% is added to the bill.

Answer:

```

x=float(input('Enter the electricity unit'))
if(x<=50):
    bill=0.5*x
if(x>50 and x<=150):
    bill=50*0.5+(x-50)*0.75
if(x>150 and x<=250):
    bill=50*0.5+100*0.75+(x-150)*1.20
if(x>250):
    bill=50*0.5+100*0.75+100*1.2+(x-250)*1.5
Total=bill+0.2*bill
print('Total bill after surcharge is',Total)

```

```

Enter the electricity unit350
Total bill after surcharge is 444.0

```

Output:

Question 13: Write a Python program to print all alphabets from a to z. – using while Loop.

Answer:

```
i=97
while(i<=122):
    print(chr(i),end=" ")
    i+=1
```

Output: | a b c d e f g h i j k l m n o p q r s t u v w x y z

Question 14: Write a Python program to find first and last digit of a number.

Answer:

```
x=int(input('Enter the number:'))
rem=x%10
while(x>10):
    R=x//10
    x/=10
print('Last digit', rem)
print('First digit', R)
```

Output:

```
| Enter the number:34567
| Last digit 7
| First digit 3.0
|
```

Question 15: Write a Python program to calculate sum of digits of a number.

Answer:

```

x=int(input('Enter the number:'))
sum=0
while(x>0):
    rem=x%10
    sum=sum+rem
    x//=10
print('The sum of digit of a number is',sum)

```

Output:

```

Enter the number:123456
The sum of digit of a number is 21

```

Question 16: Write a Python program to calculate product of digits of a number.

Answer:

```

x=int(input('Enter the number:'))
prod=1
while(x>0):
    rem=x%10
    prod=prod*rem
    x//=10
print('The product of digits of a number is',prod)

```

Output:

```

Enter the number:12345
The product of digits of a number is 120

```

Question 17: Write a Python program to enter a number and print its reverse.

Answer:

```

x=int(input('enter the number:'))
t=0
num=x
while(x>0):
    rem=x%10
    t=t*10+rem
    x//=10
print('the reverse of %d is %d'%(num,t))

```

Output:

```

enter the number:1345
the reverse of 1345 is 5431
|

```

Question 18: Write a Python program to check whether a number is palindrome or not.

Answer:

```

x=int(input('enter the number:'))
t=0
num=x
while(x>0):
    rem=x%10
    t=t*10+rem
    x//=10
print('the reverse of %d is %d'%(num,t))
if(t==num):
    print('the number is pallindrome')
else:
    print('not pallindrome')

```

Output:

```

|enter the number:12321
|the reverse of 12321 is 12321
|the number is pallindrome
|

```

Question 19: Write a Python program to find all factors of a number.

Answer:

```

| x=int(input('Enter the number:'))
| i=1
| print('The factors of %d are'%x,end=" ")
| while(i<=x):
|     if(x%i==0):
|         print(i,end=" ")
|     i+=1
|

```

Output:

```
--  
Enter the number:36  
The factors of 36 are 1 2 3 4 6 9 12 18  
|
```

Question 20: Write a Python program to calculate factorial of a number.

Answer:

```
x=int(input('Enter the number:'))  
i=1  
fac=1  
while(i<=x):  
    fac=fac*i  
    i+=1  
print('The factorial of %d is %d'%(x,fac))|
```

Output:

```
Enter the number:7  
The factorial of 7 is 5040
```

Question 21: Write a Python program to find HCF (GCD) of two numbers.

Answer:

```
x=int(input('Enter the 1st number:'))  
y=int(input('Enter the 2nd number:'))  
if(x>y):  
    small=y  
else:  
    small=x  
for i in range(1,small+1):  
    if(x%i==0 and y%i==0):  
        hcf=i  
  
print('The HCF of %d and %d is %d'%(x,y,hcf))
```

Output:

```
Enter the 1st number:36  
Enter the 2nd number:84  
The HCF of 36 and 84 is 12
```

Question 22: Write a Python program to find LCM of two numbers.

Answer:

```
x=int(input('Enter the 1st number:'))
y=int(input('Enter the 2nd number:'))
if(x>y):
    small=y
else:
    small=x
for i in range(1,small+1):
    if(x%i==0 and y%i==0):
        hcf=i

print('The HCF of %d and %d is %d'%(x,y,hcf))
lcm=(x*y)/hcf
print('The LCM of %d and %d is %d'%(x,y,lcm))
|
```

Output:

```
Enter the 1st number:5
Enter the 2nd number:4
The HCF of 5 and 4 is 1
The LCM of 5 and 4 is 20
|
```

Question 23: Write a Python program to check whether a number is Prime number or not.

Answer:

```
x=int(input('Enter the number:'))
count=1
for i in range(1,((x//2)+1)):
    if(x%i==0):
        count+=1
if(count==2):
    print('%d is Prime number'%x)
else:
    print('%d is not Prime number'%x)|
```

Output:

```
Enter the number:10      Enter the number:3
10 is not Prime number   3 is Prime number
|
```

Question 24: Write a Python program to print all Prime numbers between 1 to n.

Answer:

```
k=int(input('Enter the number:'))
for n in range (1,k+1):
    count = 0
    for i in range(2, (n//2 + 1)):
        if(n%i==0):
            count=count + 1
            break

    if (count==0 and n!=1):
        print ("%d"%n,end=',|')
```

Output:

```
Enter the number:100
2,3,5,7,11,13,17,19,23,29,31,37,41,43,47,53,59,61,67,71,73,79,83,89,97,
|
```

Question 25: Write a Python program to find sum of all prime numbers between 1 to n.

Answer:

```
k=int(input('Enter the number:'))
s=0
for n in range (1,k+1):
    count = 0
    for i in range(2, (n//2 + 1)):
        if(n%i==0):
            count=count + 1
            break
    if (count==0 and n!=1):
        print ("%d"%n,end=', ')
        s=s+n

print('\nThe sum of prime number in rage 1 to %d is %d'%(k,s))|
```

Output:

```
Enter the number:20
2,3,5,7,11,13,17,19,
The sum of prime number in rage 1 to 20 is 77
```

Question 26: Write a Python program to find all prime factors of a number.

Answer:

```
n=int(input('Enter teh number;'))
print('The prime factors are:')
factors = []
i = 2
while i * i <= n:
    if n % i:
        i += 1
    else:
        n //= i
        print(i)
if n > 1:
    print(n)
```

Output:

```
Enter teh number;28
The prime factors are:
2
2
7
```

Question 27: Write a Python program to check whether a number is Armstrong number or not.

Answer:

```
n=int(input('Enter the number:'))
order = len(str(n))
sum = 0
temp=n
while temp>0:
    digit=temp % 10
    sum+=digit**order
    temp//=10

if n==sum:
    print(n,"is an Armstrong number")
else:
    print(n,"is not an Armstrong number")
```

Output:

```
Enter the number:407
407 is an Armstrong number
|
```

Question 28: Write a Python program to print all Armstrong numbers between 1 to n.

Answer:

```
lower = int(input("Enter lower range: "))
upper = int(input("Enter upper range: "))

for num in range(lower,upper + 1):
    sum = 0
    temp = num
    while temp > 0:
        digit = temp % 10
        sum += digit ** 3
        temp //= 10
    if num == sum:
        print(num)
|
```

Output:

```
Enter the number:1000
1
370
371
407
|
```

Question 29: Write a Python program to check whether a number is Perfect number or not.

Answer:

```
n = int(input("Enter any number: "))
sum1 = 0
for i in range(1, n):
    if(n % i == 0):
        sum1 = sum1 + i
if (sum1 == n):
    print("The number is a Perfect number!")
else:
    print("The number is not a Perfect number!")
|
```

Output:


```
Enter any number: 6
The number is a Perfect number!
|
```

Question 30: Write a Python program to check whether a number is Strong number or not (Also known as Robinson number/ Krishnamurthy Number / Peterson number.)

Answer:

```
x=int(input('enter the number:'))
sum=0
n=x
while(x>0):
    rem=x%10
    fac=1
    i=1
    while(i<=rem):
        fac=fac*i

        i=i+1
    sum=sum+fac
    x=x//10

if(n==sum):
    print('strong')
else:
    print('not')
```

Output:

```
enter the number:145
strong
|
```

Question 31: Python program to check whether the string is Symmetrical or Palindrome.

Answer:

```

s=input('Enter the sting:')
n=len(s)
i=0
flag=0
last=n-1
count=0
if(n%2==0):
    mid=n//2
else:
    mid=n//2+1
while(i<mid):
    if(s[i]==s[last]):
        i+=1
        last-=1
    else:
        flag=1
        break
if(flag==0):
    print('The string is Pallindrome')
else:
    print('The string is not Pallindrome')
while(i<mid and mid<n):
    if(s[i]==s[mid]):
        mid+=1
        i+=1
    else:
        count=1
        break
if(count==0):
    print('The string is symmetrical')
else:
    print('The string is not symmetrical')

```

Output:

```

-----
Enter the sting:khokho      Enter the sting:abcba
The string is not Pallindrome  The string is Pallindrome
The string is symmetrical      The string is symmetrical
|                               |

```

Question 32: Reverse words in a given String in Python.

Answer:

```

s=input('Enter the string-')
n=len(s)
last=n-1
print('The reverse of the string',s,'is')
while(last>=0):
    print(s[last],end=" ")
    last-=1

```

Output:

```
Enter the string-piyush
The reverse of the string piyush is
hsuyip
```

Question 33. Ways to remove i'th character from string in Python.

Answer: {First way}

```
s=input('Enter the string:')
i=int(input('Enter ith character to remove from string:'))
new=s[:i]+s[i+1:]
print('The string after removing ith character')
print(new)
```

Output:

```
-----
Enter the string:piyush
Enter ith character to remove from string:3
The string after removing ith character
piysh
|
```

{Second way}

```
s=input('Enter the string:')
i=int(input('Enter ith character to remove from string:'))
new=s.replace(s[i],'')
print('The string after removing ith character')
print(new)
|
```

Output:

```
Enter the string:piyush
Enter ith character to remove from string:2
The string after removing ith character
piush
```

{Third way}

```
s=input('Enter the string:')
i=int(input('Enter ith character to remove from string:'))
new=""
for k, c in enumerate(s):
    if k!=i:
        new+=c
print('The string after removing ith character')
print(new)
```

Output:

```
Enter the string:piyush
Enter ith character to remove from string:5
The string after removing ith character
piyus
```

Question 34. Python program to Check if a Substring is Present in a Given String.

Answer:

```
s=input('Enter the string:')
ss=input('Enter the substring:')
if ss in s:
    print('Yes,substring is present in string')
else:
    print('No,substring is not present in string')
```

Output:

```
Enter the string:jai gla
Enter the substring:gla
Yes,substring is present in string
```

Question 35. Python program to count words frequency in String Shorthand.

Answer:

```
s=input('Enter the shortthands:')
words = s.split()
word_freq={}
for word in words:
    if word in word_freq:
        word_freq[word] += 1
    else:
        word_freq[word] = 1
print(word_freq)
```

Output:

```
Enter the shortthands:hlo thx piy
{'hlo': 1, 'thx': 1, 'piy': 1}
```

Question 36. Python program to convert snake case to pascal case.

Answer:

```
s=input('Enter the string')
lwr=s.lower()
n=lwr.split()
snake_case='_'.join(n)
upr=lwr.upper()
k=upr.split()
pascal_case=''.join(k)
print('The string in Snake case is',snake_case)
print('The string in Pascak case is',pascal_case)
```

Output:

```
Enter the stringjai gla jai
The string in Snake case is jai_gla_jai
The string in Pascak case is JAIGLAJAI
```

Question 37. Find length of a string in python (4 ways).

Answer:{1}

```
s=input('Enter the string:')
length = len(s)
print(length)
```

Output:

```
Enter the string:piyush
6
```

{2}

```
s =input('Enter the string')
count=0
for char in s:
    count+=1
print(count)
```

Output:

```
Enter the stringkilling
7
```

{3}

```
s=input('Enter the string:')
count=0
while s[count:]:
    count+=1
print(count)
```

Output:

```
Enter the stringkilling
7
```

{4}

```
s=input('Enter the string:')
s = "Hello, World!"
length = s.__len__()
print(length)
```

Output:

```
Enter the stringkilling
7
```

Question 38. Python program to print even length words in a string.

Answer:

```
s=input('Enter the string:')
n=s.split()
print('Words of even length:')
for i in n:
    if len(i)%2==0:
        print(i)
```

Output:

```
Enter the string:fox on tree under nest
Words of even length:
on
tree
nest
```

Question 39. Python program to accept the strings which contains all vowels.

Answer:

```
string=input('Enter the string:')
string = string.replace(' ', '')
string = string.lower()
vowel = [string.count('a'), string.count('e'), string.count('i'), string.count('o'), string.count('u')]

if vowel.count(0) > 0:
    print('not accepted')
else:
    print('accepted')
```

Output:

```
Enter the string:a i oeuo
accepted
```

Question 40. Python program to count the Number of matching characters in a pair of string.

Answer:

```
s1=input('Enter the first string:')
s2=input('Enter the second string:')
S1=set(s1)
S2=set(s2)
m=S1&S2
print('The number of matching characters are',len(m))
```

Output:

```
Enter the first string:piyush
Enter the second string:piyus
The number of matching characters are 5
```

Question 41. Remove all duplicates from a given string in Python.

Answer:

```
s=input('Enter the string:')
n=set(s)
j=''.join(n)
print('Remove all duplicates from a given string')
print(j)
```

Output:

```
Enter the string:jai jai jai
Remove all duplicates from a given string
jia
```

Question 42. Python programs to count Least Frequent Character in String.

Answer:

```
s=input('Enter the string:')
freq={}
for i in s:
    if i in freq:
        freq[i]+=1
    else:
        freq[i] = 1
res = min(freq,key=freq.get)
print ("The minimum of all characters in string is : " + str(res))
```

Output:

```
Enter the string:betty bought a bit of butter
The minimum of all characters in string is : y
```

Question 43. Python programs to count maximum frequency character in String.

Answer:


```

s=input('Enter the string:')
freq={}
for i in s:
    if i in freq:
        freq[i]+=1
    else:
        freq[i] = 1
res = max(freq,key=freq.get)
print("The maximum of all characters in GeeksforGeeks is : " + str(res))

```

Output:

```

Enter the string:betty bought a bit butter
The maximum of all characters in GeeksforGeeks is : t

```

Question 44. Python program to check if a string contains any special character.

Answer:

```

s=input('Enter the string:')
sp_char=['!', '@', '#', '$', '%', '^', '&', '*']
found=0
for char in s:
    if char in sp_char:
        found+=1
        break
    else:
        found=0
if(found!=0):
    print('Yes,it contains special character')
else:
    print('No,it does not contains any special character')

```

Output:

```

Enter the string:qwerty@!
Yes,it contains special character

```

Question 45. Python program to split and join a string.

Answer:

```
s=input('Enter the string:')
|
sp=s.split()
jo=''.join(sp)
print('Splitting of string is',sp)
print('Joining of string is',jo)
```

Output:

```
Enter the string:jai gla jai
Splitting of string is ['jai', 'gla', 'jai']
Joining of string is jaiglajai
```

Question 46. Python program to find uncommon words from two Strings.

Answer:

```
s1=input('Enter the first string:')
s2=input('Enter the second string:')
S1=s1.split()
S2=s2.split()
print('The uncommon word in string are')

for i in S1:
    if(i not in S2):
        print(i,end=',')
for i in S2:
    if(i not in S1):
        print(i)
```

Output:

```
Enter the first string:hello buddy how are you
Enter the second string:buddy hello
The uncommon word in string are
how,are,you,
|
```

Question 47. Python program to replace duplicate occurrence in string.

Answer:

```

s=input('Enter the string:')
S=''
n=input('Enter the character you want to replace with:')
for i in s:
    if i not in S:
        S+=i
    else:
        S+=n
print('String after replacing all duplicate character:',S)

```

Output:

```

Enter the string:beety
Enter the character you want to replace with:&
String after replacing all duplicate character: be&ty

```

Question 48: String slicing in Python to rotate a string.

Answer:

```

s=input('Enter the string:')
n=int(input('Enter the number to rotate string by:'))
new=s[n:]+s[:n]
print('The string after rotation')
print(new)

```

Output:

```

Enter the string:piyush
Enter the number to rotate string by:4
The string after rotation
shpiyu

```

Question 49: Find all duplicate characters in string.

Answer:

```

s=input('Enter the string:')
fr={}
for i in s:
    if i in fr:
        fr[i]+=1
    else:
        fr[i]=1
print('Duplicate characters in string:')
for i in fr:
    if fr[i]>1:
        print(i)

```

Output:

```

Enter the string:beety bett
Duplicate characters in string:
b
e
t
|

```

Question 50: Replace all occurrences of a substring in a string.

Answer:

```

s=input('Enter the string:')
s1=input('Enter the substring to replace:')
s2=input('Enter the replacement:')
n=s.replace(s1,s2)
print('String after replacement:')
print(n)
|

```

Output:

```

Enter the string:hello fox bear
Enter the substring to replace:fox
Enter the replacement:bee
String after replacement:
hello bee bear
|

```




GLA
UNIVERSITY
MATHURA
Recognised by UGC Under Section 2(f)

Accredited with **A** Grade by **NAAC**

12-B Status from UGC

—

Q1- Write a program to guess the correct number

Ans.

```
import random
```

```
# generate a random number between 1 and 100
```

```
secret_number = random.randint(1, 100)
```

```
# initialize the number of guesses
```

```
num_guesses = 0
```

```
while True:
```

```
    # get a guess from the user
```

```
    guess = int(input("Guess a number between 1 and 100: "))
```

```
    # increment the number of guesses
```

```
    num_guesses += 1
```

```
    # check if the guess is correct
```

```
    if guess == secret_number:
```

```
print(f"Congratulations, you guessed the number in  
{num_guesses} guesses!")
```

```
break
```

```
# give the user a hint
```

```
if guess < secret_number:
```

```
    print("Too low!")
```

```
else:
```

```
    print("Too high!")
```

Q2-Write a program for rock,paper,scissor (computer vs human)

Ans.

```
import random
```

```
print("Welcome to Rock, Paper, Scissors!")
```

```
# define the options
```

```
options = ["rock", "paper", "scissors"]
```

```
# loop until the user decides to quit
```

```
while True:
```

```
    # get the user's choice
```

```
    user_choice = input("Enter rock, paper, scissors, or q to quit:  
").lower()
```

```
    # check if the user wants to quit
```

```
if user_choice == "q":  
    print("Thanks for playing!")  
    break  
  
# check if the user's choice is valid  
if user_choice not in options:  
    print("Invalid choice, please try again.")  
    continue  
  
# generate the computer's choice  
computer_choice = random.choice(options)  
  
# print the choices  
print("You chose:", user_choice)  
print("The computer chose:", computer_choice)  
  
# determine the winner  
if user_choice == computer_choice:  
    print("It's a tie!")  
elif (user_choice == "rock" and computer_choice == "scissors")  
or \  
    (user_choice == "paper" and computer_choice == "rock") or  
\  
    (user_choice == "scissors" and computer_choice ==  
"paper"):  
    print("You win!")  
else:  
    print("The computer wins!")
```

Q3- Write a program to generate password with a fixed length

Ans.

```
import random

import string

def generate_password(length):

    """Generate a random password with the given length"""

    # define the set of characters to choose from

    chars = string.ascii_letters + string.digits + string.punctuation

    # generate the password

    password = ""

    for i in range(length):

        password += random.choice(chars)

    return password

# get the desired length from the user

length = int(input("Enter the length of the password: "))

# generate the password and print it

password = generate_password(length)

print("Your password is:", password)
```

Q4- Write a program to roll the dice till the 6 number is not appear. (computer vs human)

Ans.

```
import random
```

```
print("Welcome to the Dice Rolling Game!")
```

```
# loop until a 6 is rolled
```

```
while True:
```

```
    # prompt the user to roll the dice
```

```
    input("Press enter to roll the dice...")
```

```
# roll the dice for the user and computer
```

```
user_roll = random.randint(1, 6)
```

```
computer_roll = random.randint(1, 6)
```

```
# print the rolls
```

```
print("You rolled:", user_roll)
```

```
print("The computer rolled:", computer_roll)
```

```
# check if a 6 was rolled
```

```
if user_roll == 6 or computer_roll == 6:
```

```
    break
```

```
# determine the winner
```

```
if user_roll == 6 and computer_roll != 6:
```

```
print("Congratulations, you win!")  
elif user_roll != 6 and computer_roll == 6:  
    print("Sorry, the computer wins!")  
else:  
    print("It's a tie!")
```

OUTPUTS-

1- B

2- A

3- C

4- D

5- D

6- B

7- D

8- A

9- B

10- A

PROGRAM

1-

```
my_dict = {'apple': 2, 'banana': 4, 'orange': 1, 'pear': 3}
print(sorted(my_dict))
print(sorted(my_dict,reverse=True))
```

2-

```
my_dict = {'apple': 2, 'banana': 4, 'orange': 1, 'pear': 3}

my_dict['grape'] = 5

print(my_dict)
```

3-

```
dic1 = {1: 10, 2: 20}
```

```
dic2 = {3: 30, 4: 40}
dic3 = {5: 50, 6: 60}

new_dict = {}

for d in (dic1, dic2, dic3):
    new_dict.update(d)

print(new_dict)
```

4-

```
my_dict = {'apple': 2, 'banana': 4, 'orange': 1, 'pear': 3}
a=input("Enter the key:")
if a in my_dict:
    print("The key "+ a+" exists in the dictionary.")
else:
    print("The key "+a+ " does not exist in the dictionary.")
```

5-

```
my_dict = {'apple': 3, 'banana': 5, 'cherry': 2}

for key in my_dict:
    print(key, my_dict[key])
```

6-

```
my_dict = {}
for i in range(1, 6):
    my_dict[i] = i*i

print(my_dict)
```

7-

```
my_dict = {}
for i in range(1, 16):
    my_dict[i] = i*i

print(my_dict)
```

8-

```
dict1 = {'a': 1, 'b': 2}
dict2 = {'c': 3, 'd': 4}
```

```
merged_dict = {}

for key in dict1:
    merged_dict[key] = dict1[key]

for key in dict2:
    merged_dict[key] = dict2[key]

print(merged_dict)
```

9-

```
my_dict = {'apple': 3, 'banana': 5, 'cherry': 2}

for key in my_dict:
    print(key, my_dict[key])
```

10-

```
my_dict = {'apple': 3, 'banana': 5, 'cherry': 2}
sum = 0

for key in my_dict:
    sum += my_dict[key]

print(sum)
```

11-

```
my_dict = {'apple': 3, 'banana': 5, 'cherry': 2}
product = 1

for key in my_dict:
    product *= my_dict[key]

print(product)
```

12-

```
my_dict = {'apple': 3, 'banana': 5, 'cherry': 2}
del my_dict['banana']
```

```
print(my_dict)
```

13-

```
keys = ['apple', 'banana', 'cherry']
values = [3, 5, 2]
my_dict = {}

for i in range(len(keys)):
    my_dict[keys[i]] = values[i]

print(my_dict)
```

14-

```
d = {'c': 300, 'a': 100, 'b': 200}

sorted_dict = {}
keys = list(d.keys())
keys.sort()

for k in keys:
    sorted_dict[k] = d[k]

print(sorted_dict)
```

15-

```
d = {'c': 300, 'a': 100, 'b': 200}

max_value = None
min_value = None

for key in d:
    if max_value is None or d[key] > max_value:
        max_value = d[key]
    if min_value is None or d[key] < min_value:
        min_value = d[key]

print("Maximum value:", max_value)
```



```
print("Minimum value:", min_value)
```

16-

```
class Person:
    def __init__(self, name, age):
        self.name = name
        self.age = age

person = Person("Alice", 25)

dict_from_obj = {}
for key, value in person.__dict__.items():
    dict_from_obj[key] = value

print(dict_from_obj)
```

17-

```
d = {'a': 100, 'b': 200, 'c': 100, 'd': 300, 'e': 200}

new_dict = {}
for key, value in d.items():
    if value not in new_dict.values():
        new_dict[key] = value

print(new_dict)
```

18-

```
d = {'a': 100, 'b': 200, 'c': 300}

if not bool(d):
    print("Dictionary is empty")
else:
    print("Dictionary is not empty")
```

19-

```
d1 = {'a': 100, 'b': 200, 'c': 300}
d2 = {'a': 300, 'b': 200, 'd': 400}

result_dict = {}
```

```
for key in d1.keys() | d2.keys():
    result_dict[key] = d1.get(key, 0) + d2.get(key, 0)

print(result_dict)
```

20-

```
data = [{"V": "S001"}, {"V": "S002"}, {"VI": "S001"}, {"VI": "S005"},
{"VII": "S005"}, {"V": "S009"}, {"VIII": "S007"}]

unique_values = set()
for item in data:
    for value in item.values():
        unique_values.add(value)

print("Unique Values:", unique_values)
```

21-

```
data = {'1': ['a', 'b'], '2': ['c', 'd']}

for i in data['1']:
    for j in data['2']:
        print(i+j)
```

22-

```
data = {'a': 20, 'b': 50, 'c': 30, 'd': 80, 'e': 70, 'f': 10}

highest = [0, 0, 0]

for value in data.values():
    if value > highest[0]:
        highest = [value, highest[0], highest[1]]
    elif value > highest[1]:
        highest = [highest[0], value, highest[1]]
    elif value > highest[2]:
        highest = [highest[0], highest[1], value]

print(highest)
```

23-

```
data = [{'item': 'item1', 'amount': 400}, {'item': 'item2', 'amount': 300},
{'item': 'item1', 'amount': 750}]

result = {}

for item in data:
    if item['item'] not in result:
        result[item['item']] = item['amount']
    else:
        result[item['item']] += item['amount']

print(result)
```

24-

```
string = 'w3resource'

result = {}

for char in string:
    if char in result:
        result[char] += 1
    else:
        result[char] = 1

print(result)
```

25-

```
data = {'a': 20, 'b': 50, 'c': 30, 'd': 80, 'e': 70, 'f': 10}

print('| Key | Value |')
for key, value in data.items():
    print('|-----|-----|')
    print(f'| {key} | {value} |')
```

26-

```
data = [{'id': 1, 'success': True, 'name': 'Lary'}, {'id': 2, 'success':
False, 'name': 'Rabi'}, {'id': 3, 'success': True, 'name': 'Alex'}]

count = 0
```

```
for item in data:
    if item['success']:
        count += 1

print(count)
```

27-

```
keys = ['a', 'b', 'c', 'd']
nested_dict = {}
current_dict = nested_dict

for key in keys[::-1]:
    current_dict[key] = {}
    current_dict = current_dict[key]

current_dict[keys[-1]] = 'value'

print(nested_dict)
```

28-

```
data = {'item1': 'banana', 'item2': 'apple', 'item3': 'cherry', 'item4':
'dates', 'item5': 'blueberry'}

sorted_keys = sorted(data.keys())

for key in sorted_keys:
    print(key, data[key])
```

29-

```
data = {' first name ': ' John', ' last name ': ' Smith ', ' age ': 25}

new_data = {}

for key, value in data.items():
    new_key = key.strip()
    new_data[new_key] = value

print(new_data)
```

30-

```
data = {'item1': 45.50, 'item2':35, 'item3': 41.30, 'item4':55, 'item5': 24}

sorted_items = sorted(data.items(), key=lambda x: x[1], reverse=True)

for item in sorted_items[:3]:
    print
```

31-

```
d = {'a': 1, 'b': 2, 'c': 3}

for key, value in d.items():
    print(f"key: {key}, value: {value}")

for item in d.items():
    print(f"item: {item}")
```

32-

```
d = {'a': 1, 'b': 2, 'c': 3}

for key, value in d.items():
    print(f"{key}: {value}")
```

33-

```
d = {'a': 1, 'b': 2, 'c': 3}

if all(key in d for key in ('a', 'b')):
    print("All keys exist")
else:
    print("Some keys do not exist")

if all(key in d for key in ('a', 'd')):
    print("All keys exist")
else:
    print("Some keys do not exist")
```

34-

```
d = {'a': [1, 2, 3], 'b': [4, 5], 'c': [6, 7, 8, 9]}

count = 0
for value in d.values():
    if type(value) == list:
        count += len(value)

print(count)
```

35-

```
from collections import Counter

d = {'Math':81, 'Physics':83, 'Chemistry':87}

sorted_d = sorted(d.items(), key=lambda x: x[1], reverse=True)
print(sorted_d)
```

36-

```
from collections import defaultdict

keys = ['Class-V', 'Class-VI', 'Class-VII', 'Class-VIII']
values = [1, 2, 2, 3]

d = defaultdict(set)
for key, value in zip(keys, values):
    d[key].add(value)

print(dict(d))
```

37-

```
d = {'a': 1, 'b': 2, 'c': 3}

sum_values = sum(d.values())

d = {key: sum_values for key in d.keys()}

print(d)
```

38-

```
x = {'key1': 1, 'key2': 3, 'key3': 2}
y = {'key1': 1, 'key2': 2}

for key, value in x.items():
    if key in y and y[key] == value:
        print(f"{key}: {value} is present in both x and y")
```