Concept of Normalization

Meaning

Normalization is a database design technique that organizes tables in a manner that reduces redundancy and dependency of data. Normalization divides larger tables into smaller tables and links them using relationships. The purpose of Normalization is to eliminate redundant (useless) data and ensure data is stored logically.

The inventor of the relational model Edgar Codd proposed the theory of normalization with the introduction of the First Normal Form, and he continued to extend theory with Second and Third Normal Form. Later he joined Raymond F. Boyce to develop the theory of Boyce-Codd Normal Form.

Anomalies in DBMS

There are three types of anomalies that occur when the database is not normalized. These are – Insertion, update and deletion anomaly. Let's take an example to understand this.

Example: Suppose a manufacturing company stores the employee details in a table named employee that has four attributes: emp_id for storing employee's id, emp_name for storing employee's name, emp_address for storing employee's address and emp_dept for storing the department details in which the employee works. At some point of time the table looks like this:

The above table is not normalized. We will see the problems that we face when a table is not normalized.

emp_id	emp_name	emp_address	emp_dept
101	Rick	Delhi	D001
101	Rick	Delhi	D002

123	Maggie	Agra	D890
166	Glenn	Chennai	D900
166	Glenn	Chennai	D004

Update anomaly: In the above table we have two rows for employee Rick as he belongs to two departments of the company. If we want to update the address of Rick then we have to update the same in two rows or the data will become inconsistent. If somehow, the correct address gets updated in one department but not in other then as per the database, Rick would be having two different addresses, which is not correct and would lead to inconsistent data.

Insert anomaly: Suppose a new employee joins the company, who is under training and currently not assigned to any department then we would not be able to insert the data into the table if emp dept field doesn't allow nulls.

Delete anomaly: Suppose, if at a point of time the company closes the department D890 then deleting the rows that are having emp_dept as D890 would also delete the information of employee Maggie since she is assigned only to this department.

To overcome these anomalies we need to normalize the data. In the next section we will discuss about normalization.

Normalization Rule

Normalization rules are divided into the following normal forms:

- 1. First Normal Form
- 2. Second Normal Form
- **3.** Third Normal Form

- 4. BCNF
- **5.** Fourth Normal Form

❖ First Normal Form (1NF)

For a table to be in the First Normal Form, it should follow the following 4 rules:

- 1. It should only have single(atomic) valued attributes/columns.
- 2. Values stored in a column should be of the same domain
- **3.** All the columns in a table should have unique names.
- 4. And the order in which data is stored, does not matter.

Example

FULL NAMES	PHYSICAL ADDRESS	Movies rented	SALUTATION
Janet Jones	First Street Plot No 4	Pirates of the Caribbean	Ms.
Janet Jones	First Street Plot No 4	Clash of the Titans	Ms.
Robert Phil	3 rd Street 34	Forgetting Sarah Marshal	Mr.
Robert Phil	3 rd Street 34	Daddy's Little Girls	Mr.
Robert Phil	5 th Avenue	Clash of the Titans	Mr.

Second Normal Form (2NF)

For a table to be in the Second Normal Form,

- 1. It should be in the First Normal form.
- 2. And, it should not have Partial Dependency.

Example

MEMBERSHIP ID	FULL NAMES	PHYSICAL ADDRESS	SALUTATION
1	Janet Jones	First Street Plot No 4	Ms.
2	Robert Phil	3 rd Street 34	Mr.
3	Robert Phil	5 th Avenue	Mr.

Table 1

MEMBERSHIP ID	Movies rented
1	Pirates of the Caribbean
1	Clash of the Titans
2	Forgetting Sarah Marshal
2	Daddy's Little Girls
3	Clash of the Titans

Table 2

❖ Third Normal Form (3NF)

A table is said to be in the Third Normal Form when,

- 1. It is in the Second Normal form.
- 2. And, it doesn't have Transitive Dependency.

Example

MEMBERSHIP ID	FULL NAMES	PHYSICAL ADDRESS	SALUTATION ID
1	JanetJones	First Street Plot No 4	2
2	Robert Phil	3 rd Street 34	1
3	Robert Phil	5 th Avenue	1

Table 1

MEMBERSHIP ID	Movies rented
1	Pirates of the Caribbean
1	Clash of the Titans
2	Forgetting Sarah Marshal
2	Daddy's Little Girls
3	Clash of the Titans

Table 2

SALUTATION ID	SALUTATION
1	Mr.
2	Ms.
3	Mrs.
4	Dr.

Table 3

❖ Boyce and Codd Normal Form (BCNF)

Boyce and Codd Normal Form is a higher version of the Third Normal form. This form deals with certain type of anomaly that is not handled by 3NF. A 3NF table which does not have multiple overlapping candidate keys is said to be in BCNF. For a table to be in BCNF, following conditions must be satisfied:

- R must be in 3rd Normal Form
- and, for each functional dependency ($X \rightarrow Y$), X should be a super Key.

❖ Fourth Normal Form (4NF)

A table is said to be in the Fourth Normal Form when,

- **1.** It is in the Boyce-Codd Normal Form.
- **2.** And, it doesn't have Multi-Valued Dependency.