

rohitghosh2134 / sharePrompts

🔍

📧

🌐

<> Code

🕒 Issues

🔗 Pull requests

🎬 Actions

📁 Projects

📖 Wiki

🛡 Security

📈 Insights

⚙ Settings

👁

🔗

☆

Prompt Storing Webstie

[project-promptgalore.vercel.app](#)

☆ 0 stars 🔗 0 forks 👁 1 watching 🔗 Branches 📈 Activity

📁 Tags

🌐 Public repository

🔗 1 Branch

📁 0 Tags

🔍 Go to file

Go to file

+

Add file

Code

...

rohitghosh2134 Update README.md 8887ab1 · now

📁 app	Name Changes	2 years ago
📁 components	Name Changes	2 years ago
📁 models	Changes	2 years ago
📁 public/assets	Home Page Functioanility	2 years ago
📁 styles	Changes	2 years ago
📁 utils	Changes	2 years ago
📄 .env	changes	2 years ago
📄 .gitattributes	Initial commit	2 years ago
📄 .gitignore	Final Changes	2 years ago
📄 README.md	Update README.md	now
📄 jsconfig.json	Changes	2 years ago
📄 next.config.js	Changes	2 years ago
📄 package-lock.json	Changes	2 years ago
📄 package.json	Changes	2 years ago
📄 postcss.config.js	Commit	2 years ago
📄 tailwind.config.js	Changes	2 years ago

📖 README

✎

☰

Prompt Galore

Prompt Galore is a prompt sharing website built with Next.js 13 and hosted on Vercel. It allows users to share prompts and creative writing ideas with the community.

Summary

Prompt Galore is a platform where users can discover, share, and discuss writing prompts. It provides a seamless user experience with Next.js 13 and leverages the power of Vercel for hosting and deployment.

You can access the live version of Prompt Galore at <https://project-promptgalore.vercel.app/>.

Local Development

To run Prompt Galore on your local machine, follow the steps below:

Prerequisites

- Node.js (v14 or later)
- npm or yarn package manager

Installation

1. Clone the repository to your local machine:

```
git clone https://github.com/your-username/prompt-galore.git
```



2. Navigate to the project directory:

```
cd prompt-galore
```



3. Install the dependencies:

```
npm install  
# or  
yarn install
```



Configuration

Before running the application, you need to configure the following environment variables:

- `GOOGLE_CLIENT_ID` : Your Google Client ID for authentication.
- `GOOGLE_CLIENT_SECRET` : Your Google Client Secret for authentication.
- `NEXTAUTH_SECRET` : A random secret used for NextAuth authentication.
- `NEXTAUTH_URL` : The URL of your local development environment, e.g., `http://localhost:<PORT_NUMBER>` .
- `NEXTAUTH_INTERNAL_URL` : The internal URL of your local development environment, e.g., `http://localhost:<PORT_NUMBER>` .

To set up the required credentials and generate the necessary secrets, follow the steps below:

1. Obtain Google Client ID and Client Secret:

- Go to the [Google Developers Console](https://console.developers.google.com/).
- Create a new project or select an existing project.

- Enable the Google Identity API.
- Go to the "Credentials" section and create credentials for your web application.
- Note down the generated Client ID and Client Secret.

2. Generate NextAuth Secret:

- Open a terminal in the project directory.
- Run the following command to generate a secret:

```
npx next-auth show-config | grep secret | awk '{print $2}'
```



- Note down the generated secret.

3. Set up environment variables:

- Create a `.env.local` file in the root directory of the project.
- Open the file and add the following content:

```
GOOGLE_CLIENT_ID=your-google-client-id  
GOOGLE_CLIENT_SECRET=your-google-client-secret  
NEXTAUTH_SECRET=your-nextauth-secret  
NEXTAUTH_URL=http://localhost:<PORT_NUMBER>  
NEXTAUTH_INTERNAL_URL=http://localhost:<PORT_NUMBER>
```



- Replace `your-google-client-id`, `your-google-client-secret`, `your-nextauth-secret`, `<PORT_NUMBER>` with your actual values.

Running Locally

1. Start the development server:

```
npm run dev  
# or  
yarn dev
```



The application will be accessible at `http://localhost:<PORT_NUMBER>`, where `<PORT_NUMBER>` is the port number specified in your Next.js configuration (usually `3000` by default).

2. Open your web browser and visit `http://localhost:<PORT_NUMBER>` to access Prompt Galore.

Usage

Once you have

the application running locally, you can use it as follows:

- Sign in using your Google account to access the full functionality of Prompt Galore.
- Browse through the available prompts shared by the community.
- Share your own prompts by clicking the "New Prompt" button and providing the necessary details.
- Search for prompts or filter them based on tags.
- Interact with other users by leaving comments and participating in discussions on individual prompt pages.

Feel free to explore and enjoy the various features of Prompt Galore!

Deployment

Prompt Galore is automatically deployed on Vercel whenever changes are pushed to the `main` branch. You can also set up your own deployment process according to your needs.



Note: Replace ``your-google-client-id``, ``your-google-client-secret``, ``your-nextauth-secret``, and ``<PORT_NUMBER>`` with the actual values you obtained from the respective services.

This README file provides an overview of the Prompt Galore project, instructions for running it locally, and details on usage and deployment. Make sure to update the file with your project-specific information as needed.



Releases

No releases published

[Create a new release](#)

Packages

No packages published

[Publish your first package](#)

Deployments 7

✓ **Production** 2 years ago

[+ 6 deployments](#)

Languages

● JavaScript 73.0% ● CSS 27.0%

Suggested workflows

Based on your tech stack



Datadog Synthetics

Run Datadog Synthetic tests within your GitHub Actions workflow

Configure



Publish Node.js Package to GitHub Packages

Publishes a Node.js package to GitHub Packages.

Configure



Webpack

Build a NodeJS project with npm and webpack.

Configure

[More workflows](#)

[Dismiss suggestions](#)