

# The Battle of Neighborhoods - Chennai

Applied Data Science Capstone by IBM on Coursera

(ROHITH S P)

## 1. INTRODUCTION: BUSINESS PROBLEM

This project deals with discussing the neighborhoods of **Chennai, The Detroit of India**. This project would specifically help Business people planning to start Restaurants, Hotels, etc. in Chennai, Tamil Nadu, India.

The **Foursquare API** is used to access the venues in the neighborhoods. Since, it returns less venues in the neighborhoods, we would be analyzing areas for which countable number of venues are obtained. Then they are clustered based on their venues using Data Science Techniques. Here the **k-means clustering algorithm** is used to achieve the task. The optimal number of clusters can be obtained using **silhouette score** metrics.

**Folium visualization library** can be used to visualize the clusters superimposed on the map of Chennai city. These clusters can be analyzed to help small scale business owners select a suitable location for their need such as Hotels, Shopping Malls, Restaurants or even specifically Indian restaurants or Coffee shops.

The major **Target Audience** would be small-scale business owners and stake holders planning to start their business at a location in Chennai. This project would help them find the optimal location based on the category of their business such as,

- What is the best location to start a new hotel in Chennai with restaurants around?
- Which area is best suitable for opening a Shopping Mall in Chennai?

## 2. DATA REQUIREMENTS

Chennai has multiple neighborhoods. The [chennaiiq.com](https://chennaiiq.com) website has a dataset which has the list of locations in Chennai along with their Latitude and Longitude. In order to obtain the venue details in each neighborhood Foursquare API is used.

1. [https://chennaiiq.com/chennai/latitude\\_longitude\\_areas.asp](https://chennaiiq.com/chennai/latitude_longitude_areas.asp)
2. <https://foursquare.com/>

There is a total of 105 neighborhoods. But the Latitude and Longitude data obtained are in Degrees Minute Seconds format which needs to be converted to Decimal Degrees Format. The following data are obtained from the Foursquare API,

- Venue
- Venue Latitude
- Venue Longitude
- Venue Category data

A total of 1130 venues data have been obtained from Foursquare. The resultant venues dataset, (shown in Fig. 1) is used for the analysis process.

```
print(chennai_venues.shape)
chennai_venues.head()
```

(1130, 7)

	Neighborhood	Neighborhood Latitude	Neighborhood Longitude	Venue	Venue Latitude	Venue Longitude	Venue Category
0	Adyar Bus Debot	12.997222	80.256944	Zaitoon Restaurant	12.996861	80.256178	Middle Eastern Restaurant
1	Adyar Bus Debot	12.997222	80.256944	Kuttanadu Restaurant	12.997010	80.257799	Asian Restaurant
2	Adyar Bus Debot	12.997222	80.256944	Zha Cafe	12.999730	80.254806	Café
3	Adyar Bus Debot	12.997222	80.256944	Adyar Ananda Bhavan, Besant Nagar	12.996678	80.258275	Fast Food Restaurant
4	Adyar Bus Debot	12.997222	80.256944	Kovai Pazhamudir Nilayam	12.996522	80.259776	Fruit & Vegetable Store

A total of 1130 venues were obtained. Now lets check the number of venues returned per neighbourhood.

Fig. 1 Chennai Venues Dataset