


Containerizing MERN stack application using docker compose


1. Frontend application is built






But u can't create and upload any data as there is no backend and database connection.



Containerized in Docker Desktop





2. Database containerized and deployed and check connection



3. Backend is built

```
Rohith.Kandikatla@DESKTOP-KJOVULU MINGW64 ~/desktop/devops/projects/mernstackcompose/mern-docker-compose/mern/backend (main)
$ docker build -t mern-backend .
[+] Building 16.9s (10/10) FINISHED
=> [internal] load build definition from Dockerfile
=> => transferring dockerfile: 168B
=> [internal] load metadata for docker.io/library/node:18.9.1
=> [internal] load .dockerignore
=> => transferring context: 2B
=> [1/5] FROM docker.io/library/node:18.9.1@sha256:d6ed353d022f6313aa7c3f3df69f3a216f1c9f8c3374502eb5e6c45088ce68e8
=> [internal] load build context
=> => transferring context: 35.98kB
=> CACHED [2/5] WORKDIR /app
=> [3/5] COPY package.json .
=> [4/5] RUN npm install
=> [5/5] COPY . .
=> exporting to image
=> => exporting layers
=> writing image sha256:cb53bd95b7ec3b194cded8fcac2bf9b3064766ecc0ac040ccf0603e88a427b4a
=> naming to docker.io/library/mern-backend

What's Next?
View a summary of image vulnerabilities and recommendations → docker scout quickview
```


**backend**
ad1176e568f4 [mern-backend](#) Running 19.49% [5050:5050](#) 20 seconds ago

```
Rohith.Kandikatla@DESKTOP-KJOVULU MINGW64 ~/desktop/devops/projects/mernstackcompose/mern-docker-compose/mern/backend (main)
$ docker run --name=backend --network=mern -d -p 5050:5050 mern-backend
f12ab8dc120a304ce1b028dbb9cb796439fbca5fb7f78dc7fc0536c8223a819e
```

Backend is receiving our request

localhost:5050

Cannot GET /



Create Employee

Create/Update Employee Record

Employee Info

This information will be displayed publicly so be careful what you share.

Name

Rohith Kandikatla

Position

DevOps Engineer

☐ Intern ☒ Junior ☐ Senior

Save Employee Record

localhost:5173



Create Employee

Employee Records

Name	Position	Level	Action
Rohith Kandikatla	DevOps Engineer	Junior	<div>EditDelete</div>

```
Rohith Kandikatla@DESKTOP-KJOVULU MINGW64 ~/desktop/devops/projects/mernstackcompose/mern-docker-compose/mern/backend (main)
$ docker ps
CONTAINER ID        IMAGE               COMMAND                  CREATED              STATUS              PORTS               NAMES
20ece9b75a9e       mern-backend       "docker-entrypoint.s..." 7 minutes ago       Up 7 minutes       0.0.0.0:5050->5050/tcp   backend
3b7697cb8273       mongo:latest       "docker-entrypoint.s..." 8 minutes ago       Up 8 minutes       0.0.0.0:27017->27017/tcp   mongodb
685805322de3       mern-frontend      "docker-entrypoint.s..." 43 minutes ago      Up 43 minutes      0.0.0.0:5173->5173/tcp   frontend
```

```
Rohith Kandikatla@DESKTOP-KJOVULU MINGW64 ~/desktop/devops/projects/mernstackcompose/mern-docker-compose/mern/backend (main)
$ docker rm -f backend mongodb frontend
backend
mongodb
frontend
Error response from daemon: No such container: -
Error response from daemon: No such container: f
```

3. Now after removing all the above containers and executing docker compose

```
Rohith Kandikatla@DESKTOP-KJOVULU MINGW64 ~/desktop/devops/projects/mernstackcompose/mern-docker-compose/mern/backend (main)
$ docker compose up -d
2024/12/27 03:43:30 http2: server: error reading preface from client //./pipe/docker_engine: file has already been closed
[+] Building 1.1s (17/17) FINISHED
=> [backend internal] load build definition from Dockerfile
=> => transferring dockerfile: 168B
=> [backend internal] load metadata for docker.io/library/node:18.9.1
=> [frontend internal] load build definition from Dockerfile
=> => transferring dockerfile: 687B
=> [frontend internal] load .dockerignore
=> => transferring context: 2B
=> [backend internal] load .dockerignore
=> => transferring context: 28
=> [frontend 1/5] FROM docker.io/library/node:18.9.1@sha256:d6ed353d022f6313aa7c3f3df69f3a216f1c9f8c3374502eb5e6c45088ce68e8
=> [backend internal] load build context
=> => transferring context: 251B
=> [frontend internal] load build context
=> => transferring context: 1.19kB
=> CACHED [frontend 2/5] WORKDIR /app
=> CACHED [backend 3/5] COPY package.json .
=> CACHED [backend 4/5] RUN npm install
=> CACHED [backend 5/5] COPY . .
=> [backend] exporting to image
=> => exporting layers
=> => writing image sha256:38ad7b285dc9af5a62a0cefe220b82fe74403535c6a59bfb41ad434bca132a13
=> => naming to docker.io/library/mern-docker-compose-backend
=> CACHED [frontend 3/5] COPY package.json .
=> CACHED [frontend 4/5] RUN npm install
=> CACHED [frontend 5/5] COPY . .
=> [frontend] exporting to image
=> => exporting layers
=> => writing image sha256:f447c19b08901ecfe1836b70b06b838f8973594820688e7a43fddcaf4f3041a6
=> => naming to docker.io/library/mern-docker-compose-frontend
[+] Running 3/5
 ~ Network mern-docker-compose_mern_network Created
 ~ Volume "mern-docker-compose_mongo-data" Created
 ✓ Container mern-docker-compose-frontend-1 Started
 ✓ Container mern-docker-compose-mongodb-1 Started
 ✓ Container mern-docker-compose-backend-1 Started
```

← → ↺

localhost:5173/edit/676e774fd9933f2e05a375eb

☆ 📄 🗑️ 🌐 ⋮

MongoDB.

Create Employee

Create/Update Employee Record

Employee Info

This information will be displayed publicly so be careful what you share.

Name

Rohith Kandikatla

Position

DevOps Engineer

☐ Intern
☒ Junior
☐ Senior

Save Employee Record

Employee Records

Name	Position	Level	Action
Rohith Kandikatla	DevOps Engineer	Junior	<div>EditDelete</div>