

powershell X

```
PS C:\Users\jagad> aws configure
```

```
AWS Access Key ID [*****BFNP]: AKIATYH7PJPPH7PPUOGH
```

```
AWS Secret Access Key [*****ldqL]: nVXcws+qANl9XxiggCiHMw3is4vLruiFY24JI1kK
```

```
Default region name [ap-south-1]:
```

```
Default output format [json]:
```

```
PS C:\Users\jagad> aws sts get-caller-identity
```

```
{  
  "UserId": "AIDATYH7PJPPDQVDWYBUW",  
  "Account": "258233813982",  
  "Arn": "arn:aws:iam::258233813982:user/jagadeesh-terraform"  
}
```

```
PS C:\Users\jagad> █
```

EXPLORER

TERRAFORM DEMO

Day-1 providers and EC2 r...

main.tf

provider.tf

Day-1 providers and EC2 resource creations > provider.tf

```
1 terraform {
2   required_providers {
3     aws = {
4       source = "hashicorp/aws"
5       version = "~> 6.0"
6     }
7   }
8 }
9
10 provider "aws" {
11   region = "us-east-1"
12   profile = "devops-terraform-zero-hero"
13 }
```

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

\$ aws configure --profile devops-terraform-zero-hero

Tip: You can deliver temporary credentials to the AWS CLI using your AWS Console session by running the command 'aws login'.

AWS Access Key ID [None]: AKIATYH7PJPPH7PPUOGH

AWS Secret Access Key [None]: nVXcws+qANl9XxiggCiHMw3is4vLruiFY24JI1kK

Default region name [None]: us-east-1

Default output format [None]: json

jagad@SURINENI MINGW64 ~/OneDrive/Desktop/terraform demo

\$ aws s3 ls

jagad@SURINENI MINGW64 ~/OneDrive/Desktop/terraform demo

\$ aws sts get-caller-identity --profile devops-terraform-zero-hero

{

"UserId": "AIDATYH7PJPPDQVDWYBUW",

"Account": "258233813982",

"Arn": "arn:aws:iam::258233813982:user/jagadeesh-terraform"

}

powerShell

bash

SESSIONS

provider.tf

Describe what to build

+ | | ...

L...

Default A...

FileEditSelectionViewGoRunTerminalHelp

terraform demo

main.tfprovider.tfterraform-provider-aws_v6.53.0_x5.exe

EXPLORER

TERRAFORM DEMO

Day-1 providers and EC2 resource creations

.terraform\providers\registry.terraform.io\hashicor...

LICENSE.txt

terraform-provider-aws_v6.53.0_x5.exe

.terraform.lock.hcl

main.tf

provider.tf

EC2 resource creations > .terraform > providers > registry.terraform.io > hashicorp > aws > 6.53.0 > windows_amd64 > terraform-provider-aws_v6.53.0_x5.exe

SESSIONS

!

The file is not displayed in the text editor because it is either binary or uses an unsupported text encoding.

Open Anyway

PROBLEMSOUTPUTDEBUG CONSOLETERMINALPORTS

Terraform has created a lock file **.terraform.lock.hcl** to record the provider selections it made above. Include this file in your version control repository so that Terraform can guarantee to make the same selections by default when you run "terraform init" in the future.

Terraform has been successfully initialized!

You may now begin working with Terraform. Try running "terraform plan" to see any changes that are required for your infrastructure. All Terraform commands should now work.

If you ever set or change modules or backend configuration for Terraform, rerun this command to reinitialize your working directory. If you forget, other commands will detect it and remind you to do so if necessary.

PS C:\Users\jagad\OneDrive\Desktop\terraform demo\Day-1 providers and EC2 resource creations>

+ bash

+ bash

+ powershell

> OUTLINE

> TIMELINE

Tip: Use /create-agent to scaffold a custom agent for your workflow.

+ provider.tf

Describe what to build

+ | | ...

L... | Default A...


840.62MB

3:54 PM
7/2/2026

PORTS



Default A...



```
+ capacity_reservation_specification (known after apply)
+ cpu_options (known after apply)
+ ebs_block_device (known after apply)
+ enclave_options (known after apply)
+ ephemeral_block_device (known after apply)
+ instance_market_options (known after apply)
+ maintenance_options (known after apply)
+ metadata_options (known after apply)
+ network_interface (known after apply)
+ primary_network_interface (known after apply)
+ private_dns_name_options (known after apply)
+ root_block_device (known after apply)
+ secondary_network_interface (known after apply)
}
```

Plan: 1 to add, 0 to change, 0 to destroy.

Note: You didn't use the -out option to save this plan, so Terraform can't guarantee to take exactly these actions if you run "terraform apply" now.

PS C:\Users\jagad\OneDrive\Desktop\terraform demo\Day-1 providers and EC2 resource creations> █

aws

Search

[Alt+S]

United States (N. Virginia)

surineni jagadeesh (258233813982)

surineni jagadeesh

IAM

EC2

S3

EC2 > Instances

EC2

Dashboard

AWS Global View

Events

Instances

Instances

Instance Types

Launch Templates

Spot Requests

Savings Plans

Reserved Instances

Dedicated Hosts

Capacity Reservations

Capacity Manager

Instances (1)

Info

Last updated less than a minute ago

Connect

Instance state

Actions

Launch instances

Saved filter sets

Choose filter set

Find Instance by attribute or tag (case-sensitive)

Instance state = running

Clear filters

< 1 >

	Name	Instance ID	Instance state	Instance type	Status check	Availability Zone	Public IPv4 DNS
☐	terraform-demo	i-0bdb317d89b290bb3	Running	t3.micro	3/3 checks passed	us-east-1a	ec2-44-203-205-160.co...

Select an instance

EXPLORER

TERRAFORM DEMO

Day-1 providers and EC2 resource creations

.terraform\providers\registry.terraform.io\hashicor...

LICENSE.txt

terraform-provider-aws_v6.53.0_x5.exe

.terraform.lock.hcl

main.tf

provider.tf

terraform.tfstate

terraform.tfstate.backup

main.tf

provider.tf

terraform-provider-aws_v6.53.0_x5.exe

EC2 resource creations > .terraform > providers > registry.terraform.io > hashicorp > aws > 6.53.0 > windows_amd64 > terraform-provider-aws_v6.53.0_x5.exe

The file is not displayed in the text editor because it is either binary or uses an unsupported text encoding.

Open Anyway

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

powershell + ▾

🗑

⋮

🔍

✕

aws_instance.demo: Creation complete after 17s [id=i-0bdb317d89b290bb3]

Apply complete! Resources: 1 added, 0 changed, 0 destroyed.

PS C:\Users\jagad\OneDrive\Desktop\terraform demo\Day-1 providers and EC2 resource creations> terraform destroy

aws_instance.demo: Refreshing state... [id=i-0bdb317d89b290bb3]

Terraform used the selected providers to generate the following execution plan. Resource actions are indicated with the following symbols:

- destroy

Terraform will perform the following actions:

aws_instance.demo will be destroyed

- resource "aws_instance" "demo" {

- ami = "ami-06067086cf86c58e6" -> null

- arn = "arn:aws:ec2:us-east-1:258233813982:instance/i-0bdb317d89b290bb3" -> null

- associate_public_ip_address = true -> null

- availability_zone = "us-east-1a" -> null

- disable_api_stop = false -> null

- disable_api_termination = false -> null

- ebs_optimized = false -> null

- force_destroy = false -> null

- get_password_data = false -> null

- hibernation = false -> null

- id = "i-0bdb317d89b290bb3" -> null

- instance_initiated_shutdown_behavior = "stop" -> null

- instance_state = "running" -> null

- instance_type = "t3.micro" -> null

- ipv6_address_count = 0 -> null

> OUTLINE

> TIMELINE

EXPLORER

TERRAFORM DEMO

Day-1 providers and EC2 resource creations

.terraform\providers\registry.terraform.io\hashicor...

LICENSE.txt

terraform-provider-aws_v6.53.0_x5.exe

.terraform.lock.hcl

main.tf

provider.tf

terraform.tfstate

terraform.tfstate.backup

main.tf

provider.tf

terraform-provider-aws_v6.53.0_x5.exe

EC2 resource creations > .terraform > providers > registry.terraform.io > hashicorp > aws > 6.53.0 > windows_amd64 > terraform-provider-aws_v6.53.0_x5.exe

The file is not displayed in the text editor because it is either binary or uses an unsupported text encoding.

Open Anyway

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

powershell

+

^

□

🗑

⋮

|

🔍

✕

- iops = 3000 -> null

- tags = {} -> null

- tags_all = {} -> null

- throughput = 125 -> null

- volume_id = "vol-03831ff22c5b82fc9" -> null

- volume_size = 8 -> null

- volume_type = "gp3" -> null

(1 unchanged attribute hidden)

}

}

Plan: 0 to add, 0 to change, 1 to destroy.

Do you really want to destroy all resources?

Terraform will destroy all your managed infrastructure, as shown above.

There is no undo. Only 'yes' will be accepted to confirm.

Enter a value: yes

aws_instance.demo: Destroying... [id=i-0bdb317d89b290bb3]

aws_instance.demo: Still destroying... [id=i-0bdb317d89b290bb3, 00m10s elapsed]

aws_instance.demo: Still destroying... [id=i-0bdb317d89b290bb3, 00m20s elapsed]

aws_instance.demo: Still destroying... [id=i-0bdb317d89b290bb3, 00m30s elapsed]

aws_instance.demo: Still destroying... [id=i-0bdb317d89b290bb3, 00m40s elapsed]

aws_instance.demo: Still destroying... [id=i-0bdb317d89b290bb3, 00m50s elapsed]

aws_instance.demo: Destruction complete after 53s

Destroy complete! Resources: 1 destroyed.

PS C:\Users\jagad\OneDrive\Desktop\terraform demo\Day-1 providers and EC2 resource creations>

> OUTLINE

> TIMELINE

aws

Search

[Alt+S]

United States (N. Virginia)

surineni jagadeesh (258233813982)

surineni jagadeesh

IAM

EC2

S3

EC2 > Instances

EC2

Dashboard

AWS Global View

Events

Instances

Instances

Instance Types

Launch Templates

Spot Requests

Savings Plans

Reserved Instances

Dedicated Hosts

Capacity Reservations

Capacity Manager

Images

AMIs

AMI Catalog

Instances

Info

Connect

Instance state

Actions

Launch instances

Saved filter sets

Choose filter set

Find Instance by attribute or tag (case-sensitive)

Instance state = running

Clear filters

< 1 >

Name

Instance ID

Instance state

Instance type

Status check

Availability Zone

Public IPv4 DNS

No matching instances found

Select an instance