



IAM -TASK


1.Create one IAM user and assign EC2 and S3 full access roles.



2.Create one group in IAM and assign read access for EC2.




3.Create a new user named "Devops" and add to the group created in task 2.




IAM -TASK


4. Write a bash script to create an IAM user with VPC full access.



5. Create an IAM policy to allow EC2 access for a specific user in specific regions only.



6. We have two accounts: Account A and Account B. Account A user should access an S3 bucket in Account B.



Search

Options

Unit Status (N: Virginia)

Rollbackguard (231161110641) / Rollbackguard

Amazon S3
Buckets
cross-account-s3-rohitth-2026

To determine which settings are turned on, check your Public Block Access settings for this bucket. Learn more about [using Amazon S3 Block Public Access](#)

```

{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Sid": "AllowDevopsReadAccess",
      "Effect": "Allow",
      "Principal": {
        "AWS": "arn:aws:iam::231161110641:user/DEVOPS"
      },
      "Action": "s3:ListBucket",
      "Resource": "arn:aws:s3:::cross-account-s3-rohitth-2026"
    },
    {
      "Sid": "AllowDevopsGetObject",
      "Effect": "Allow",
      "Principal": {
        "AWS": "arn:aws:iam::231161110641:user/DEVOPS"
      },
      "Action": "s3:GetObject",
      "Resource": "arn:aws:s3:::cross-account-s3-rohitth-2026/*"
    }
  ]
}

```

Copy

Object Ownership

Control ownership of objects within this bucket from other AWS accounts and the use of access control lists (ACLs). Object ownership determines who can specify access to objects.

Object Ownership

Bucket owner enforced

ACLs are disabled. All objects in this bucket are owned by this account. Access to this bucket and its objects is specified using only policies.

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences