




S3-Task

1. Create an S3 bucket and upload some objects to S3.




2. Deploy a static website in the S3 bucket.




S3-Task

3. Enable cross-region replication on S3 buckets.



4. Configure a bucket policy so only the Admin user can see the objects of the S3 bucket.



S3-Task

5. Set up lifecycle policies to automatically transition or delete objects based on specific criteria

Search

[Option+S]
United States (N. Virginia)
Rohithgoud (231161110641)
Rohithgoud

Amazon S3
Buckets
rohith-s3-task1-2026
Lifecycle configuration

The rule "Delete-after-30-Days" has been successfully added and the lifecycle configuration has been updated

It may take some time for the configuration to be updated. Refresh the lifecycle rules list if changes to the configuration aren't displayed.

Lifecycle configuration

To manage your objects so that they are stored cost effectively throughout their lifecycle, configure their lifecycle. A lifecycle configuration is a set of rules that define actions that Amazon S3 applies to a group of objects. Lifecycle rules run once per day.

Default minimum object size for transitions
All storage classes 128K

Lifecycle rules

View details
Edit
Delete
Actions
Create lifecycle rule

Use lifecycle rules to define actions you want Amazon S3 to take during an object's lifetime such as transitioning objects to another storage class, archiving them, or deleting them after a specified period of time. [Learn more](#)

<
1
>

	Lifecycle rule name	Status	Scope	Current version ac...	Noncurrent versio...	Expired object del...	Incomplete multip...
☐	Delete-after-30-Days	Enabled	Entire bucket	Expires	-	-	-

6. Push some objects to S3 using the AWS CLI.

[illegible][illegible]

The screenshot shows the AWS IAM console interface. At the top, the navigation bar includes the AWS logo, account ID, region (us-east-1), and user name (admin). The left-hand navigation menu lists options: Identity and Access Management (IAM), Access Management, Groups, Roles, Policies, Users, and Groups (selected). The main content area is titled 'Groups' and shows the 'Admins' group. The 'Summary' tab is active, displaying details such as the group name 'Admins', creation date 'September 18, 2020', and last modified date 'September 18, 2020'. The 'Permissions' tab is also visible, showing 'No permissions are attached to this group'. The 'Permissions boundary' section indicates that the group uses the 'AWSManagedReadOnlyAccess' policy.

```

root@rohitth-MacBook-Air: ~ # rohitth-35-task1-2026
ps1: command not found: rohitth-35-task1-2026
root@rohitth-MacBook-Air: ~ # W echo "This is 33 Task 6 - Object 1" > object1.txt
root@rohitth-MacBook-Air: ~ # W was 33 cp object1.txt 33//rohitth-35-task1-2026/
upload failed: /object1.txt to 33//rohitth-35-task1-2026/object1.txt An error occurred (AccessDenied) when calling the PutObject operation: User: arn:aws:iam::23161310641:user/Admin is not authorized to perform: s3:PutObject on resource: "arn:aws:s3::rohitth-35-task1-2026/object1.txt" because no Identity-Based policy allows the s3:PutObject action
root@rohitth-MacBook-Air: ~ # W as 33 cp object1.txt 33//rohitth-35-task1-2026/
upload: /object1.txt to 33//rohitth-35-task1-2026/object1.txt
root@rohitth-MacBook-Air: ~ # W echo "This is 33 Task 6 - Object 2" > object2.txt
root@rohitth-MacBook-Air: ~ # W was 33 cp object2.txt 33//rohitth-35-task1-2026/
upload: /object2.txt to 33//rohitth-35-task1-2026/object2.txt
root@rohitth-MacBook-Air: ~ # W echo "This is 33 Task 6 - Object 3" > object3.txt
root@rohitth-MacBook-Air: ~ # W was 33 cp object3.txt 33//rohitth-35-task1-2026/
upload: /object3.txt to 33//rohitth-35-task1-2026/object3.txt
root@rohitth-MacBook-Air: ~ # W as 33 ls 33//rohitth-35-task1-2026/
2026-09-10 15:20:34 699792 Contract employment Parttime.pdf
2026-09-10 15:20:35 1341983 emmaldung rohitth.pdf
2026-09-10 21:54:05 126 error.html
2026-09-10 21:54:05 196 index.html
2026-09-10 15:24:04 29 object1.txt
2026-09-10 15:25:19 29 object2.txt
2026-09-10 15:26:16 29 object3.txt
2026-09-10 15:26:35 386631 passport copy.pdf
root@rohitth-MacBook-Air: ~ #

```

S3-Task

7. Write a Bash script to create an S3 bucket.

```
Last login: Fri Sep 11 11:58:42 on ttys000
rohithgoud@Rohiths-MacBook-Air ~ % nano create_bucket.sh
rohithgoud@Rohiths-MacBook-Air ~ % cat > create_bucket.sh <<'EOF'
#!/bin/bash

BUCKET_NAME="rohith-bash-s3-2026"
REGION="us-east-1"

aws s3api create-bucket \
  --bucket "$BUCKET_NAME" \
  --region "$REGION"

echo "S3 bucket created: $BUCKET_NAME"
EOF
rohithgoud@Rohiths-MacBook-Air ~ % chmod +x create_bucket.sh
rohithgoud@Rohiths-MacBook-Air ~ % ./create_bucket.sh
{
  "Location": "/rohith-bash-s3-2026",
  "BucketArn": "arn:aws:s3:::rohith-bash-s3-2026"
}
S3 bucket created: rohith-bash-s3-2026
rohithgoud@Rohiths-MacBook-Air ~ %
```

8. Upload a 1 GB file to S3 using the CLI.

```
Last login: Fri Sep 11 12:40:08 on ttys000
rohithgoud@Rohiths-MacBook-Air ~ % mkfile -n 1g 1GB-file.bin
rohithgoud@Rohiths-MacBook-Air ~ % ls -lh 1GB-file.bin
-rw----- 1 rohithgoud staff 1.0G 11 Sep 12:45 1GB-file.bin
rohithgoud@Rohiths-MacBook-Air ~ % aws s3 cp 1GB-file.bin s3://rohith-bash-s3-2026/
^C^Cfatal error:
rohithgoud@Rohiths-MacBook-Air ~ % aws s3 ls s3://rohith-bash-s3-2026/
rohithgoud@Rohiths-MacBook-Air ~ %
rohithgoud@Rohiths-MacBook-Air ~ %
rohithgoud@Rohiths-MacBook-Air ~ % aws s3 cp 1GB-file.bin s3://rohith-bash-s3-2026/
upload: ./1GB-file.bin to s3://rohith-bash-s3-2026/1GB-file.bin
rohithgoud@Rohiths-MacBook-Air ~ %
```