

APPENDIX

SOURCE CODE:

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Home Page</title>
<link rel="stylesheet" href="style.css">
</head>

<body>
<div class="topbar">
<div class="topbar_sign">
<ul class="topul">
<li class="topli">
<a class="anc">
<span class="title">

</span>
<span class="title" id="su">SOLUTIONS UNDERTRIAL</span>
</a>
</li>
<li class="topli" id="reg">
<a href="/SignUpmain/index.html" class="anc">
<span class="title" >REGISTER <span>
</a>
</li>
<li class="topli">
<a href="/Login/index2.html" class="anc">
<span class="title" id="log">LOGIN</span>
</a>
</li>
<li class="topli" id="lan">
<a href="#" class="anc" >
<select class="select">
<option>ENGLISH</option>
<option>HINDI</option>
```

```
</select>
</a>
</li>
</ul>
</div>
</div>
<div class="details">
<div class="Access_specifier">
<div class="home">
<a href="index.html" class="und">
<span class="title1">HOME</span>
</a>
</div>
```

```
<div class="usefullinks">
<a href="/USEFULLINK/index.html" class="und">
<span class="title1">USEFUL LINKS</span>
</a>
</div>
<div class="contactus">
<a href="#" class="und">
<span class="title1">CONTACT US</span>
</a>
</div>
</div>
</div>
<div class="image">

</div>
<div class="apply">
</div>
<div class="apply1">
<h3>View, Apply And Track your Judicature</h3>
<h1>IN 3 EASY STEPS . APPLY NOW! </h1>
</div>
<div class="apply1">
<a href="/SignUpmain/index.html">
<button class="btn">APPLY NOW</button>
</a>
```

```

</div>
<div class="abtus" id="anim">
<h3>About Solutions Undertrial</h3>
</div>
<div class="story" id="anim">
<h1>Our Story</h1>
<h3>Solutions Undertrial is a first of its kind portal for undertrial prisoners seeking help
regarding their Judicature. The portal has been developed and being maintained by team
Neoterics (Formerly a part of LNCT Group of colleges). Individuals can view, apply and
track the Judicature application anytime, anywhere by accessing the portal.</h3>
<a href="#" class="rd">READ MORE </a>
</div>
<script src="script.js"></script>
<div class="lwc" id="anim">
<div class="lwcnim" id="l">

</div>
<div class="ngo" id="l">
<h1>44</h1>
<br>
<h2>NGO's <br>REGISTERED</h2>
<br>
<h4>Choose to apply for a meeting from 44 NGO's</h4><br>
<a href="#" ><button id="ly">Click Here</button></a>
</div>
<div class="lwdt" id="l">
<h1>157</h1>
<br>
<h2>Lawyers <br>REGISTERED </h2>
<br>
<h4>Coose to apply for a meeting with the Lawyers</h4> <br>
<a href="#" ><button id="ly">Click Here</button></a>

</div>
</div>
<div class="testimonial" id="anim">
<H1>TESTIMONIALS</H1>
</div>
<div class="testim" id="anim">
<div class="border">

```



```


<div>
<h2>Shreeya Shrivastava</h2>
<div class="location">
<!--<span>I found the portal of Solutions Undertrial very helpful.This saved my lot of
money and time. Thank you!
</span>-->
</div>
<div class="location">
<!--<span>Supreme Court + 3 more</span>-->
</div>
</div>
<div style="margin-left: 120px;" class="side">
<span class="star-rating">





<p class="score">4.6 | user ratings</p>
<p class="score">Arbitration, Cheque Bounce, Criminal, + 3 More</p>
</span>
<div class="box">
<a href="#" class="button">
CONTACT NOW
</a>
</div>
</div>
<div class="border" id="te2">

<div>
<h2>Aniket Aggerwal</h2>
<div class="location"><!--<span>
Portal Features are quite Satisfying</span>-->
</div>
<div class="location">
<!--<span>Supreme Court + 3 more</span>-->
</div>
</div>
<div style="margin-left: 120px;"class="side">
<span class="star-rating">





<p class="score">4.6 | user ratings</p>
<p class="score">Arbitration, Cheque Bounce, Criminal, + 3 More</p>
</span>
<div class="box">
<a href="#" class="button">
CONTACT NOW
</a>
</div>
</div>
</div>
</body>
</html>

```