

d is directory

Rwxr-xr-x

R= read = 4

W= write = 2

X= execute = 1

Rwxrwxrwx

Owner group other

Chmod to modify permission


Mar 27 12:15
Files
root@Ubuntu: ~ — sudo su -
~/Desktop
vboxuser@Ubuntu:~/Desktop$ history
1 pwd
2 ls
3 echo $0
4 cd ~
5 pwd
6 cd ..
7 cd ../..
8 ls
9 cd home/vboxuser/
10 pwd
11 mkdir Rohith
12 ls
13 vi Rohith
14 pwd
15 ls
16 cd ~
17 ls
18 vi techie
19 cat techie
20 wc techie
21 rm -rf Rohith
22 ls
23 touch Hi
techie_horizon
TH
Home


Mar 27 12:16
root@Ubuntu: ~ — sudo su -
~/Desktop
22 ls
23 touch Hi
24 ll
25 ls
26 cd
27 mkdir test
28 touch techie
29 ll
30 ls
31 cd hi
32 cd Hi
33 cd techie
34 /desktop/techie
35 pwd
36 cd desktop
37 cd Desktop
38 pwd
39 mkdir TH
40 chmod 777
41 ll
42 chmod 777
43 desktop/TH
44 cd Desktop/TH
45 ll
46 pwd
techie_horizon
TH
Home


Mar 27 12:17
root@Ubuntu: ~ — sudo su -
~/Desktop
45 ll
46 pwd
47 ls
48 pwd
49 mkdir techie_horizon
50 cd techie_horizon
51 ll
52 vi techie
53 rm -rf techie
54 ll
55 touch techie
56 mkdir test
57 ll
58 chmod 777
59 chmod 777 test/
60 ll
61 chmod 471 techie
62 ll
63 cat /etc/passwd
64 echo $0
65 chown root:root techie
66 sudo chown root:root techie
67 ll
68 apt install git
69 id
techie_horizon
TH
Home


Mar 27 12:17
root@Ubuntu: ~ — sudo su -
~/Desktop
52 vi techie
53 rm -rf techie
54 ll
55 touch techie
56 mkdir test
57 ll
58 chmod 777
59 chmod 777 test/
60 ll
61 chmod 471 techie
62 ll
63 cat /etc/passwd
64 echo $0
65 chown root:root techie
66 sudo chown root:root techie
67 ll
68 apt install git
69 id
70 su root
71 sudo su -
72 history
vboxuser@Ubuntu:~/Desktop$ sudo su -
[sudo: authenticate] Password:
root@Ubuntu:~#
techie_horizon
TH
Home


Mar 27 12:31
root@Ubuntu: ~ — sudo su -
~/Desktop
67 ll
68 apt install git
69 id
70 su root
71 sudo su -
72 history
vboxuser@Ubuntu:~/Desktop$ sudo su -
[sudo: authenticate] Password:
root@Ubuntu:~# useradd techie
useradd: user 'techie' already exists
root@Ubuntu:~# passwd techie
New password:
Retype new password:
passwd: password updated successfully
root@Ubuntu:~# su techie
$ id
uid=1001(techie) gid=1001(techie) groups=1001(techie)
$ exit
root@Ubuntu:~# cat /etc/passwd
root:x:0:0:root:/root:/bin/bash
daemon:x:1:1:daemon:/usr/sbin:/usr/sbin/nologin
bin:x:2:2:bin:/bin:/usr/sbin/nologin
sys:x:3:3:sys:/dev:/usr/sbin/nologin
sync:x:4:65534:sync:/bin:/bin/sync
techie_horizon
TH
Home


Mar 27 13:10
Type to search
root@Ubuntu: ~ — sudo su -
~/Desktop
Ditto for GPG agent
#Defaults:%sudo env_keep += "GPG_AGENT_INFO"
Host alias specification
User alias specification
Cmnd alias specification
User privilege specification
root ALL=(ALL:ALL) ALL
Members of the admin group may gain root privileges
%admin ALL=(ALL) ALL
Allow members of group sudo to execute any command
%sudo ALL=(ALL:ALL) ALL
See sudoers(5) for more information on "@include" directives:
@includedir /etc/sudoers.d
root@Ubuntu:~# vi /etc/sudoers
root@Ubuntu:~#

vboxuser@Ubuntu: ~ — sudo su -
~/Desktop

```
Continue? [Y/n] n
Abort.
$ sudo su vboxuser
vboxuser@Ubuntu:/root$ cd
vboxuser@Ubuntu:~$  echo "hello world"
hello world
vboxuser@Ubuntu:~$ echo "hello world" > test
bash: test: Is a directory
vboxuser@Ubuntu:~$ echo "hello world" > test1
vboxuser@Ubuntu:~$ cat test1
hello world
vboxuser@Ubuntu:~$ echo "hello rohith" >>  test1
vboxuser@Ubuntu:~$ cat test1
hello world
hello rohith
vboxuser@Ubuntu:~$ echo "hello Manisha" >  test1
vboxuser@Ubuntu:~$ cat test1
hello Manisha
vboxuser@Ubuntu:~$ vi rohith1
vboxuser@Ubuntu:~$ cat rohith1
a
b
c
d
e
f
```

vboxuser@Ubuntu: ~ — sudo su -
~/Desktop

```
hello world
vboxuser@Ubuntu:~$ echo "hello rohith" >>  test1
vboxuser@Ubuntu:~$ cat test1
hello world
hello rohith
vboxuser@Ubuntu:~$ echo "hello Manisha" >  test1
vboxuser@Ubuntu:~$ cat test1
hello Manisha
vboxuser@Ubuntu:~$ vi rohith1
vboxuser@Ubuntu:~$ cat rohith1
a
b
c
d
e
f
g
h
vboxuser@Ubuntu:~$ head -3 rohith1
a
b
c
vboxuser@Ubuntu:~$ tail -2 rohith1
g
h
vboxuser@Ubuntu:~$
```

vboxuser@Ubuntu: ~

vboxuser@Ubuntu: ~ — sudo su -

vboxuser@Ubuntu: ~

```
vboxuser@Ubuntu:~/Desktop$ cd
vboxuser@Ubuntu:~$ echo "xyz" rohith1
xyz rohith1
vboxuser@Ubuntu:~$ echo "abc" >> rohith1
vboxuser@Ubuntu:~$ echo "abc" >> rohith1
vboxuser@Ubuntu:~$ echo "aay" >> rohith1
vboxuser@Ubuntu:~$
```

vboxuser@Ubuntu: ~ — sudo su -
~/Desktop

vboxuser@Ubuntu: ~ — sudo su - vboxuser@Ubuntu: ~

```
e
f
g
h
vboxuser@Ubuntu:~$ head -3 rohith1
a
b
c
vboxuser@Ubuntu:~$ tail -2 rohith1
g
h
vboxuser@Ubuntu:~$ tail -f
tail: cannot open 'standard input' for reading: Permission denied
vboxuser@Ubuntu:~$ tail -f rohith1
a
b
c
d
e
f
g
h
abc
abc
aay
```

vboxuser@Ubuntu: ~

vboxuser@Ubuntu: ~ — sudo su - vboxuser@Ubuntu: ~

```
find: '/run/systemd/propagate/polkit.service': Permission denied
find: '/run/systemd/propagate/chrony.service': Permission denied
find: '/run/systemd/propagate/switcheroo-control.service': Permission denied
find: '/run/systemd/propagate/accounts-daemon.service': Permission denied
find: '/run/systemd/inaccessible/dir': Permission denied
/media/vboxuser/Ubuntu 25.10 amd64/md5sum.txt
find: '/lost+found': Permission denied
vboxuser@Ubuntu:~$ sudo find / -name *.txt
[sudo: authenticate] Password:



sudo: Authentication failed, try again.
[sudo: authenticate] Password:

sudo: Authentication failed, try again.
[sudo: authenticate] Password:
sudo-rs: Maximum 3 incorrect authentication attempts
vboxuser@Ubuntu:~$
vboxuser@Ubuntu:~$
vboxuser@Ubuntu:~$ grep a rohith1
a
abc
abc
aay
vboxuser@Ubuntu:~$
```