

## **DATABASE MANAGEMENT SYSTEMS LAB-MANUAL**

**Course Code : IS415L**

**Credits : 0:0:2**

**Prerequisites: Nil**

**Contact Hours :  
28**

**Course coordinator(s): Savita Shetty**

### **Course objectives:**

- Execute SQL commands
- Implement simple exercises on relational database schema
- Design a relational database schema for specific database application using SQL and PL/SQL
- Apply the normalization procedure on relational database schema
- Develop the database system to handle the real world problem

### **Course Contents:**

The Database Management Systems Lab consists of two components viz. Part A: Program Execution and Part B: Mini Project.

#### **Part A**

#### **Execute the following exercises in SQL**

1. Consider the relations  
EMPLOYEE(SSN, Name, DeptNo),  
ASSIGNED\_TO(USN, ProjectNo)  
PROJECT(ProjectNo, ProjectArea).

Create the above tables, insert suitable tuples and perform the following operations in SQL:

- a. Obtain the SSN of employees assigned to database projects.
- b. Find the number of employees working in each department
- c. Update the ProjectNo of Employee bearing SSN=1 to ProjectNo=20

2. Consider the relations  
PART(PNO, PNAME, COLOUR),  
SUPPLIER( SNO, SNAME, ADDRESS)  
SUPPLY(PNO, SNO, QUANTITY)

Create the above tables, insert suitable tuples and perform the following operations in SQL:

- a. Obtain the PNO of parts supplied by supplier 'Ram'.
- b. Obtain the Names of suppliers who supply bolts
- c. Delete the parts which are green in colour

3. Consider the relations

BOAT(BID, BNAME, COLOUR),  
SAILOR(SID, SNAME, AGE, RATING)  
RESERVES(BID,SID, DAY)

Create the above tables, insert suitable tuples and perform the following operations in SQL:

- Obtain the bid of the boats reserved by 'Ram'.
- Retrieve the bid of the boats reserved by all the sailors.
- Find the number of boats reserved by each sailor

4. Consider the relations

PART(PNO, PNAME, COLOUR),  
WAREHOUSE(WNO, WNAME, CITY)  
SHIPMENT(PNO,WNO, QUANTITY, DATE)

Create the above tables, insert suitable tuples and perform the following operations in SQL:

- Obtain the Names of warehouses which have shipped red coloured parts.
- Retrieve the PNO of the parts shipped by all the warehouses.
- Find the number of parts supplied by each warehouse

5. Consider the relations

BOOK(ISBN, TITLE, AUTHOR, PUBLISHER)  
STUDENT(USN, NAME, SEM, DEPTNO),  
BORROW(ISBN, USN, DATE)

Create the above tables, insert suitable tuples and perform the following operations in SQL:

- Obtain the name of the student who has borrowed the book bearing ISBN '123'
- Obtain the Names of students who have borrowed database books.
- Find the number of books borrowed by each student.

### Execute the following programs in PL/SQL

6. Consider the following database for a BANK system

BRANCH(Code, Name, Assets)  
CUSTOMER(SSN, Name, Place)  
ACCOUNT(AccNo, SSN, Code, Balance)

- Create the above tables by stating the primary and foreign keys
- Insert the following tuples to the tables

BRANCH

CUSTOMER

Code	Name	Assets
B1	MSR	10000
B2	RNR	20000
B3	SMR	15000
B4	SKR	25000

SSN	Name	Place
1	Ram	BNG
2	Asha	MNG
3	Usha	MYS
4	Sri	DEL

#### ACCOUNT

AccNo	SSN	Code	Balance
A1	1	B1	100000
A2	1	B1	200000
A3	2	B2	100000
A4	3	B2	100000
A5	3	B2	100000
A5	3	B2	100000
A7	4	B2	200000

Write a PL/SQL program to display the contents of the above tables and then update the balance of a few accounts.

7. (a) Write a PL/SQL program to check whether a given number is prime or not  
(b) Using cursors demonstrate the process of copying the contents of one table to a new table
8. (a) Write a program that gives all employees in department 10 a 15% pay increase. Display a message displaying how many employees were awarded the increase.  
(b) Create a program that accepts two numbers. If the first is larger than the second raise an exception called e\_bigger and display an appropriate message.
9. (a) Write a PL/SQL program to print the first 8 fibonacci numbers  
(b) Write a PL/SQL program to display the day of the week taking system date as the input
10. (a) Write a PL/SQL procedure to find the factorial of a given number and a program to call the same  
(b) Consider the following relation schema.  
EMPLOYEE (SSN, Name, sal, DeptNo)  
Display SSN and name of employees of the department entered by the user as input
11. (a) Write a PL/SQL program to check whether a given number is palindrome or not  
(b) Consider the following relation schema.  
EMPLOYEE (SSN, Name, sal, DeptNo)  
Write a trigger to raise an error if the table is modified on a specific day (Eg., Saturday or Sunday) of the week.

#### Part B

##### Mini Project

A team project in groups of maximum 4 students has to be carried out. The work and a project report should be submitted for demonstration and evaluation. Related to the case study identified by the students, they should be able to design and develop a database application using the following approach.

- Data Requirements collection
- Functional Requirements Collection
- Entity Relationship Model Design
- ER-to-Relational mapping and Normalization
- SQL :Data definition-Create the tables that have been designed. Populate the table
- SQL:Data manipulation
- Create Views and Triggers
- SQL:Queries- Execute the queries
- Complex SQL queries
- Front end design

### Text Book

Benjamin Rosenzweig, Elena Silvestrova Rakhimov : Oracle PL/SQL by Example, 4th Edition, 2010.

### Course Delivery:

The Course will be delivered through Demonstration, Class assignments, Presentations, Project based learning (Mini Project)

### Course Assessment and Evaluation:

	What		To whom	When/ Where (Frequency in the course)	Max marks	Evidence collected	Contributing to Course Outcomes
Direct Assessment Methods	CIE	Lab Internal Assessment Tests on exercises	Students	Twice(Average of two will be computed)	25	Blue books	C01, C02, C03, C04 and C05
		Regular evaluation on the exercises		Weekly(Average of all the weeks)	5	Attendance Register and Record book	C01, C02, C03, C04 and C05
		Mini Project Regular Evaluation		Weekly (Average of all the weeks)	5	Attendance register and record book	CO1,CO4,CO5
		Mini Project Final Demo		Once	15	Report	CO4,CO5
	SEE	Standard Examination		End of course (Answering 5 of 10 questions)	50	Answer scripts	C01, C02, C03, C04 and C05
Assessment	Students feedback		Students	Middle of the course	-	Feedback forms	C01, C02, C03
	End of course survey			End of course	-	Questionnaire	C01, C02, C03, C04 and C05

Course Outcomes	Program Outcomes*
-----------------	-------------------

Questions for CIE and SEE will be designed to evaluate the various educational components (Bloom's taxonomy) such as:

CIE and SEE evaluation

Sl. No.	Levels of Bloom's Taxonomy	LabTest1	Lab Test2	MiniProject	SEE
1	Remember	10	10	10	10
2	Understand	10	10	10	30
3	Apply	20	20	20	30
4	Analyze	20	20	20	10
5	Evaluate	20	20	20	10
6	Create	20	20	20	10

**Course outcomes:**

**Students will be able to**

- CO1      Execute SQL commands
- CO2      Implement simple exercises on relational database schema
- CO3      Design a relational database schema for specific database application using SQL and PL/SQL
- CO4      Apply the normalization procedure on relational database schema
- CO5      Develop the database system to handle the real world problem

**Mapping Course Outcomes with Program Outcomes:**

	<b>PO1</b>	<b>PO 2</b>	<b>PO3</b>	<b>PO 4</b>	<b>PO 5</b>	<b>PO 6</b>	<b>PO 7</b>	<b>P O8</b>	<b>PO 9</b>	<b>PO 10</b>	<b>PO 11</b>	<b>PO 12</b>
Execute SQL commands	X	X										
Implement simple exercises on relational database schema				X	X						X	X
Design a relational database schema for specific database application using SQL and PL/SQL	X	X		X	X							X
Apply the normalization procedure on relational database schema	X				X							
Develop the database system to handle the real world problem		X			X						X	X

## QUESTIONS AND SOLUTIONS:

1. Consider the relations

EMPLOYEE(SSN, Name, DeptNo),

ASSIGNED\_TO(USN, ProjectNo)

PROJECT(ProjectNo, ProjectArea).

Create the above tables, insert suitable tuples and perform the following operations in SQL:

- d. Obtain the SSN of employees assigned to database projects.
- e. Find the number of employees working in each department
- f. Update the ProjectNo of Employee bearing SSN=1 to ProjectNo=20

## SOLUTION:

create table e

```
(  
  ssn varchar(6),  
  name varchar(10),  
  deptno int,  
  primary key(ssn)  
);
```

Table created.

create table p

```
(  
  projectno varchar(10),  
  projectarea varchar(20),  
  primary key(projectno)  
);
```

Table created.

create table a

```
(  
  usn varchar(6),  
  projectno varchar(10),  
  foreign key(usn)references e(ssn),  
  foreign key(projectno)references p(projectno)  
);
```

Table created.

```
insert into e  
values('01','abc',10);
```

1 row updated

```
insert into e  
values('02','xyz',20);
```

1 row updated

```
insert into e  
values('03','pqr',30);
```

1 row updated

```
insert into e  
values('04','lmn',40);
```

1 row updated

```
insert into p  
values('100','database');
```

1 row updated

```
insert into p  
values('200','network');
```

1 row updated

```
insert into p  
values('300','android');
```

1 row updated

```
insert into a  
values('01','100');
```

1 row updated



```
insert into a
values('02','200');
```

1 row updated

```
insert into a
values('03','300');
```

1 row updated

```
insert into a
values('01','200');
```

1 row updated

```
select *
from e;
```

SSN	NAME	DEPTNO
-----	------	--------

01	abc	10
----	-----	----

02	xyz	20
----	-----	----

03	pqr	30
----	-----	----

04	lmn	40
----	-----	----

```
select *
from p;
```

PROJECTNO	PROJECTAREA
100	database
200	network
300	android

```
select *
from a;
```

USN	PROJECTNO
-----	-----------

01        100

02        200

03        300

01        200

```
select ssn from e
where ssn=(select usn
            from a
            where projectno=(select projectno from p
                              where projectarea='database'));
```

SSN

01

```
select count(ssn),deptno
from e group by deptno;
```

COUNT(SSN)	DEPTNO
------------	--------

1	30
---	----

1	20
---	----

1	40
---	----

1	10
---	----

```
update a
set projectno='200' where
usn='03';
```

1 row updated

```
select *
```

```
from a;
```

usn	projectno
-----	-----------

01	100
----	-----

02	200
----	-----

03	200
----	-----

04	200
----	-----

2. Consider the relations

PART(PNO, PNAME, COLOUR),

SUPPLIER( SNO,SNAME,ADDRESS)

SUPPLY(PNO,SNO,QUANTITY)

Create the above tables, insert suitable tuples and perform the following operations in SQL:

- d. Obtain the PNO of parts supplied by supplier 'Ram'.
- e. Obtain the Names of suppliers who supply bolts
- f. Delete the parts which are green in colour

SOLUTION:

create table part

```
(  
pno number(10),  
pname varchar(20),  
colour varchar(20),  
primary key(pno)  
);
```

table created.

Create table supplier

```
(  
sno number(10),  
sname varchar(20),  
address varchar(20),  
primary key(sno)  
);
```

table created.

```
create table supply
(
pno number(10),
sno number(10),
quantity varchar(20),
primary key(pno,sno),
foreign key(pno) references part(pno)on delete cascade,
foreign key(sno) references supplier(sno)on delete cascade
);
```

Table created.

```
insert into part values(1,'plug','black');
```

1 row(s) inserted.

```
insert into part values(2,'bolt','blue');
```

1 row(s) inserted.

```
insert into part values(3,'nut','green');
```

1 row(s) inserted.

```
insert into supplier values(10,'Anoop','udupi');
```

1 row(s) inserted.insert into supplier values(15,'Bharath','mangalore');1 row(s) inserted.insert into supplier values(20,'Ram','bangalore');1 row(s) inserted.insert into supply values(1,10,50);

1 row(s) inserted.

```
insert into supply values(2,10,30);1 row(s) inserted.
```

```
insert into supply values(1,15,70);1 row(s) inserted.insert into supply values(3,15,40);
```

1 row(s) inserted.

```
insert into supply values(1,20,55);1 row(s) inserted.
```

```
insert into supply values(2,20,65);1 row(s) inserted.
```

```
insert into supply values(3,20,75);1 row(s) inserted.
```

```
select *  
from part;
```

PNO PNAME COLOUR1 plug black2 bolt blue3 nut green

```
select *  
from supply ;
```

PNOSNOQUANTITY

1 10 50

2 10 30

1 15 70

31540

12055

22065

32075

```
select *  
from supplier ;
```

SNO SNAME ADDRESS

10 Anoop udupi

15 Bharath mangalore

20 Ram Bangalore

```
answer 2)select sname,pname  
from supplier,supply,part  
where pname='bolt' AND supply.sno=supplier.sno AND part.pno=supply.pno;
```

SNAME PNAME

Anoop bolt

Ram        bolt

```
answer 1)select pno
from supply
where sno IN(select sno from
               supplier where
               sname='Ram');
```

PNO

1

2

3

```
delete from part where colour='green';
```

1 row(s) deleted.

```
select *
from part;PNO PNAME COLOUR1 plug black2 bolt blue
```

```
select *
from supply;PNO SNO QUANTITY 1 10 50 2 10 30
```

3.Consider the relations

BOAT(BID, BNAME, COLOUR),  
SAILOR(SID, SNAME, AGE, RATING)  
RESERVES(BID,SID, DAY)

Create the above tables, insert suitable tuples and perform the following operations in SQL:

- d. Obtain the bid of the boats reserved by 'Ram'.
- e. Retrieve the bid of the boats reserved by all the sailors.
- f. Find the number of boats reserved by each sailor

SOLUTION:

Create table BOAT

(

BID varchar(6) NOT NULL,

BNAME varchar(20),

COLOUR varchar(10),

PRIMARY KEY(BID)

);

Create table SAILOR

(

SID varchar(6) NOT NULL,

SNAME varchar(20),

AGE varchar(3),

RATING varchar(2),

PRIMARY KEY(SID)

);

Create table RESERVES

(

BID varchar(6),

SID varchar(6),

DAY varchar(10),

FOREIGN KEY(BID) references BOAT(BID) ON DELETE CASCADE,

FOREIGN KEY(SID) references SAILOR(SID) ON DELETE CASCADE

);

INSERT INTO BOAT

VALUES('01','ABC','RED');

INSERT INTO BOAT

VALUES('02','XYZ','YELLOW');

INSERT INTO BOAT

VALUES('03','PQR','GREEN');

INSERT INTO BOAT

VALUES('04','LMN','BLACK');

INSERT INTO BOAT

VALUES('05','DEF','BLUE');

INSERT INTO SAILOR

VALUES('10','RAM','30','5');

INSERT INTO SAILOR

VALUES('20','RAVI','25','4');

INSERT INTO SAILOR

VALUES('30','MISHRA','22','3');

INSERT INTO SAILOR

VALUES('40','CHANDRA','24','2');

INSERT INTO SAILOR



VALUES('50','SHIVA','36','1');

INSERT INTO SAILOR

VALUES('60','KRISHNA','40','6');

INSERT INTO RESERVES

VALUES('01','20','MONDAY');

INSERT INTO RESERVES

VALUES('02','30','TUESDAY');

INSERT INTO RESERVES

VALUES('03','50','WEDNESDAY');

INSERT INTO RESERVES

VALUES('04','10','THURSDAY');

INSERT INTO RESERVES

VALUES('05','20','FRIDAY');

SELECT \*

FROM RESERVES

;

BID SID DAY

01 20 MONDAY

02 30 TUESDAY

03 50 WEDNESDAY

04 10 THURSDAY

05 20 FRIDAY

SELECT \*

FROM SAILOR

;

SID SNAME AGE RATING

10 RAM 30 5

20 RAVI 25 4

30 MISHRA 22 3

40 CHANDRA 24 2

50 SHIVA 36 1

60 KRISHNA 40 6

SELECT \*

FROM BOAT

;

BID BNAME COLOUR

01 ABC RED

02 XYZ YELLOW

03 PQR GREEN

04 LMN BLACK

05 DEF BLUE

ans1

SELECT BID

FROM RESERVES

WHERE SID IN( SELECT SID FROM

SAILOR WHERE SNAME='RAM');

BID

04

ans2

SELECT BID,SNAME

FROM RESERVES r join SAILOR s

on (r.SID=s.SID);

BID SNAME

04 RAM

05 RAVI

01 RAVI

02 MISHRA

03 SHIVA

ans 3

SELECT COUNT(BID),SID

FROM RESERVES

GROUP BY SID;

COUNT(BID) SID

1 50

2 20

1 10

1 30

4. Consider the relations

PART(PNO, PNAME, COLOUR),

WAREHOUSE( WNO, WNAME, CITY)

SHIPMENT(PNO, WNO, QUANTITY, DATE)

Create the above tables, insert suitable tuples and perform the following operations in SQL:

d. Obtain the Names of warehouses which have shipped red coloured parts.

e. Retrieve the PNO of the parts shipped by all the warehouses.

Find the number of parts supplied by each warehouse

SOLUTION:

CREATE TABLE PARTT

(  
PNO VARCHAR(6) NOT NULL,  
PNAME VARCHAR(10) ,  
COLOUR VARCHAR(10),  
PRIMARY KEY(PNO)  
);

CREATE TABLE WAREHOUSE

(  
WNO VARCHAR(6) NOT NULL,  
WNAME VARCHAR(10),  
CITY VARCHAR(10),  
PRIMARY KEY(WNO)  
);

CREATE TABLE SHIPMENT

```
(  
PNO VARCHAR(6),  
WNO VARCHAR(6),  
QUANTITY NUMBER,  
DATEE DATE ,  
FOREIGN KEY(PNO) REFERENCES PARTT(PNO) ON DELETE CASCADE,  
FOREIGN KEY(WNO) REFERENCES WAREHOUSE(WNO) ON DELETE CASCADE  
);
```

```
INSERT INTO PARTT  
VALUES('01','ABC','RED');
```

```
INSERT INTO PARTT  
VALUES('02','DEF','BLUE');
```

```
INSERT INTO PARTT  
VALUES('03','LMN','GREEN');
```

```
INSERT INTO PARTT  
VALUES('04','PQR','YELLOW');
```

```
INSERT INTO PARTT  
VALUES('05','XYZ','PINK');
```

```
INSERT INTO WAREHOUSE  
VALUES('10','AAA','KUMTA');
```

```
INSERT INTO WAREHOUSE  
VALUES('20','BBB','MUMBAI');
```

```
INSERT INTO WAREHOUSE  
VALUES('30','CCC','BANGALORE');
```

```
INSERT INTO WAREHOUSE  
VALUES('40','DDD','UDUPI');
```

```
INSERT INTO WAREHOUSE  
VALUES('50','EEE','KARWAR');
```

```
SELECT *  
FROM PARTT;
```

```
PNO PNAME COLOUR  
01 ABC RED  
02 DEF BLUE  
03 LMN GREEN  
04 PQR YELLOW  
05 XYZ PINK
```

```
SELECT *  
FROM WAREHOUSE;
```

```
WNO WNAME CITY  
10 AAA KUMTA  
20 BBB MUMBAI  
30 CCC BANGALORE  
40 DDD UDUPI  
50 EEE KARWAR
```

```
INSERT INTO SHIPMENTS  
VALUES('01','20','300','28-FEB-2013');
```

```
INSERT INTO SHIPMENTS  
VALUES('02','30','400','30-JAN-2013');
```

```
INSERT INTO SHIPMENTS  
VALUES('03','10','00','31-JAN-2013');
```

```
INSERT INTO SHIPMENTS  
VALUES('04','40','600','31-MARCH-2013');
```

```
INSERT INTO SHIPMENTS  
VALUES('05','50','100','31-DEC-2013');
```

```
SELECT *  
FROM SHIPMENTS;  
PNO WNO QUANTITY DATEE
```

01 20 300 28-FEB-13  
02 30 400 30-JAN-13  
03 10 00 31-JAN-13  
04 40 600 31-MAR-13  
05 50 100 31-DEC-13

ans a)

```
SELECT WNAME FROM WAREHOUSE
WHERE WNO IN(SELECT WNO FROM SHIPMENTS WHERE PNO=(SELECT PNO FROM
PARTT WHERE COLOUR='RED'));
```

WNAME  
BBB

ans b)

```
SELECT PNO,WNAME
FROM SHIPMENTS s join WAREHOUSE w
on(s.WNO=w.WNO);
```

PNO WNAME  
03 AAA  
01 BBB  
02 CCC  
04 DDD  
05 EEE

c)

```
SELECT COUNT(PNO),WNO
FROM SHIPMENTS
GROUP BY WNO;
```

COUNT(PNO) WNO  
1 50  
1 20  
1 10  
1 40  
1 30

5.Consider the relations

BOOK(ISBN, TITLE,AUTHOR,PUBLISHER)  
STUDENT(USN, NAME, SEM, DEPTNO),  
BORROW(ISBN, USN, DATE)

Create the above tables, insert suitable tuples and perform the following operations in SQL:

d. Obtain the name of the student who has borrowed the book bearing ISBN '123'

e. Obtain the Names of students who have borrowed database books.

Find the number of books borrowed by each student

SOLUTION:

12. create table books

```
(  
  ISBN varchar(10),  
  Title varchar(10),  
  Author varchar(10),  
  Publisher varchar(10),  
  primary key(ISBN)  
);
```

Insert into books values(

```
ISBN TITLE AUTHOR PUBLISHER  
001 T1 A1 P1  
002 T2 A2 P2  
003 T3 A3 P3  
004 T4 A4 P4  
005 T5 A5 P5
```

create table student1

```
(  
  usn varchar(10),  
  name varchar(10),  
  sem int,  
  dept varchar(3),  
  primary key(usn)  
);
```

Insert into student1 values(

```
SN NAME SEM DEPT  
111 aaa 3 ISE  
222 bbb 4 CSE  
333 ccc 3 CSE  
444 ddd 4 ISE  
555 eee 4 ISE
```

create table borrow



```
(
ISBN varchar(10),
usn varchar(10),
dates varchar(10),
foreign key(ISBN) references books(ISBN),
foreign key(usn) references student1(usn)
);
```

Insert into borrow values(

```
ISBN USN DATES
001 222 1/2/13
002 333 2/2/13
003 111 3/2/13
005 444 4/2/13
003 555 5/2/13
```

Queries:

1: select NAME from student1  
where USN=(select USN from borrow where ISBN='001');

```
NAME
bbb
```

2: select NAME from student1  
where USN=(select USN from borrow where ISBN=(select ISBN from books where  
TITLE='T2'));

```
NAME
ccc
```

3: select count(ISBN) from borrow  
group by USN;

```
COUNT(ISBN)
1
1
1
1
1
```

6. Consider the following database for a BANK system

BRANCH(Code, Name, Assets)

CUSTOMER(SSN, Name, Place)

ACCOUNT(AccNo, SSN, Code, Balance)

iii) Create the above tables by stating the primary and foreign keys

iv) Insert the following tuples to the tables

BRANCH

Code	Name	Assets
B1	MSR	10000
B2	RNR	20000
B3	SMR	15000
B4	SKR	25000

CUSTOMER

SSN	Name	Place
1	Ram	BNG
2	Asha	MNG
3	Usha	MYS
4	Sri	DEL

ACCOUNT

AccNo	SSN	Code	Balance
A1	1	B1	100000
A2	1	B1	200000
A3	2	B2	100000
A4	3	B2	100000
A5	3	B2	100000
A5	3	B2	100000
A7	4	B2	200000

Write a PL/SQL program to display the contents of the above tables and then update the balance of a few accounts.

SOLUTION:

6a)

```
create table branch(code varchar(2),name varchar(10),assets int,primary key(code));
```

```
create table customer(ssn int,name varchar(12),place varchar(10),primary key(ssn));
```

```
create table account(accno varchar(2),ssn int,code varchar(2),balance int,primary  
key(accno,ssn,code),foreign key(  
code) references branch(code) ON DELETE CASCADE,foreign key(ssn) references  
customer(ssn) ON DELETE CASCADE);
```

```
insert into branch values('b1','msr',10000);
```

```
insert into branch values('b2','rnr',20000);
```

```
insert into branch values('b3','smr',15000);
```

```
insert into branch values('b4','skr',25000);
```

```
insert into customer values(1,'ram','bng');
```

```
insert into customer values(2,'asha','mng');
insert into customer values(3,'usha','mys');
insert into customer values(4,'sri','del');
```

```
insert into account values('a1',1,'b1',100000);
insert into account values('a2',1,'b1',200000);
insert into account values('a3',2,'b2',100000);
insert into account values('a4',3,'b2',100000);
insert into account values('a5',3,'b2',100000);
insert into account values('a6',3,'b2',100000);
insert into account values('a7',4,'b2',200000);
```

```
DECLARE
CURSOR CC IS
SELECT * FROM BRANCH;
V_CC CC%ROWTYPE;
BEGIN
OPEN CC;
LOOP
FETCH CC INTO V_CC ;
EXIT WHEN CC %NOTFOUND;
DBMS_OUTPUT.PUT_LINE('CODE '||V_CC.CODE ||' NAME '||V_CC.NAME ||' ASSETS
'||V_CC.ASSETS);
END LOOP;
CLOSE CC;
END;
/
```

```
DECLARE
CURSOR CC1 IS
SELECT * FROM CUSTOMER;
V_CC1 CC1%ROWTYPE;
BEGIN
OPEN CC1;
LOOP
FETCH CC1 INTO V_CC1;
EXIT WHEN CC1%NOTFOUND;
DBMS_OUTPUT.PUT_LINE('SSN '||V_CC1.SSN ||' NAME '||V_CC1.CNAME ||' PLACE
'||V_CC1.PLACE);
END LOOP;
CLOSE CC1;
END;
/
```

```
DECLARE
```

```

CURSOR CC2 IS
SELECT * FROM account;
V_CC2 CC2%ROWTYPE;
BEGIN
OPEN CC2;
LOOP
FETCH CC2 INTO V_CC2;
EXIT WHEN CC2%NOTFOUND;
DBMS_OUTPUT.PUT_LINE('accno '||V_CC2.accno ||' ssn '||V_CC2.ssn ||' code
'||V_CC2.code ||'balance' ||V_CC2.balance);
END LOOP;
CLOSE CC2;
END;
/

```

```

b)DECLARE
V_INC NUMBER:=10;
BEGIN
UPDATE ACCOUNT
SET BALANCE=BALANCE+(BALANCE*0.1)
WHERE ssn=1;
COMMIT;
END;
/

```

- 7.(a) Write a PL/SQL program to check whether a given number is prime or not  
(b) Using cursors demonstrate the process of copying the contents of one table to a new table

SOLUTION:

```

7 a)
SET SERVEROUTPUT ON
DECLARE
n number:=&n;
j number:=2;
counter number:=0;
BEGIN
WHILE(j<=n/2) loop

if mod(n,j)=0 then
dbms_output.put_line(n ||' is not prime number');
counter:=1;
exit ;
else

```

```

j:=j+1;
end if;
end loop;

if counter=0 then
dbms_output.put_line( n || ' is a prime number');
end if;
end;
/

```

```

7)b)
create table part1(pno int,pname char(20),colour char(20),primary key(pno));
create table copy_part1(pno int,pname char(20),colour char(20),primary key(pno));
insert into part1 values(10,'nuts','black');

```

```

insert into part1 values(20,'bolts','grey');

```

```

insert into part1 values(30,'screw','green');

```

```

set serveroutput on
declare
cursor curr is select *from part1;
counter int;
rows part1%rowtype;
begin
open curr;
loop
fetch curr into rows ;
exit when curr%notfound;

insert into copy_part1 values(rows.pno,rows.pname,rows.colour);

end loop;
counter := curr%rowcount;
close curr;
dbms_output.put_line(counter||' rows inserted into the table copy_part1 ');

end;
/

```

8.(a) Write a program that gives all employees in department 10 a 15% pay increase. Display a message displaying how many employees were awarded the increase.

(b) Create a program that accepts two numbers. If the first is larger than the second raise an exception called e\_bigger and display an appropriate message.

SOLUTION:

8)a)set serveroutput on

```
begin
update employee1
set salary=(1.15*salary) where deptno=10;

dbms_output.put_line('number of rows updated are'||sql%rowcount);

end;
/
```

8)b)  
declare  
n1 number(10);  
n2 number(10);  
ebigger exception;

```
begin
n1:= & sv1;
n2:= & sv2;
if n1<n2 then
dbms_output.put_line('no error because n1 is smaller');
else
raise ebigger;
end if;

exception when ebigger then
dbms_output.put_line('exception caught ,n1 is bigger than n2');
END;
/
```

9.(a) Write a PL/SQL program to print the first 8 fibonacci numbers

(b) Write a PL/SQL program to display the day of the week taking system date as the input

SOLUTION:

9)a)  
declare

```

a number;
b number;
c number;
n number;
i number;
begin
n:=8;
a:=0;
b:=1;
dbms_output.put_line(a);
dbms_output.put_line(b);
for i in 1..n-2
loop
c:=a+b;
dbms_output.put_line(c);
a:=b;
b:=c;
end loop;
end;
/

```

```

9)b)
declare
t_date date;
current_day varchar2(9);
begin
t_date:=sysdate;
current_day:=to_char(t_date,'day');
current_day:=initcap(current_day);
current_day:=rtrim(current_day);
dbms_output.put_line('Today is:'||current_day);
end;
/

```

10.(a) Write a PL/SQL procedure to find the factorial of a given number and a program to call the same

(b) Consider the following relation schema.

EMPLOYEE (SSN, Name, sal, DeptNo)

Display SSN and name of employees of the department entered by the user as input

SOLUTION:

```

10)b)
create table employee1(ssn varchar(20),name char(20),deptno number(10),salary int,primary
key(ssn));
insert into employee1 values(1,'pra',10,1000);
insert into employee1 values(2,'aaa',20,2000);

```

```

insert into employee1 values(3,'bbb',10,4000);
insert into employee1 values(4,'cc',30,10000);
insert into employee1 values(5,'bgg',10,2000);
select *from employee1;
set serveroutput on
declare
cursor cur is select *from employee1;
rows employee1%rowtype;
t int;
begin
open cur;
t:= & t1;
loop
fetch cur into rows;
exit when cur%notfound;
if rows.deptno=t
then
dbms_output.put_line('the ssn and names are '|| rows.ssn ||','||rows.name);
end if;

end loop;
close cur;
end;
/

```

11.(a) Write a PL/SQL program to check whether a given number is palindrome or not

(b) Consider the following relation schema.

EMPLOYEE (SSN, Name, sal, DeptNo)

Write a trigger to raise an error if the table is modified on a specific day (Eg., Saturday or Sunday) of the week.

SOLUTION:

11a)

Declare

n number(10);

i number(10);

sum1 number(10);

k number(10);

Begin

sum1:=0;

n:=&n;



```
k:=n;

while (n>0) loop

i:=mod(n,10);

sum1:=(sum1*10)+i;

n:=trunc(n/10);

end loop;

if(k=sum1) then

dbms_output.put_line('Given Number is a Palindrome Number');

else

dbms_output.put_line('Given Number is not a Palindrome Number');

end if;

end;

/
```

