Question 1 -

We have an array of votes. We want to use reduce() method to return an object that has count of y and n. Use an object as the accumulator.

const votes = ['y', 'y', 'n', 'y', 'y', 'n', 'y', 'n', 'n', 'n', 'n', 'y', 'y']

Expected output - { y: 7, n: 6 }

Question 2 -

We want to group the books into another object and we want to group them by rating. Example: Inside the final object, we will have keys like 2, 3 and so on. The value of these keys will be an array which can have one or more objects.

Here is the books array

```
const books = [

{

  title: 'Good Omens',

  authors: ['Terry Pratchett', 'Neil Gaiman'],

  rating: 4.25,

  genres: ['fiction', 'fantasy']

},

{

  title: 'Changing My Mind',

  authors: ['Zadie Smith'],

  rating: 3.83,
```

```
  genres: ['nonfiction', 'essays']
},
{
  title: 'Bone: The Complete Edition',
  authors: ['Jeff Smith'],
  rating: 4.42,
  genres: ['fiction', 'graphic novel', 'fantasy']
},
{
  title: 'American Gods',
  authors: ['Neil Gaiman'],
  rating: 4.11,
  genres: ['fiction', 'fantasy']
},
{
  title: 'A Gentleman in Moscow',
  authors: ['Amor Towles'],
  rating: 4.36,
  genres: ['fiction', 'historical fiction']
```

```
},
{
  title: 'The Name of the Wind',
  authors: ['Patrick Rothfuss'],
  rating: 4.54,
  genres: ['fiction', 'fantasy']
},
{
  title: 'The Overstory',
  authors: ['Richard Powers'],
  rating: 4.19,
  genres: ['fiction', 'short stories']
},
{
  title: 'A Truly Horrible Book',
  authors: ['Xavier Time'],
  rating: 2.18,
  genres: ['fiction', 'garbage']
},
```

```
{
  title: 'The Way of Kings',
  authors: ['Brandon Sanderson'],
  rating: 4.65,
  genres: ['fantasy', 'epic']
},
{
  title: 'Lord of the flies',
  authors: ['William Golding'],
  rating: 3.67,
  genres: ['fiction']
}
]
```

All the 2 star rating books will go inside 2 key, 3 star rating books will go inside 3 key and so on.

Expected output -

```
//Below is the Output -
// {
//     '2': [
//       {
//         title: 'A Truly Horrible Book',
//         authors: [Array],
//         rating: 2.18,
//         genres: [Array]
//       }
//     ],
//     '3': [
//       {
//         title: 'Changing My Mind',
//         authors: [Array],
//         rating: 3.83,
//         genres: [Array]
//       },
//       {
//         title: 'Lord of the flies',
//         authors: [Array],
//         rating: 3.67,
//         genres: [Array]
//       }
//     ],
//     '4': [
//       {
//         title: 'Good Omens',
```

Question 3 - Reverse a string using reduce().

Question 4 - Remove duplicates from an array using reduce().

Input array - [1, 2, 2, 3, 4, 4, 5]

Question 5 - Find the longest word using reduce().

Input data - ['reduce', 'method', 'is', 'very', 'useful']

Question 6 - Count occurrences of each element using reduce().

Input Data - ['apple', 'banana', 'apple', 'orange', 'banana', 'apple']

Output - { apple: 3, banana: 2, orange: 1 }