

Introducing Google Cloud Platform

GCP Fundamentals: Core Infrastructure

Last modified 2018-08-14



© 2017 Google Inc. All rights reserved. Google and the Google logo are trademarks of Google Inc. All other company and product names may be trademarks of the respective companies with which they are associated.

Agenda

Introduction to Google Cloud Platform

Quiz

© 2017 Google Inc. All rights reserved. Google and the Google logo are trademarks of Google Inc. All other company and product names may be trademarks of the respective companies with which they are associated.



What is cloud computing?



On-demand self-service



Broad network access



Resource pooling



Rapid elasticity



Measured service

No human intervention needed to get resources

Access from anywhere

Provider shares resources to customers

Get more resources quickly as needed

Pay only for what you consume

© 2017 Google LLC. All rights reserved. Google and its related brands are trademarks of Google LLC. All other companies and product names may be trademarks of the respective companies with which they are associated.



Cloud computing has five fundamental attributes, according to the [definition of cloud computing](#) proposed by the United States National Institute of Standards and Technology.

First, customers get computing resources on-demand and self-service.

Cloud-computing customers use an automated interface and get the processing power, storage, and network they need, with no need for human intervention.


Second, they can access these resources over the network.

Third, the provider of those resources has a big pool of them, and allocates them to customers out of the pool. That allows the provider to get economies of scale by buying in bulk. Customers don't have to know or care about the exact physical location of those resources.

Fourth, the resources are elastic. Customers who need more resources can get more rapidly. When they need less, they can scale back.

And last, the customers pay only for what they use or reserve, as they go. If they stop using resources, they stop paying.

How did we get here? Where are we going?



The first wave of the trend towards cloud computing was colocation. Colocation gave users the financial efficiency of renting physical space, instead of investing in data center **real estate**.

Virtualized data centers of today, the second wave, share similarities with the private data centers and colocation facilities of decades past. The components of virtualized data centers match the physical building blocks of hosted computing—servers, CPUs, disks, load balancers, and so on—but now they are virtual devices. Virtualization does provide a number of benefits: your development teams can move faster, and you can turn capital expenses into operating expenses. With virtualization you still maintain the infrastructure; it is still a user-controlled/user-configured environment.

About 10 years ago, Google realized that its business couldn't move fast enough within the confines of the virtualization model. So Google switched to a container-based architecture—a fully automated, elastic third-wave cloud that consists of a combination of automated services and scalable data. Services automatically provision and configure the infrastructure used to run applications.

Today Google Cloud Platform makes this third-wave cloud available to Google customers.

Every company is a data company


© 2017 Google LLC. All rights reserved.
Google and product names may be trademarks of Google LLC.

Google Cloud

Google believes that, in the future, every company—regardless of size or industry—will differentiate itself from its competitors through technology. Largely, that technology will be in the form of software. Great software is centered on data. Thus, every company is or will become a data company.

Google Cloud provides a wide variety of services for managing and getting value from data at scale.

GCP computing architectures meet you where you are



© 2017 Google LLC. All rights reserved. Google services used here are trademarks of Google Inc. Other companies and product names may be trademarks of the respective companies with whom they are associated.




Virtualized data centers brought you infrastructure as a service (IaaS) and platform as a service (PaaS) offerings. IaaS offerings provide you with raw compute, storage, and network, organized in ways familiar to you from physical and virtualized data centers. PaaS offerings, on the other hand, bind your code to libraries that provide access to the infrastructure your application needs, thus allow you to focus on your application logic.

In the IaaS model, you pay for what you allocate. In the PaaS model, you pay for what you use.

As cloud computing has evolved, the momentum has shifted toward managed infrastructure and managed services.

Google network: 100,000s of km of fiber cable, 8 subsea cables




According to some publicly available estimates, Google's network carries as much as 40% of the world's internet traffic **every day**. Google's network is the largest network of its kind on Earth. Google has invested billions of dollars over the years to build it.

It is designed to give customers the highest possible throughput and lowest possible latencies for their applications.

The network interconnects at more than 90 Internet exchanges and more than 100 points of presence worldwide. When an Internet user sends traffic to a Google resource, Google responds to the user's request from an Edge Network location that will provide the lowest latency. Google's edge caching network sites content close to end users to minimize latency.

Google Cloud Platform is organized into regions and zones



 Google Cloud

Regions and zones

[Regions](#) are independent geographic areas that consist of [zones](#). Locations within regions tend to have round-trip network latencies of under 5 milliseconds on the 95th percentile.

A zone is a deployment area for Google Cloud Platform resources within a region.

Think of a zone as a single failure domain within a region. In order to deploy fault-tolerant applications with high availability, you should deploy your applications across multiple zones in a region to help protect against unexpected failures.

To protect against the loss of an entire region due to natural disaster, you should have a disaster recovery plan and know how to bring up your application in the unlikely event that your primary region is lost.

For more information on the specific resources available within each location option, see Google's [Global Data Center Locations](#).

Google Cloud Platform's services and resources can be [zonal](#), [regional](#), or [managed by Google across multiple regions](#). For more information on what these options mean for your data, see [geographic management of data](#).

Zonal resources

Zonal resources operate within a single zone. If a zone becomes unavailable, all of the zonal resources in that zone are unavailable until service is restored.

- Google Compute Engine VM instance resides within a specific zone.

Regional resources

Regional resources are deployed with redundancy within a region. This gives them higher availability relative to zonal resources.

Multi-regional resources

A few Google Cloud Platform services are managed by Google to be redundant and distributed within and across regions. These services optimize availability, performance, and resource efficiency. As a result, these services require a trade-off on either latency or the consistency model. These trade-offs are documented on a product-specific basis. The following services have one or more multi-regional deployments in addition to any regional deployments:

- Google App Engine and its features
- Google Cloud Datastore
- Google Cloud Storage
- Google BigQuery

Google Cloud Platform's regions and zones around the world



 Google Cloud

At the time of this writing, Google Cloud Platform has 17 active regions, with more to come.



This image shows Google's data center in Hamina, Finland. The facility is one of the most advanced and efficient data centers in the Google fleet. Its cooling system, which uses sea water from the Bay of Finland, reduces energy use and is the [first of its kind anywhere in the world](#).

Google is one of the world's largest corporate purchasers of wind and solar energy. Google has been [100% carbon neutral since 2007](#), and will shortly reach [100% renewable energy sources for its data centers](#).

The virtual world is built on physical infrastructure, and all those racks of humming servers use vast amounts of energy. Together, all existing data centers [use roughly 2% of the world's electricity](#). So Google works to make data centers run as efficiently as possible. Google's data centers were the [first to achieve ISO 14001 certification](#), a standard that maps out a framework for improving resource efficiency and reducing waste.

Google offers customer-friendly pricing

Billing in sub-hour increments	Discounts for sustained use	Discounts for committed use	Discounts for preemptible use	Custom VM instance types
For compute, data processing and other services	Automatically applied to virtual machine use over 25% of a month	Pay less for steady, long-term workloads	Pay less for interruptible workloads	Pay only for the resources you need for your application

© 2017 Google Inc. All rights reserved. Google services should be an extension of Google Inc. All other companies and product names may be trademarks of the respective companies with whom they are associated.



Google was the first major cloud provider to deliver [per-second billing](#) for its Infrastructure-as-a-Service compute offering, Google Compute Engine. Per-second billing is offered for users of Compute Engine, Kubernetes Engine (container infrastructure as a service), Cloud Dataproc (the open-source Big Data system Hadoop as a service), and App Engine flexible environment VMs (a Platform as a Service).

Google Compute Engine offers automatically applied [sustained-use discounts](#), which are automatic discounts that you get for running a virtual-machine instance for a significant portion of the billing month. Specifically, when you run an instance for more than 25% of a month, Compute Engine automatically gives you a discount for every incremental minute you use for that instance.

[Custom virtual machine types](#) allow Google Compute Engine virtual machines to be fine-tuned for their applications, so that you can tailor your pricing for your workloads.

Try the [online pricing calculator](#) to help estimate your costs.

Open APIs and open source mean customers can leave

**Open APIs;
compatibility with
open-source services**



Cloud Bigtable



Cloud Dataproc

**Open source for a rich
ecosystem**



TensorFlow



Kubernetes



Forseti Security

**Multi-vendor-friendly
technologies**



Google Stackdriver



Kubernetes Engine

© 2017 Google Inc. All rights reserved. Google services and products listed herein are trademarks of Google Inc. All other companies and product names may be trademarks of the respective companies with which they are associated.



Google gives customers the ability to run their applications elsewhere if Google becomes no longer the best provider for their needs.

This includes:

- Using Open APIs. Google services are compatible with open-source products. For example, Google Cloud Bigtable, a horizontally scalable managed database: Bigtable uses the Apache HBase interface, which gives customers the benefit of code portability. Another example: Google Cloud Dataproc offers the open-source big data environment Hadoop as a managed service.
- Google publishes key elements of its technology, using open-source licenses, to create ecosystems that provide customers with options other than Google. For example, TensorFlow, an open-source software library for machine learning developed inside Google, is at the heart of a strong open-source ecosystem.
- Google provides interoperability at multiple layers of the stack. Kubernetes and Google Kubernetes Engine give customers the ability to mix and match microservices running across different clouds. Google Stackdriver lets customers monitor workloads across multiple cloud providers.

Security is designed into Google's technical infrastructure

Layer	Notable security measures (among others)
Operational security	Intrusion detection systems; techniques to reduce insider risk; employee U2F use; software development practices
Internet communication	Google Front End; designed-in Denial of Service protection
Storage services	Encryption at rest
User identity	Central identity service with support for U2F
Service deployment	Encryption of inter-service communication
Hardware infrastructure	Hardware design and provenance; secure boot stack; premises security

© 2017 Google LLC. All rights reserved. Google services benefit from an extensive network of Google云合作伙伴和产品。部分服务可能由合作伙伴或与之合作的其他公司提供。



Hardware design and provenance: Both the server boards and the networking equipment in Google data centers are custom-designed by Google. Google also designs custom chips, including a hardware security chip that is currently being deployed on both servers and peripherals.

Secure boot stack: Google server machines use a variety of technologies to ensure that they are booting the correct software stack, such as cryptographic signatures over the BIOS, bootloader, kernel, and base operating system image.

Premises security: Google designs and builds its own data centers, which incorporate multiple layers of physical security protections. Access to these data centers is limited to only a very small fraction of Google employees. Google additionally hosts some servers in third-party data centers, where we ensure that there are Google-controlled physical security measures on top of the security layers provided by the data center operator.

Encryption of inter-service communication: Google's infrastructure provides cryptographic privacy and integrity for remote procedure call ("RPC") data on the network. Google's services communicate with each other using RPC calls. The infrastructure automatically encrypts all infrastructure RPC traffic which goes between data centers. Google has started to deploy hardware cryptographic accelerators that will allow it to extend this default encryption to all infrastructure RPC traffic inside Google data centers.

User identity: Google's central identity service, which usually manifests to end users as the Google login page, goes beyond asking for a simple username and password. The service also intelligently challenges users for additional information based on risk factors such as whether they have logged in from the same device or a similar location in the past. Users also have the option of employing second factors when signing in, including devices based on the Universal 2nd Factor (U2F) open standard

Encryption at rest: Most applications at Google access physical storage indirectly via storage services, and encryption (using centrally managed keys) is applied at the layer of these storage services. Google also enables hardware encryption support in hard drives and SSDs.

Google Front End (“GFE”): Google services that want to make themselves available on the Internet register themselves with an infrastructure service called the Google Front End, which ensures that all TLS connections are terminated using correct certificates and following best practices such as supporting perfect forward secrecy. The GFE additionally applies protections against Denial of Service attacks.

Denial of Service (“DoS”) protection: The sheer scale of its infrastructure enables Google to simply absorb many DoS attacks. Google also has multi-tier, multi-layer DoS protections that further reduce the risk of any DoS impact on a service running behind a GFE.

Intrusion detection: Rules and machine intelligence give operational security engineers warnings of possible incidents. Google conducts Red Team exercises to measure and improve the effectiveness of its detection and response mechanisms.

Reducing insider risk: Google aggressively limits and actively monitors the activities of employees who have been granted administrative access to the infrastructure.


Employee U2F use: To guard against phishing attacks against Google employees, employee accounts require use of U2F-compatible Security Keys.

Software development practices: Google employs central source control and requires two-party review of new code. Google also provides its developers libraries that prevent them from introducing certain classes of security bugs. Google also runs a Vulnerability Rewards Program where we pay anyone who is able to discover and inform us of bugs in our infrastructure or applications.

For more information about Google's technical-infrastructure security, see
<https://cloud.google.com/security/security-design/>

Why choose Google Cloud Platform?


Google Cloud Platform enables developers to **build, test, and deploy** applications on Google's **highly secure, reliable, and scalable** infrastructure.



© 2017 Google Inc. All rights reserved. Google services are trademarks of Google Inc. All other company and product names may be trademarks of the respective companies with whom they are associated.

Google Cloud Platform lets you choose from computing, storage, big data/machine learning, and application services for your web, mobile, analytics, and backend solutions.

Review: Google Cloud Platform offers a range of compute services




© 2017 Google LLC. All rights reserved. Google services and products listed herein are trademarks of Google LLC. Other company and product names may be trademarks of the respective companies with whom they are associated.



Google Cloud Platform's products and services can be broadly categorized as Compute, Storage, Big Data, Machine Learning, Networking, and Operations/Tools. This course considers each of the compute services and discuss why customers might choose each.

Google Cloud Platform offers a range of storage services




© 2017 Google LLC. All rights reserved. Google services used in this course are trademarks of Google LLC and its parent company and product names may be trademarks of the respective companies with whom they are associated.



This course will examine each of Google Cloud Platform's storage services: how it works and when customers use it. To learn more about these services, you can participate in the training courses in Google Cloud's [Data Analyst learning track](#).

Google Cloud Platform offers services for getting value from data



This course also examines the function and purpose of Google Cloud Platform's big data and machine-learning services. More details about these services are also available in the training courses in Google Cloud's [Data Analyst learning track](#).

Agenda

Introduction to Google Cloud Platform

Quiz

© 2017 Google Inc. All rights reserved. Google and the Google logo are trademarks of Google Inc. All other company and product names may be trademarks of the respective companies with which they are associated.



Quiz

Name some of Google Cloud Platform's pricing innovations.

Name some benefits of using Google Cloud Platform other than its pricing.



Quiz Answers

Name some of Google Cloud Platform's pricing innovations.

- Sub-hour billing
- Sustained-use discounts
- Compute Engine custom machine types

Name some benefits of using Google Cloud Platform other than its pricing.

Quiz Answers

Name some of Google Cloud Platform's pricing innovations.

- Sub-hour billing
- Sustained-use discounts
- Compute Engine custom machine types

Name some benefits of using Google Cloud Platform other than its pricing.

- Commitment to environmental responsibility
- Commitment to open-source technologies
- Robust infrastructure



More resources

Why Google Cloud Platform?

<https://cloud.google.com/why-google/>

Pricing philosophy

<https://cloud.google.com/pricing/philosophy/>

Data centers

<https://www.google.com/about/datacenters/>

Google Cloud Platform product overview

<http://cloud.google.com/products/>

Google Cloud Platform solutions

<http://cloud.google.com/solutions/>

© 2017 Google Inc. All rights reserved. Google and the Google logo are trademarks of Google Inc. Other company and product names may be trademarks of the respective companies with whom they are associated.





© 2017 Google Inc. All rights reserved. Google and the Google logo are trademarks of Google Inc. All other company and product names may be trademarks of the respective companies with which they are associated.