


Q10




left = 2

right = 4.

matlb. 2nd node se 4th node tak bich me jo bhi hai usko reverse karna hai.



To sabse pehle hum ek dummy node create karenge, jo ki head ko point karoga.




%. ~~ListNode prev = head~~

ListNode prevNext = head.

→ Abhi jo humara dummy node hai wo prev hai aur jo head hai wo curr.

→ hume curr ko us point pe lana hoga jiska point se reversing start hoga yani 2 pe. or prev jo hai wo 1 ko point karoga.



→ ~~Is~~ Is ke aye hm ek for loop me karayenge.

```
for (i = 1; i < (left + 1); i++) {
    listNode->next = prev->next;
}
```

Phir ek loop lagayenge, jisse $(i < \text{right} - \text{left})$ itni baar iteration karana hai.


```
for (i = 1; i < right - left; i++) {
```

temp = prev->next // (temp me hm prev. ke next ko kar ke rakhenge).


prev->next = curr->next (Phir prev->next me curr ke next ko store karoge)

curr->next = curr->next->next

prev->next->next = temp (temp jo hai wo prev->next ke karahao hai).



In operation
ko lagani
ke baad
list kisi
na kisi
diphegi



Ab iski list pe dubara wo four step
lagani.



∴ Final output

1 → 4 → 3 → 2 → 5, null