

- EC2 > Instances
- EC2
- Dashboard
- AWS Global View
- Events
- Instances
- Instances
- Instance Types
- Launch Templates
- Spot Requests
- Savings Plans
- Reserved Instances
- Dedicated Hosts
- Capacity Reservations
- Capacity Manager
- Images
- AMIs
- AMI Catalog
- Elastic Block Store
- Volumes

Instances (1/6)

Last updated about 1 hour ago

Connect

Instance state

Actions

Launch instances

Saved filter sets

Choose filter set

Filter Instance by attribute or tag (case-sensitive)

	Name	Instance ID	Instance state	Instance type	Status check	Availability Zone	Public IPv4 DNS	F
☒	day1-linux	i-04ad8457e2c2154e8	Running	t3.micro	Initializing	us-east-1a	ec2-100-61-142-68.co...	1
☐	new	i-0886d71cffcb63db9	Stopped	t3.micro	–	us-east-1c	–	–

i-04ad8457e2c2154e8 (day1-linux)

Details | Status and alarms | Monitoring | Security | Networking | Storage | Tags

Instance summary

Instance ID

i-04ad8457e2c2154e8

Public IPv4 address

100.61.142.68 | open address

Private IPv4 addresses

172.31.11.211

IPv6 address

–

Instance state

Running

Public DNS

ec2-100-61-142-68.compute-1.amazonaws.com | open

- Dashboard
- AWS Global View
- Events
- Instances**
 - Instances
 - Instance Types
 - Launch Templates
 - Spot Requests
 - Savings Plans
 - Reserved Instances
 - Dedicated Hosts
 - Capacity Reservations
 - Capacity Manager [New](#)
- Images**
 - AMIs
 - AMI Catalog
- Elastic Block Store**
 - Volumes

Updated less than a minute ago

Instance ID
i-04ad8457e2c2154e8

IPv6 address

Hostname type
IP name: ip-172-31-11-211.ec2.internal

Answer private resource DNS name
IPv4 (A)

Auto-assigned IP address
100.61.142.68 [Public IP]

IAM role

IMDSv2
Required

Public IPv4 address
100.61.142.68 | [open address](#)

Instance state
✔ Running

Private IP DNS name (IPv4 only)
ip-172-31-11-211.ec2.internal

Instance type
t3.micro

VPC ID
vpc-09771b7b2396b1de0

Subnet ID
[subnet-0e50987461136e230](#)

Instance ARN
arn:aws:ec2:us-east-1:713939171141:instance/i-04ad8457e2c2154e8

Private IPv4 addresses
172.31.11.211

Public DNS

 ec2-100-61-142-68.compute-1.amazonaws.com | [open address](#) 

Elastic IP addresses

AWS Compute Optimizer finding
 ⓘ Opt-in to AWS Compute Optimizer for recommendation
 s.
[Learn more](#)

Auto Scaling Group name

Managed
false

EC2

Dashboard

AWS Global View

Events

Instances

Instances

Instance Types

Launch Templates

Spot Requests

Savings Plans

Reserved Instances

Dedicated Hosts

Capacity Reservations

Capacity Manager

Images

AMIs

AMI Catalog

Elastic Block Store

Volumes

sg-04e58400173c8d286

sg-04e58400173c8d286 - launch-wizard-15

Actions

Details

Security group name

launch-wizard-15

Security group ID

sg-04e58400173c8d286

Description

launch-wizard-15 created 2026-09-10T13:20:02.701Z

VPC ID

vpc-09771b7b2396b1de0

Owner

713939171141

Inbound rules count

2 Permission entries

Outbound rules count

1 Permission entry

Inbound rules

Outbound rules

Sharing

VPC associations

Related resources - new

Tags

Inbound rules (2)

Manage tags

Edit inbound rules

Search

	Name	Security group rule ID	IP version	Type	Protocol	Port range	
☐	-	sgr-0b7ac4d911bdd553b	IPv4	HTTP	TCP	80	C
☐	-	sgr-015927cc34f225766	IPv4	SSH	TCP	22	C


```
[ec2-user@ip-172-31-11-211 ~]$ sudo systemctl status httpd
```

```
● httpd.service - The Apache HTTP Server
```

```
Loaded: loaded (/usr/lib/systemd/system/httpd.service; enabled; preset: disabled)
```

```
Drop-In: /usr/lib/systemd/system/httpd.service.d
```

```
└─php-fpm.conf
```

```
Active: active (running) since Fri 2026-09-11 08:56:53 UTC; 40s ago
```

```
Docs: man:httpd.service(8)
```

```
Main PID: 3830 (httpd)
```

```
Status: "Total requests: 0; Idle/Busy workers 100/0; Requests/sec: 0; Bytes served/sec: 0 B/sec"
```

```
Tasks: 177 (limit: 1059)
```

```
Memory: 18.7M
```

```
CPU: 113ms
```

```
CGroup: /system.slice/httpd.service
```

```
└─3830 /usr/sbin/httpd -DFOREGROUND
```

```
└─3837 /usr/sbin/httpd -DFOREGROUND
```

```
└─3838 /usr/sbin/httpd -DFOREGROUND
```

```
└─3839 /usr/sbin/httpd -DFOREGROUND
```

```
└─3841 /usr/sbin/httpd -DFOREGROUND
```

```
Sep 11 08:56:52 ip-172-31-11-211.ec2.internal systemd[1]: Starting httpd.service - The Apache HTTP Server...
```

```
Sep 11 08:56:53 ip-172-31-11-211.ec2.internal systemd[1]: Started httpd.service - The Apache HTTP Server.
```

```
Sep 11 08:56:53 ip-172-31-11-211.ec2.internal httpd[3830]: Server configured, listening on: port 80
```

```
[ec2-user@ip-172-31-11-211 ~]$ sudo systemctl status mariadb
```

```
● mariadb.service - MariaDB 10.5 database server
```

```
Loaded: loaded (/usr/lib/systemd/system/mariadb.service; enabled; preset: disabled)
```

```
Active: active (running) since Fri 2026-09-11 08:57:14 UTC; 26s ago
```

```
Docs: man:mariadb(8)
```

```
https://mariadb.com/kb/en/library/systemd/
```

```
Process: 4045 ExecStartPre=/usr/libexec/mariadb-check-socket (code=exited, status=0/SUCCESS)
```

```
Process: 4067 ExecStartPre=/usr/libexec/mariadb-prepare-db-dir mariadb.service (code=exited, status=0/SUCCESS)
```

```
Process: 4166 ExecStartPost=/usr/libexec/mariadb-check-upgrade (code=exited, status=0/SUCCESS)
```

```
Main PID: 4150 (mariabdd)
```

```
Status: "Taking your SQL requests now..."
```

```
Tasks: 15 (limit: 1059)
```

```
Memory: 66.8M
```

```
CPU: 486ms
```

```
CGroup: /system.slice/mariadb.service
```

```
└─4150 /usr/libexec/mariabdd --basedir=/usr
```



```
[ec2-user@ip-172-31-11-211 ~]$ sudo mysql
Welcome to the MariaDB monitor.  Commands end with ; or \g.
Your MariaDB connection id is 3
Server version: 10.5.29-MariaDB MariaDB Server

Copyright (c) 2000, 2018, Oracle, MariaDB Corporation Ab and others.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

MariaDB [(none)]> create database campusconnect;
Query OK, 1 row affected (0.000 sec)

MariaDB [(none)]> use campusconnect;
Database changed
MariaDB [campusconnect]> CREATE TABLE students (
->     id INT AUTO_INCREMENT PRIMARY KEY,
->     full_name VARCHAR(100) NOT NULL,
->     student_id VARCHAR(50) NOT NULL UNIQUE,
->     email VARCHAR(100) NOT NULL UNIQUE,
->     college_name VARCHAR(150) NOT NULL,
->     location VARCHAR(100) NOT NULL,
->     event VARCHAR(100) NOT NULL,
->     password VARCHAR(255) NOT NULL
-> );
Query OK, 0 rows affected (0.010 sec)

MariaDB [campusconnect]>
MariaDB [campusconnect]> EXIT;
Bye
```

Database changed

MariaDB [campusconnect]> desc students;

Field	Type	Null	Key	Default	Extra
id	int(11)	NO	PRI	NULL	auto_increment
full_name	varchar(100)	NO		NULL	
student_id	varchar(50)	NO	UNI	NULL	
email	varchar(100)	NO	UNI	NULL	
college_name	varchar(150)	NO		NULL	
location	varchar(100)	NO		NULL	
event	varchar(100)	NO		NULL	
password	varchar(255)	NO		NULL	

8 rows in set (0.001 sec)

MariaDB [campusconnect]> show tables;

Tables_in_campusconnect
students

1 row in set (0.000 sec)

CampusConnect 2026

Student Registration

Full Name

Student ID

Email

College Name

Location

Event

Password

[Already registered? Login](#)



CampusConnect 2026

Student Registration

Registration successful! [Login here](#)

CampusConnect 2026

STUDENT LOGIN

Email / Student ID

pavan@123.com

Password

LOGIN

[New Student? Register](#)

Welcome to CampusConnect!

Welcome, pavan.

Your Student ID: 1234

[Logout](#)

CampusConnect 2026

STUDENT LOGIN

Invalid username or password.

Email / Student ID

Password

LOGIN

[New Student? Register](#)

```
[ec2-user@ip-172-31-11-211 ~]$ sudo mariadb -u root -p
```

```
Enter password:
```

```
Welcome to the MariaDB monitor.  Commands end with ; or \g.
```

```
Your MariaDB connection id is 44
```

```
Server version: 10.5.29-MariaDB MariaDB Server
```

```
Copyright (c) 2000, 2018, Oracle, MariaDB Corporation Ab and others.
```

```
Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.
```

```
MariaDB [(none)]> use campusconnect;
```

```
Reading table information for completion of table and column names
```

```
You can turn off this feature to get a quicker startup with -A
```

```
Database changed
```

```
MariaDB [campusconnect]> select * from students;
```

id	full_name	student_id	email	college_name	location	event	password
1	rohit	123	rohitppatil51@gmail.com	svit	nashik	nashik	\$2y\$12\$kV5RFcuSAa6k.lNvOweNreOwGwMwIEJNxFp5d9aphUr85TJjd3ay
2	pavan	1234	pavan@123.com	abp	pune	pune	\$2y\$12\$Xw3nyarlvIQsm19pLTmTpuSdroM3rWnd9ZBa08J4MTGQYsIyYmAxe
3	bhushan	bhushan123	bhushan@123.com	pimpri	pune	pune	\$2y\$12\$SQkf6mHQ4UN7r1Ke8ZABp0B.Je8UtsoK0UrGcPocXIYzhdF9zqly.

```
3 rows in set (0.000 sec)
```