Assignment 2C

Terminal:

C:\Users\rohit\OneDrive\Desktop\Angular>node -v v20.8.0 C:\Users\rohit\OneDrive\Desktop\Angular>ng version Angular CLI: 17.1.2 Node: 20.8.0 Package Manager: npm 10.3.0 OS: win32 x64 Angular: Package Version @angular-devkit/architect 0.1701.2 (cli-only) @angular-devkit/core 17.1.2 (cli-only) @angular-devkit/schematics 17.1.2 (cli-only) @schematics/angular 17.1.2 (cli-only) C:\Users\rohit\OneDrive\Desktop\Angular>ng new wadl ? Which stylesheet format would you like to use? $\ensuremath{\mathsf{CSS}}$? Do you want to enable Server-Side Rendering (SSR) and Static Site Generation (SSG/Prerendering)? Yes CREATE wadl/angular.json (2828 bytes) CREATE wadl/package.json (1257 bytes) CREATE wadl/README.md (1085 bytes) CREATE wadl/tsconfig.json (936 bytes) CREATE wadl/.editorconfig (290 bytes) CREATE wadl/.gitignore (590 bytes) CREATE wadl/tsconfig.app.json (342 bytes) CREATE wadl/tsconfig.spec.json (287 bytes) CREATE wadl/server.ts (1759 bytes) CREATE wadl/.vscode/extensions.json (134 bytes) CREATE wadl/.vscode/launch.json (490 bytes)

```
CREATE wadl/.vscode/tasks.json (980 bytes)
CREATE wadl/src/main.ts (256 bytes)
CREATE wadl/src/favicon.ico (15086 bytes)
CREATE wadl/src/index.html (303 bytes)
CREATE wadl/src/styles.css (81 bytes)
CREATE wadl/src/main.server.ts (271 bytes)
CREATE wadl/src/app/app.component.html (20239 bytes)
CREATE wadl/src/app/app.component.spec.ts (939 bytes)
CREATE wadl/src/app/app.component.ts (313 bytes)
CREATE wadl/src/app/app.component.css (0 bytes)
CREATE wadl/src/app/app.config.ts (330 bytes)
CREATE wadl/src/app/app.routes.ts (80 bytes)
CREATE wadl/src/app/app.config.server.ts (361 bytes)
CREATE wadl/src/assets/.gitkeep (0 bytes)
- Installing packages (npm)...
                                                                             | Installing packages (npm)... V Packages installed
successfully.
warning: in the working copy of 'package-lock.json', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'package.json', LF will be replaced by CRLF the next time Git touches it
  Successfully initialized git.
C:\Users\rohit\OneDrive\Desktop\Angular>cd wadl
C:\Users\rohit\OneDrive\Desktop\Angular\wadl>ng serve
? Would you like to share pseudonymous usage data about this project with the Angular Team {\bf r}
at Google under Google's Privacy Policy at https://policies.google.com/privacy. For more
details and how to change this setting, see https://angular.io/analytics. Yes
Thank you for sharing pseudonymous usage data. Should you change your mind, the following
command will disable this feature entirely:
  ng analytics disable
Global setting: enabled
Local setting: enabled
Effective status: enabled
/ Building...
Browser bundles
Initial chunk files | Names
                                    | Raw size
```

```
polyfills.js | polyfills | 83.60 kB |
main.js | main | 22.18 kB |
styles.css | styles | 95 bytes |
| Initial total | 105.87 kB
```

Server bundles

Initial chunk files | Names | Raw size

chunk-NW3N6I6K.mjs | - | 1.69 MB |

polyfills.server.mjs | polyfills.server | 555.05 kB |

main.server.mjs | main.server | 214.70 kB |

chunk-VPSODEBW.mjs | - | 2.51 kB |

render-utils.server.mjs | render-utils.server | 423 bytes |

Lazy chunk files | Names | Raw size


chunk-OTT6LQ5K.mjs | xhr2 | 39.10 kB |

Application bundle generation complete. [5.962 seconds]

Watch mode enabled. Watching for file changes...

→ Local: http://localhost:4200/

→ press h + enter to show help





Login Signup Page using Angular:

