



At the heart of many modern automations is a tool called n8n (short for “nodemation”). It’s like a smart assistant that can connect hundreds of apps — think Google Sheets, Gmail, Slack, HubSpot — and make them work together without you having to lift a finger. But to unlock its full potential, it needs secure access to the services you use.

That’s where Google Cloud comes in. When you want n8n to read or write data from your Google account — like updating a spreadsheet or sending an email — it needs a special kind of permission. This is set up through something called an OAuth connection, which involves creating a secure link between your Google account and your n8n workspace.

All the hyperlinks in the PDF are clickable.

Please make sure you use only one email ID for this


Step 1:

Please make a copy of this sheet:

Google Sheet

Step 2:

- Please go to the worksheet titled “**101_GoogleAccountSetup**”



Step 3:
Please enter your gmail ID in the **cell B5**

Step 1 : Google Gmail (Store the GMAIL ID you will use for all your Agentic Workflows) (It can be different from your n8n Account ID)	
Email ID	



Step 4:

Header over to the link in the cell C25

<https://console.cloud.google.com/>


Step 5:

- Make sure you use the selected email ID for the entire process (1)
- Select the checkbox on the left side of “**I agree**” (2)
- Then click on “**Agree and Continue**” (3)

The screenshot shows the Google Cloud console interface. At the top, there's a banner for a free trial. Below it, the navigation bar includes the Google Cloud logo, a 'Select a project' button, a search bar, and a 'Search' button. The main content area is partially obscured by a modal dialog box. The dialog box has the Google Cloud logo and a welcome message for 'Arpan Saxena'. It includes a 'Switch account' button. Below this, there's a 'Country' dropdown menu set to 'India'. Under the 'Terms of Service' section, there's a checkbox labeled 'I agree to the Google Cloud Platform Terms of Service, and the terms of service of any applicable services and APIs.' with an arrow pointing to it labeled '2'. At the bottom of the dialog, there's a button labeled 'Agree and continue' with an arrow pointing to it labeled '3'. The background shows the 'Welcome' page with links to 'Create or select a project', 'Dashboard', 'Cloud Hub', and 'New'. There are also buttons for 'Create a VM', 'Run a query', and 'Create a storage bucket'. A 'Quick access' section lists 'APIs & Services', 'Cloud Storage', 'BigQuery', 'VPC network', 'Compute Engine', and 'Kubernetes Engine'. A 'Dismiss' button and a 'Start free' button are in the top right corner.

Step 6:

- Click on “**Select Project**” (1)



The screenshot shows the Google Cloud console dashboard. At the top, there is a navigation bar with the Google Cloud logo, a 'Select a project' button, a search bar, and user account controls. A large black arrow with the number '1' points to the 'Select a project' button. Below the navigation bar, the main content area features a 'Welcome' message, links to 'Create or select a project' and 'Learn more about projects', and a row of buttons for 'Create a VM', 'Run a query in BigQuery', and 'Deploy an application'. A 'Create a storage bucket' button is also present. On the right side, there is a promotional card for 'Explore the Gemini 2.5 model family' with a 'Try in Vertex AI' link. At the bottom, a 'Quick access' section displays a grid of service tiles including 'APIs & Services', 'IAM & Admin', 'Billing', 'Compute Engine', 'Cloud Storage', 'BigQuery', 'VPC network', and 'Kubernetes Engine'. A large, faint Google Cloud logo is visible in the bottom right corner of the dashboard area.

Google Cloud

Select a project

Search (/) for resources, docs, products, and more

Search

Welcome

Create or select a project to get up and running with Google Cloud. [Learn more about projects](#)

[Dashboard](#) [Cloud Hub](#) [New](#)

+ Create a VM

+ Run a query in BigQuery

+ Deploy an application

+ Create a storage bucket

Explore the Gemini 2.5 model family

Try in Vertex AI →

Quick access

APIs & Services

IAM & Admin

Billing

Compute Engine

Cloud Storage

BigQuery

VPC network

Kubernetes Engine

Step 7:

- Click on “New Project” (1)

Google Cloud

Select a project

Search (/) for resources, docs, products, and more

Search

Recent

Starred

All

Name	Type	ID
No organization	Organization	0

Cancel

1 →  New project



Step 8:

- Give a Project Title (1)
- Click on “**Create**” (2)

 Start your Free Trial with \$300 in credit. Don't worry—you won't be charged if you run out of credits. [Learn more](#)

Dismiss [Start free](#)

Search (/) for resources, docs, products, and more [Search](#)

New Project

 You have 12 projects remaining in your quota. Request an increase or delete projects. [Learn more](#)

[Manage Quotas](#)

Project name *
N8N-Project 

← 1

Project ID: jovial-valve-466806-b7. It cannot be changed later. [Edit](#)

Location *
 No organization [Browse](#)

Parent organization or folder

[Create](#) [Cancel](#)

↑
2



Step 9:

- Click on the burger menu at the top (1)
- Hover over “APIs & Services” (2)
- Click on “OAuth consent Screen” (3)

1 →

Google Cloud

Select a project

Navigation menu (.)

Welcome

Create or select a project to get started on Google Cloud. [Learn more about projects](#)

[Dashboard](#) [Cloud Hub](#) [New](#)

+ Create a VM

+ Run

+ Create a storage bucket

2 →

Google Cloud

Cloud Hub

Cloud overview

Solutions

Pinned products

Pin your top products here

Products

Billing

IAM & Admin

Marketplace

APIs & Services

Vertex AI

Compute Engine

Kubernetes Engine

Enabled APIs & services

Library

Credentials

OAuth consent screen

Page usage agreements

3 →

Enabled APIs & services

Library

Credentials

OAuth consent screen

Page usage agreements



Step 9.1:

If your project is not selected, you will see a screen like this

- Select the project (1)

Start your Free Trial with \$300 in credit. Don't worry—you won't be charged if you run out of credits. [Learn more](#)

Dismiss

Start free

Google Cloud

Select a project

Search (/) for resources, docs, products, and more

Search

Google Auth Platf...

Overview

Overview

Branding

Audience

Clients

Data Access

Verification Center

N8N-Project

Project ID: jovial-valve-466806-b7

Organization: No organization

Accessed 1 minute ago

← 1

Step 10:

If your project is selected, you will see a screen like this

- Click on “**Get Started**” (1)

Start your Free Trial with \$300 in credit. Don't worry—you won't be charged if you run out of credits. [Learn more](#)

Dismiss

Start free

Google Cloud

N8N-Project

Search (/) for resources, docs, products, and more

Search

Google Auth Platform / Overview

Overview

Branding

Audience

Clients

Data Access

Verification Center

OAuth Overview

Google Auth Platform not configured yet

Get started to configure your application's identity and manage credentials for calling Google APIs and Sign-in with Google. [Learn more](#)

Get started ← 1

Step 11:

- Give an app name (1)
- Select **your** email ID (2)
- Click on “**Next**” (3)

 Google Auth Platform / Overview / Create branding

Overview

Branding

Audience

Clients

Data Access

Verification Center

Project configuration

1 App Information

App name *
N8N

The name of the app asking for consent

User support email *
automatewith

For users to contact you with questions about their consent. [Learn more](#)

Next

← 1

← 2

← 3



Step 12:

- Select “**External**” (1)
- Click on “**Next**” (2)

Google Auth Platform / Overview / Create branding

Overview

Branding

Audience

Clients

Data Access

Verification Center

Project configuration

App Information

Audience

☐ Internal

Only available to users within your organization. You will not need to submit your app for verification. [Learn more about user type](#)

☒ External

Available to any test user with a Google Account. Your app will start in testing mode and will only be available to users you add to the list of test users. Once your app is ready to push to production, you may need to verify your app. [Learn more about user type](#)

Next

← 1

← 2

Step 13:

- Type **your** email ID (1)
- Click on “**Next**” (2)

Google Auth Platform / Overview / Create branding

Overview

Branding

Audience

Clients

Data Access

Verification Center

Project configuration

✓ App Information

✓ Audience

3 Contact Information

Email addresses *

automatew ← 1

These email addresses are for Google to notify you about any changes to your project.

Next ← 2



Step 14:

- Select the checkbox (1)
- Click on “Continue” (2)
- Click on “Create” (3)

Google Auth Platform / Overview / Create branding

Overview

Branding

Audience

Clients

Data Access

Verification Center

Project configuration

✓ App Information

✓ Audience

✓ Contact Information

4 Finish

1 → ☒ I agree to the [Google API Services: User Data Policy](#)

Continue

← 2

3 →

Create

 Cancel



Step 15:

- Click on “Create OAuth client” (1)

Google Auth Platform / Overview

Overview

Branding

Audience

Clients

Data Access

Verification Center

OAuth Overview

Metrics

You haven't configured any OAuth clients for this project yet.

1 → Create OAuth client

Project Checkup

No project health recommendations found for your project.

Learn more about OAuth 2.0 Policies

<|

OAuth configuration created!

×

Step 16:

- Click on the drop down option (1)
- Select “**Web Application**” (2)

Google Auth Platform / Clients / Create client

Overview

Branding

Audience

Clients

Data Access

Verification Center

Create OAuth client ID

A client ID is used to identify a single app to Google's OAuth servers. If your app runs on multiple platforms, each will need its own client ID. See [Setting up OAuth 2.0](#) for more information. [Learn more](#) about OAuth client types.

Application type *

↑
1

Google Auth Platform / Clients / Create client

Overview

Branding

Audience

Clients

Data Access

Verification Center

Create OAuth client ID

A client ID is used to identify a single app to Google's OAuth servers. If your app runs on multiple platforms, each will need its own client ID. See [Setting up OAuth 2.0](#) for more information. [Learn more](#) about OAuth client types.

Application type *

Web application ← 2

Android

Chrome Extension

iOS

TVs and Limited Input devices

Desktop app

Universal Windows Platform (UWP)



Step 17:

- Give an App Name

 Google Auth Platform / Clients / Create client

 Overview

 Branding

 Audience

 Clients

 Data Access

 Verification Center

 Create OAuth client ID

A client ID is used to identify a single app to Google's OAuth servers. If your app runs on multiple platforms, each will need its own client ID. See [Setting up OAuth 2.0](#) for more information. [Learn more](#) about OAuth client types.

Application type *

Web application

Name *

N8N ← 1

The name of your OAuth 2.0 client. This name is only used to identify the client in the console and will not be shown to end users

Step 18:

- Go to the **Google Sheet** and copy the **OAuth Redirect URL** from the cell **B23** (1)
- Scroll down to “**Authorized redirect URL**” in the **Google Cloud Console Platform** (2)
- Copy and paste the URL at the bottom of this page into the field. (3)
- Click on “Create” (4)

23

OAuth Redirect URL

<https://aiaa1.datasciencemasterminds.com/rest/oauth2-credential/callback>

← 1

Authorized redirect URIs ?

For use with requests from a web server

+ Add URI

← 2

Note: It may take 5 minutes to a few hours for settings to take effect

Create

Cancel

Authorized redirect URIs ?

For use with requests from a web server

URIs 1 *
https://aiaa1.datasciencemasterminds.com/rest/oauth2-credential/ca← 3

+ Add URI

Note: It may take 5 minutes to a few hours for settings to take effect

4 → Create

Cancel

Step 19:

- Copy and paste the Client ID (1) in the cell B30 (3) and Client Secret (2) in the cell B31 (4) in the Google Sheet. This page only appears once.
- In case you do not see this page, follow steps from 19.1 to 19.4
- If you see this page, move to step 20

OAuth client created

Auth Platform.

OAuth access is restricted to the [test users](#) listed on your [OAuth consent screen](#)

Client ID

314476311246-

s.googleusercontent.com

Starting in June 2025, you will no longer be able to view or download the client secret once you close this dialog. Make sure you have copied or downloaded the information below and securely stored it.

Client secret

GOC

jpvm

Creation date

July 23, 2025 at 1:18:43 PM GMT+5

Status

Enabled

Download JSON

OK

Google GCP Client

Ensure you have this

Client ID

407555815846-o67nkh19geo78d7p

ercontent.com

Client Secret

GOCSPX-WRjS4ey8wKDRQsk02v

← 3

← 4

Step 19.1:

- If you only this page, **copy your client ID (1)** and paste it in a notepad file
- click ok

OAuth client created

The client ID can always be accessed from Clients tab under Google Auth Platform.

 OAuth access is restricted to the [test users](#)  listed on your [OAuth consent screen](#)

Client ID	366410199162-
	ps.googleusercontent.com
	m65.ap

 ← 1

 Download JSON

OK ← 2



Step 19.2:

- Click on **your project name (1)** (the blue hyperlink)

Google Cloud

N8N-Project

Search (/) for resources, docs, products, and more

Search

◆

📄

2

?

⋮

A

API

APIs & Services

📌

Enabled APIs & services

Library

Credentials

OAuth consent screen

Page usage agreements

Credentials

+ Create credentials ▾

🗑 Delete

↶ Restore deleted credentials

Create credentials to access your enabled APIs. [Learn more](#)

API Keys

☐	Name	Creation date ↓	Restrictions	Actions
☐	!	Jul 23, 2025	Generative Language API ...	Show key ⋮

OAuth 2.0 Client IDs

☐	Name	Creation date ↓	Type	Client ID	Actions
☐	N8N ← 1	Jul 23, 2025	Web application	314476311246-e6hd... 📄	✎ 🗑

Service Accounts

☐

Email

Name ↑

Actions

No service accounts to display

[Manage service accounts](#)



Step 19.3:

- You will find your client secret again in the right-hand corner (1)
- You client secret can be copied from (2)

Google Cloud

N8n-p

Search (/) for resources, docs, products, and more

Search

Google Auth Platform / Clients / Client: 854473778443-vf9pnt113tsjgsrck28sedgf4g8sq3g1.apps.googleusercontent.com

Overview

Branding

Audience

Clients

Data Access

Verification Center

← Client ID for Web application

Delete

Name *

Web client 1

The name of your OAuth 2.0 client. This name is only used to identify the client in the console and will not be shown to end users.

The domains of the URIs you add below will be automatically added to your [OAuth consent screen](#) as [authorized domains](#).

Authorized JavaScript origins

For use with requests from a browser

+ Add URI

Authorized redirect URIs

For use with requests from a web server

URIs 1 *

https://n8n-6421994137235212.kloudbeansite.com/rest/oauth2-cred

Additional information

Client ID	85447 vf9pnt113tsjgsrck28sedgf4g8sq3g1.apps.googleusercontent.com
Creation date	July 25, 2025 at 12:04:53 AM GMT+5
Last used date	July 24, 2025 (Note: this data could be delayed by a day or more.)

Inactive OAuth clients are subject to deletion if they are not used for 6 months. You will be notified of deletion due to inactivity, and can restore clients up to 30 days after deletion. [Learn more](#)

Client secrets

If you are in the process of changing client secrets, you can manually rotate them without downtime. [Learn more](#)

Client secret	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	📋 ⬇
Creation date	July 25, 2025 at 12:04:53 AM GMT+5	⬆
Status	Enabled	2

← 1

2

Step 19.4:

- Copy and paste the **Client ID** in the cell **B30 (1)** and Client Secret in the cell **B31 (2)** in the Google Sheet.

Google GCP Client	Ensure you have this
Client ID	407555815846-o67nkhl9geo78d7p ercontent.com
Client Secret	GOCSPX-WRjS4ey8wKDRQsk02v

← 1
← 2



Step 20:

- Now select “Audience” (1)
- Scroll down to “Add users” under the “Test users” section

Google Cloud

N8

Google Auth Platform / Clients

Overview

Branding

Audience ← 1

Clients

Data Access

Verification Center

Google Auth Platform / Audience

Overview

Branding

Audience

Clients

Data Access

Verification Center

Audience

Make internal

OAuth user cap ⓘ

While publishing status is set to "Testing", only test users are able to access the app. Allowed user cap prior to app verification is 100, and is counted over the entire lifetime of the app. [Learn more](#)

0 users (0 test, 0 other) / 100 user cap ⓘ

Test users

+ Add users ← 1

Filter Enter property name or value ⓘ

User information

No rows to display

Show less

Step 21:

- Add your **complete email ID** (1) in this section. **Use the same email ID you have been using throughout the process**
- Click on **Save** (2)

 Add users



While publishing status is set to "Testing", only test users are able to access the app prior to app verification is 100, and is counted over the entire lifetime of the app.

[Learn more](#) 

automate

← 1



0 / 100

Save

← 2



Step 22:

- Scroll up on the same page and click on “**Publish app**” (1)

 Overview

 Branding

 Audience

 Clients

 Data Access

 Verification Center

 Settings

Audience

Publishing status 

Testing

Publish app

← 1

User type



External 

Make internal






Step 23:

- Go to the burger menu at the top (1)
- Hover over “**APIs & Services**” (2)
- Click on Library (3)



Step 24:

- Scroll down to “Google Workspace” (1) and click on (view all 30)
- Right-click and “Open in a new tab” the following services: **Google People API, Google Tasks API, Google Drive API, Google Calendar API, Google Docs API, Google Sheets API, Google Slides API**
- Go to each tab and click on “Enable” (2)



Step 25:

- Go to <https://aiaa1.datasciencemasterminds.com/>
- Click on **Credentials** (1) then on top right, click on “**Create Credential**” (2)
- Search for gmail and select “**Gmail OAuth2 API**” (3)

Overview

All the workflows, credentials and data tables you have access to

Create workflow

▼

Workflows

Credentials

Executions

Variables

Data tables

Overview

All the workflows, credentials and data tables you have access to

2

→

Create credential

▼

Workflows

Credentials

Executions

Variables

Data tables

Add new credential

×

Select an app or service to connect to

🔍 gmail

^

Gmail OAuth2 API

←

3



Step 26:

- **Rename your credentials** (1). Use the Initials of your name + gmail (or other app names) as the name for your credentials
- Copy your **Client ID** (2) and paste it (from step 19). The **client ID should NOT** start with “http://”
- Copy your **Client Secret** (3) and paste it (from step 19)

 Gmail account 63 ← 1
Gmail OAuth2 API Save ×

Connection

Sharing

Details

Need help filling out these fields? [Open docs](#)

OAuth Redirect URL

`https://n8n-6421994137235212.kloudbeansite.com/rest/oauth2-credential/callback`

In Gmail, use the URL above when prompted to enter an OAuth callback or redirect URL

Client ID *

← 2

Client Secret *

●●●●●●●●●●●●●●●● ← 3

ⓘ Enterprise plan users can pull in credentials from external vaults. [More info](#)







Step 27:

- Your screens should look like this
- Click on “**Sign in with Google**” (4)

[illegible]


Step 28:

- Select the email ID you have been using (1)
- Click on “Continue” (2)
- Click on “Select all” (3)
- Click on “Continue” (4)



Step 29:

- Congratulations!



Step 30:

- Repeat **Steps 25-29** for following Google services you want to connect with n8n:
- You need to add the following credentials
 - **Google Drive API, Google Sheets API, Google Sheets Trigger API, Google Calendar API, Google Tasks API, Google Docs API, Google Slides API and Google Contacts API**
- The **Client ID** and **Client Secret** will remain the same for all the other Google services you connect.

Congratulations :)

