

STRONG DESIGN. STRONG STEEL. STRONG TRUST.

Custom iron fabrication and metal work solutions for homes, commercial spaces and project requirements.

PHONE / WHATSAPP

+91 97995 47638

INSTAGRAM

@hrm_industries

LOCATION

Udaipur, Rajasthan



SCAN TO CONNECT

INTRODUCTION

- 03 Who We Are
- 04 What We Do
- 05 Design. Build. Install.
- 06 Why HRM
- 07 The HRM Process

HOME & CONSTRUCTION

- 08 Section Introduction
- 09 Iron Gates
- 10 Gate Design Gallery
- 11 Gate Design System
- 12 Decorative Grills
- 13 Window Grills
- 14 Railings
- 15 Metal Staircases
- 16 Door Frames
- 17 Sheds & Canopies
- 18 Pipe Structures
- 19 Stands & Storage Racks

FURNITURE & CAPABILITIES

- 20 Section Introduction
- 21 Iron Beds
- 22 Tables
- 23 Chairs & Stools
- 24 Wardrobe Frames & Bookshelves
- 25 Computer Tables & Sofa Frames
- 26 Materials & Profiles
- 27 Finish & Colour Options
- 28 Manufacturing Capabilities
- 29 Quality, Benefits & FAQ
- 30 Project Showcase
- 31 Contact & Order Brief
- 32 Back Cover

INDEX

WHO WE ARE

Built around your space.
Made around your purpose.

HRM Industries

HRM Industries is a Udaipur-based metal fabrication business focused on custom iron work for residential, commercial and selected project requirements. We translate site conditions, reference ideas and functional needs into buildable metal solutions.

Our work covers gates, grills, railings, staircases, frames, sheds, pipe structures, stands, racks and metal furniture. Every order is developed around dimensions, design intent, material choice, finish and installation conditions.

CUSTOM

Made to site dimensions

LOCAL

Measurement and installation

FLEXIBLE

Residential to project work

CONTROLLED

Material, finish and fitment

What We Do

CUSTOM FABRICATION ACROSS THREE NEED STATES

We bring design interpretation, fabrication and site execution into one coordinated workflow. This helps clients move from an idea or reference image to a finished metal product with fewer handover gaps.

— HOME & CONSTRUCTION

Gates, grills, railings, staircases, door frames, sheds and structural support works.

— METAL FURNITURE

Beds, tables, chairs, wardrobe frames, bookshelves, computer tables and sofa frames.

— CUSTOM & PROJECT WORK

Stands, racks, pipe frames, machine support structures and made-to-order fabrication.



FROM MEASUREMENT TO INSTALLATION

One point of coordination for design approval, fabrication and on-site fitment.

DESIGN

BUILD

INSTALL

DESIGN

Translate dimensions, purpose and visual preference into a clear fabrication brief.


BUILD

Select sections, joints, hardware and finish around the actual application.

INSTALL

Plan transport, access, alignment and site fitment before final dispatch.

Three connected decisions. One finished outcome.



HALLMARKS

Why Clients Choose HRM

1

— Custom to Site

Dimensions, opening conditions and surrounding architecture guide the design.

2

— Buildable Design

References are converted into practical frames, joints, panels and hardware.

3

— Material Options

MS, GI and selected stainless-steel options are considered by application.

4

— Finish Control

Powder coat, paint and texture choices are aligned with exposure and visual intent.

5

— Installation Planning

Access, transport, fixing and final alignment are considered before dispatch.

6

— Clear Coordination

Approval points, scope and project-specific terms are documented with the quotation.

THE HRM PROCESS

A structured flow keeps the design, fabrication and site requirements connected from the first conversation to final fitment.

The sequence may be adapted for repeat orders, builder requirements, multiple openings and project-scale quantities.

01 ENQUIRY

Share location, opening size and reference.

02 SITE MEASURE

Verify dimensions, access and fixing conditions.

03 DESIGN APPROVAL

Freeze layout, section intent, finish and scope.

04 FABRICATION

Cut, weld, grind, trial-fit and prepare surfaces.

05 FINISH & QC

Apply selected finish and inspect alignment.

06 INSTALLATION

Transport, fix, align and hand over the work.

HOME & CONSTRUCTION

Custom gates, grills, railings, staircases, frames, sheds and structural metal works.

GATE SYSTEMS

Iron Gates

The entrance is both a security element and the first architectural statement. HRM gates are developed around opening size, movement type, privacy, ventilation, hardware and finish.

- Swing, sliding and folding configurations
- Vertical slat, panelled and decorative patterns
- Manual or automation-ready provisions
- Privacy, ventilation and visual balance
- Finish options for interior or exterior exposure



REFERENCE SERIES

G-01 / G-02 / G-03

MATERIAL OPTIONS

MS / GI / selected SS

MOVEMENT

Swing / sliding / folding


FINISH

Powder coat / paint / texture


Final section size, thickness, hardware and warranty terms are defined in the approved quotation.

Gate Design Gallery


A selection of modern, decorative and statement gate directions. Every design can be adapted to the actual opening, boundary wall, finish and budget.



G-01 Linear Double Leaf



G-02 Minimal Sliding Gate



G-03 Signature Gold Inlay



G-04 Decorative Panel Gate



G-05 Ornamental Grill Gate



G-06 Classic Relief Gate

Gate Design System

A professional gate proposal resolves movement, structure, visual density, hardware and finish before fabrication begins.

1 MOVEMENT

Swing, sliding or folding based on clear width, parking and access.

2 VISUAL DENSITY

Open grill, semi-private or full-privacy panel configuration.

3 HARDWARE

Hinges, rollers, stoppers, locks and automation provisions.

4 FINISH

Exterior-grade finish selected for exposure, colour and maintenance.



BUILT TO SITE CONDITIONS

Opening dimensions, ground level, gate weight, wall strength, access and installation sequence affect the final build.


DESIGN FREEZE	Before material cutting
AUTOMATION	Provision on request
HARDWARE	Project-selected
INSTALLATION	Based on site and location

SECURITY + DESIGN

Decorative Grills

Decorative grills add security while preserving light, ventilation and architectural character. Designs can be minimal, geometric, ornamental or coordinated with the gate language.

- Window, opening and partition applications
- Geometric or ornamental pattern options
- Welded frame with section selection by span
- Powder coat or painted finish options
- Custom sizing after measurement




GR-01

Geometric grill



GR-02


Decorative gate language




REFERENCE SERIES WG-01

Window Grills


Window grill design should balance safety, cleaning access, outward view and the proportions of the window. Pattern density and frame section are selected around the opening size.



Clean and easy to maintain



Pattern-led with controlled spacing



Ornamental accents for featured openings

MATERIAL	MS / GI / selected SS
FRAME	As per span and fixing
FINISH	Powder coat / paint
FIXING	Project-specific



BALCONY + STAIR

Railings

Railings are planned around safety, grip, spacing, visual openness and surrounding architecture. Straight, sloped and balcony applications can share one coordinated design language.

MODERN

Vertical or horizontal line systems

CLASSIC

Decorative patterns and formed elements


GLASS + IRON

Metal frame with transparent infill

APPLICATION	Balcony / stair / terrace
TOP RAIL	Metal or project-selected
INFILL	Bars / panels / glass
FINISH	Indoor or exterior system

Metal Staircases

A staircase combines structure, circulation, comfort and railing geometry. The final solution depends on floor-to-floor height, width, landing condition, support points and finish.



01 — **SITE LEVELS**
Confirm floor-to-floor height and available run.

02 — **LAYOUT**
Select straight, L-shape, U-shape or external access.


03 — **STRUCTURE**
Resolve stringers, treads, landings and supports.

04 — **RAILING**
Coordinate handrail and baluster geometry.

05 — **FINISH**
Select surface and anti-slip treatment.

Door Frames

Metal door frames offer dimensional stability, clean edges and controlled fixing. Frame geometry is coordinated with wall thickness, shutter type, hardware and finishing sequence.



FRAME COORDINATION

- | | | |
|----|------------------------|-------------------------------------|
| 01 | WALL THICKNESS | Frame depth and anchoring |
| 02 | SHUTTER TYPE | Metal, wood or project-selected |
| 03 | HARDWARE | Hinges, lock and closer preparation |
| 04 | FINISH SEQUENCE | Before or after wall finishing |
| 05 | SITE FIXING | Anchors, welding or approved method |

Typical options: MS frame, GI frame, powder-coated finish, project-selected section and fixing.

Sheds & Canopies

Shed structures are planned around span, slope, drainage, support points, sheet type, wind exposure and site access. The visible frame can be kept minimal or expressed as a design element.

1 PARKING SHED

Vehicle protection with planned drainage and clear access.

2 TERRACE SHED

Weather cover for seating, service or utility areas.

3 INDUSTRIAL SHED

Larger spans and utility-driven structural layouts.




PLANNING INPUTS

Span • slope • support • roof sheet • drainage • access • finish

Pipe Structures

Pipe and section frameworks are used for utility frames, storage, light industrial support, enclosures, greenhouse-type structures and custom project requirements.

- Square and rectangular section frames
- Round pipe frames and curved elements
- Utility supports, enclosures and equipment bases
- Custom bracing and connection layouts
- Finish selection based on exposure




Structure Before Surface

Span, load path, support points and bracing are resolved before surface finish. Final engineering requirements depend on the actual application and site.

USE CASES	Utility / storage / project work
SECTIONS	Square / rectangular / round
BRACING	As per span and load
FINISH	Indoor / exterior


Stands & Storage Racks

Made-to-order support and storage products for homes, shops, offices, workshops and selected equipment applications.



IS-01

Custom iron stands



RK-01

Storage and display racks

CUSTOMISATION BASIS

Overall size • load requirement • shelf count • mobility • finish • installation / assembly

METAL FURNITURE

Durable custom frames and furniture solutions for home, office and commercial spaces.

Iron Beds

Iron bed frames can be designed for everyday use, compact rooms, guest spaces or custom interiors. The frame is planned around mattress size, support system, headboard style and required finish.


MODERN

CLASSIC


KIDS / COMPACT

STORAGE-READY

SIZES	Single / double / custom
SUPPORT	Slats / grid / project-selected
HEADBOARD	Minimal / decorative
FINISH	Powder coat / paint



REFERENCE SERIES FB-01



FURNITURE RANGE

Tables

Metal table frames can support dining, coffee, office, console and work-table applications. The frame is coordinated with top material, span, leg position, floor clearance and load.

1

DINING

Stable frame with coordinated top support

2

COFFEE

Compact scale and visual lightness

3

OFFICE

Cable space and working clearance

4

WORK TABLE

Application-led frame and load support

FRAME

MS square / rectangular

TOP

Wood / stone / glass / supplied by client

SIZE

Standard or custom

FINISH

Matte / gloss / texture

Chairs & Stools

Metal seating frames for home, cafe, office and commercial applications. Proportions, back support, seat height and material interfaces are resolved before fabrication.



1 MODERN

Clean lines and compact profiles

2 CAFE

Repeatable frames for multiple quantities

3 INDUSTRIAL


Robust frame with practical finish

DESIGN INPUTS

Seat height • back angle • cushion interface • stacking / fixed use • finish

Wardrobe Frames & Bookshelves


Open metal frameworks can create lighter, modular storage systems while coordinating with shelves, shutters, boards or interior components supplied separately.



WF-01 Wardrobe frame system

WARDROBE INPUTS

Overall size • hanging / shelf zones • shutter interface • floor / wall fixing




BS-01 Bookshelf and display frame

BOOKSHELF INPUTS


Shelf count • depth • wall anchoring • display / storage use • finish

Computer Tables & Sofa Frames



CT-01 Computer and work table frames

- Cable space and equipment clearance
- Desktop size and leg position
- Storage / shelf add-ons
- Home or office application



SF-01 Sofa frame systems

- Seat width and depth
- Back angle and support frame
- Upholstery fixing interface
- Single or multi-seat configuration

Choose the Right Material for the Job

Material and section selection should respond to structural need, exposure, finish, appearance and budget. Final selection is confirmed with the approved scope.



MS

General fabrication



GI

Corrosion-resistant base



SS 304

Premium exposed use



SS 202

Selected interior use



Square Pipe

Frames and grids



Round Pipe

Curves and tubular forms



Angle

Edges and supports



Channel

Structural support



Flat Bar

Details and infill



Sheet

Panels and skins

SELECTION NOTE


Section size and thickness are application-dependent and should not be inferred from the catalogue image.

The Final Surface Changes the Whole Product

Finish affects visual character, corrosion protection, cleaning and maintenance. Samples and availability should be confirmed before production.




JET BLACK



IVORY



CHARCOAL



GOLD




BRONZE



WOOD TONE



HRM ORANGE



ACCENT PURPLE

1 POWDER COAT

Durable and uniform finish option

2 ENAMEL PAINT

Traditional painted system

3 DUCO / PU

Project-selected smooth finish

4 MATTE

Low-reflection contemporary look

5 GLOSS

Higher visual sheen

6 TEXTURE

Surface character and touch

7 WOOD FINISH


Decorative wood-tone effect

8 TOUCH-UP

Maintenance after site wear

Manufacturing Capabilities

The production workflow connects cutting, welding, grinding, surface preparation, trial assembly, finishing and site fitment. Each stage should be aligned with the approved scope and drawing intent.



CUTTING

Section and sheet preparation



WELDING

MIG / ARC based on application



GRINDING

Joint clean-up and edge control



SURFACE PREP

Cleaning before finish



PAINT / COAT

Selected colour and system



TRIAL ASSEMBLY

Alignment before dispatch



PACKING

Protection for movement



SITE FITMENT

Fixing, level and handover

Capability representation. Actual equipment, process route and outsourced operations may vary by project.

Better Decisions Before Fabrication

A professional custom order is not only about appearance. It requires clear dimensions, material intent, finish, scope boundaries and site readiness.

CUSTOMER BENEFITS

1 SITE MEASUREMENT

Dimensions and installation conditions

2 DESIGN APPROVAL

Reference and scope freeze

3 MATERIAL CHOICE

Application-led section selection

4 FINISH OPTIONS

Colour and surface direction

5 INSTALLATION PLAN

Access, fixing and alignment

6 DOCUMENTED TERMS

Timeline, warranty and exclusions in quotation

FREQUENTLY ASKED QUESTIONS

01 How is pricing calculated?

By design, section size, material, finish, quantity, location and installation scope.

02 Can the design be customised?

Yes. The final design is adapted after dimensions and practical requirements are reviewed.

03 Do you provide installation?

Installation can be included based on project location, access and confirmed scope.

04 What is the lead time?




A project-specific timeline is shared after design and material scope are frozen.

05 What maintenance is required?

Periodic cleaning and timely touch-up are recommended based on exposure and finish.

PROJECT SHOWCASE

Selected entrance and architectural metalwork visuals from HRM Industries' portfolio and social media presentation.



PROJECT VISUALS

Modern • decorative • privacy-led • statement entrances • coordinated architectural metalwork

Start With a Measurement

Send the opening size, location and a reference image on WhatsApp for an initial discussion. A clear brief helps the design and quotation process move faster.



PHONE / WHATSAPP **+91 97995 47638**

INSTAGRAM **@hrm_industries**

LOCATION **Udaipur, Rajasthan**

WORKSHOP VISIT **Call to schedule a visit**

Note: Product visuals and finishes are representative. Final scope, material, dimensions, price, timeline, installation and warranty are confirmed in the quotation.

SEND THESE DETAILS

- 1 Project location
- 2 Opening width × height
- 3 Reference photo / design direction
- 4 Preferred movement or use
- 5 Finish preference
- 6 Target installation period



WHATSAPP



INSTAGRAM

SCAN TO CONNECT

Use WhatsApp for measurement details and Instagram for recent work.



**LET'S BUILD SOMETHING
STRONG TOGETHER.**

+91 97995 47638

@hrm_industries | Udaipur, Rajasthan

CUSTOM IRON FABRICATION & METAL WORKS

Catalogue visuals are representative. Final specification and commercial terms are project-specific.