


JavaScript Programming

Assignment 8-1: Develop the Change Calculator

In this assignment, you'll create an application that displays the minimum number of quarters, dimes, nickels, and pennies that make up the number of cents specified by the user. The application interface looks like this:



The screenshot shows a web application titled "Change Calculator" in blue text. Below the title, there is a label "Enter number of cents (0-99):" followed by a text input field containing the number "67". To the right of the input field is a button labeled "Calculate". Below these elements, there are four rows of labels and input fields: "Quarters:" with a field containing "2", "Dimes:" with a field containing "1", "Nickels:" with a field containing "1", and "Pennies:" with a field containing "2". The entire interface is enclosed in a blue border.

1. Open the HTML and JavaScript files in this folder:
JavaScriptProgramming-Assignment8\change_calculator
2. In the JavaScript file, note the jQuery ready event handler, as well as the start of an event handler for the click event of the Calculate button. Also note that the ready event handler sets the focus on the cents text box.
3. In the event handler for the Calculate button, get the value entered by the user and make sure it's an integer that's between 0 and 99. If it isn't, display an alert dialog box with this message: "Please enter a valid number between 0 and 99".
4. If the number entered by the user is valid, write code to calculate the number of coins needed for the cents entered by the user. Start with the quarters and work your way down to the pennies. Use the `Math.floor()` method to round your results to the next lower integer whenever needed. And use the number of cents remaining from the last calculation as the starting point for the next calculation.
5. Display the number for each coin in the corresponding text box. Be sure to display whole numbers. Finally, set the focus on the cents text box for the next calculation.

Assignment 8-2: Develop the Calendar application

In this assignment, you'll create an application that displays a calendar for the current month:

March 2017						
Sun	Mon	Tue	Wed	Thu	Fri	Sat
			1	2	3	4
5	6	7	8	9	10	11
12	13	14	15	16	17	18
19	20	21	22	23	24	25
26	27	28	29	30	31	

Note: To build this calendar, you're going to need the `getDay()` method of a `Date` object. This method returns the number of the day of the week (0 for Sunday, 1 for Monday, etc.).


1. Open the HTML, CSS, and JavaScript files in this folder:

JavaScriptProgramming-Assignment8\calendar

2. In the HTML file, note the `span` element within the `h1` element that will display the month name and year. Note also the `table` element that contains one row. To build the calendar, you need to add rows to this table after the row that it already contains.
3. In the CSS file, note the style rule for the `td` elements of the table. The rules in this set will format the calendar as shown above.
4. In the JavaScript file, note the `ready` event handler with two functions. A `getMonthText()` function that accepts the number for a month and returns the month name in text. And the start of a `getLastDayofMonth()` function.
5. Write the code for the `getLastDayofMonth()` function. It should use the number passed in the `currentMonth` parameter to calculate and return the last day of the current month. See figure 13-10 for ideas on how to code this.
6. In the `ready` event handler, write the code that gets and displays the name of the current month and the current year above the month table.
7. In the `ready` event handler, write the code that loops through the days of the month to create the rows for the calendar. Remember to deal with the blank dates that can occur at the beginning of the first week and the end of the last week of the month. Use a `tr` element for each new row and `td` elements within the rows for the days of the months. To display the rows, use the `jQuery html()` method of the calendar table, but remember that the new rows have to go after the row that's already in the HTML.

Assignment 8-3: Load speakers as they're requested

In this assignment, you'll develop an application that generates strong passwords of the length entered by the user. The interface looks like this:



Generate a strong password

Number of characters:

Password:

1. Open the HTML and JavaScript files in this folder:

JavaScriptProgramming-Assignment8\password

2. In the JavaScript file, note that the jQuery ready event handler contains three functions: the getRandomNumber() function, the handler for the click event of the Get Password button, and the handler for the click event of the Clear button.

The handler for the Get Password button clears the password text box and has a string variable that contains several characters, but it doesn't do anything else. The handler for the Clear button resets the text boxes and moves the focus to the first text box.

3. In the handler for the Get Password button, get the value entered by the user and make sure it's a number. If it isn't, display an alert dialog box with this message: "Please enter a valid number".
4. If the number entered by the user is valid, code a for loop that iterates that number of times. In each iteration of the loop, randomly select one of the characters from the chars variable and concatenate it to the password variable.
5. When the loop is finished, display the password in the password textbox.