

Python Interview Workbook

100 Logical Interview Questions

Cover Page

Python Interview Workbook

100 Logical Interview Questions

A placement-focused practice book for complete Python beginners who have learned only the fundamentals of input, output, data types, strings, collections, operators, and conditional statements.

Prepared in a clean workbook format for self-practice, classroom training, and beginner interview preparation.

Copyright

Copyright © 2026. All rights reserved.

This workbook is created as an interview practice and training resource for educational use. No part of this publication may be reproduced, stored, or transmitted in any form without prior permission from the publisher, except for brief educational references.

Preface

Many beginners complete Python basics but still struggle when an interviewer asks a simple real-life logic question. The problem is rarely syntax. The real issue is converting a business situation into input, condition checking, and output.

This workbook is designed to solve that problem. Every question in this book stays within a strict beginner-friendly boundary. Only the following concepts are expected:

- Variables
- Data Types
- `input()`
- `print()`
- Type Casting
- Strings
- String Methods
- String Slicing
- Lists

- Tuples
- Dictionaries
- Sets
- Relational Operators
- Logical Operators
- Membership Operators (`in`)
- Identity Operators (`is`)
- `if`
- `if else`
- `if elif else`

No loops. No functions. No advanced Python. No hidden tricks.

The questions are arranged from easy to placement level so that a complete beginner can grow gradually. Each problem is written like a human interviewer would ask it, then explained again in natural Hinglish for clarity.

Table of Contents

1. Chapter 1 — Easy Level (Question 1–20)
2. Chapter 2 — Easy to Medium (Question 21–40)
3. Chapter 3 — Medium (Question 41–60)
4. Chapter 4 — Medium to Hard (Question 61–80)
5. Chapter 5 — Placement Level (Question 81–100)
6. Final Revision
7. Interview Cheat Sheet
8. Common Beginner Mistakes
9. Placement Tips

Chapter 1

Easy Level (Question 1–20)

Question 1

Scenario

English

You are working as a Python Developer in an online banking company. The bank allows a customer to open a savings account only if the customer is 18 years old or above. Take Name and Age as input. If the customer is eligible, print `Account Created Successfully`; otherwise print `Not Eligible`.

Hinglish

Socho tum bank portal bana rahe ho. User apna name aur age dalega. Agar age 18 ya usse zyada hai to account open ho jayega, warna user eligible nahi hoga.

Requirements

- Take Name and Age as input.
- Check whether Age is 18 or above.
- Print Account Created Successfully or Not Eligible.

Answer (Approach Only)

Use `input()` for name and age. Convert age using `int()`. Apply `if else` with a comparison operator like `>=`.

Expected Output

```
Enter Name : Rahul
Enter Age : 22
Account Created Successfully
```

Concept Used

- Variables
- Input
- Type Casting
- if else
- Comparison Operators

Difficulty

★ Easy

Interview Tip

This question checks whether the candidate can take numeric input and apply a basic eligibility condition.

Question 2

Scenario

English

You are building a movie ticket counter program. The cinema gives access to a kids' show only when the child's age is 12 or below. Take Child Name and Age as input. If the child is allowed, print `Entry Allowed`; otherwise print `Choose Another Show`.

Hinglish

Ye cinema ka simple logic hai. Bacche ka naam aur age lo. Agar age 12 ya usse kam hai to usko kids show me entry do, warna doosra show suggest karo.

Requirements

- Take Child Name and Age.
- Check whether age is 12 or below.
- Print the correct message.

Answer (Approach Only)

Use `input()` and convert age with `int()`. Use `if else` and the `<=` operator.

Expected Output

```
Enter Child Name : Anaya
Enter Age : 10
Entry Allowed
```

Concept Used

- Variables
- Input
- Type Casting
- if else
- Relational Operators

Difficulty

★ Easy

Interview Tip

The interviewer wants to see whether the candidate understands lower-bound or upper-bound checks correctly.

Question 3

Scenario

English

You are working on a school result screen. The school considers a student passed only when marks are 35 or more. Take Student Name and Marks as input. Print `Pass` if the student qualifies, otherwise print `Fail`.

Hinglish

School result ka basic program hai. Student ka name aur marks lo. Marks 35 ya usse zyada hain to `Pass`, warna `Fail` print karo.

Requirements

- Take Student Name and Marks.
- Check whether marks are at least 35.
- Print `Pass` or `Fail`.

Answer (Approach Only)

Take both inputs, convert marks to `int()`, and use `if else` with `>= 35`.

Expected Output

```
Enter Student Name : Neha
Enter Marks : 41
Pass
```

Concept Used

- Variables
- Input
- `int()`
- `if else`
- Comparison Operators

Difficulty

★ Easy

Interview Tip

This checks whether the candidate can connect a real-world passing rule with a simple condition.

Question 4

Scenario

English

You are creating an ATM login screen. The ATM should allow access only when the entered PIN matches 4321. Take PIN as input. If the PIN is correct, print Access Granted; otherwise print Invalid PIN.

Hinglish

ATM machine me user PIN enter karega. Agar PIN 4321 hai to login allow karo, warna Invalid PIN dikhana hai.

Requirements

- Take PIN as input.
- Compare it with 4321.
- Print the correct login message.

Answer (Approach Only)

Use `input()` or `int()` based on your choice. Compare the entered value using `==` inside `if else`.

Expected Output

```
Enter PIN : 4321
Access Granted
```

Concept Used

- Variables
- Input
- if else
- Equality Operator
- print()

Difficulty

★ Easy

Interview Tip

This question checks whether the candidate can perform an exact match comparison.

Question 5

Scenario

English

You are building a grocery billing assistant. A customer gets a free cloth bag only when the total bill is 500 or above. Take Customer Name and Bill Amount as input. Print Free Bag Applied if eligible, otherwise print No Free Bag.

Hinglish

Grocery store me ek offer chal raha hai. Bill amount 500 ya usse zyada ho to free cloth bag milega. Name aur bill amount leke decision print karo.

Requirements

- Take Customer Name and Bill Amount.
- Check whether amount is 500 or more.
- Print the offer result.

Answer (Approach Only)

Use input() and convert amount with int(). Use if else and ≥ 500 .

Expected Output

```
Enter Customer Name : Riya
Enter Bill Amount : 640
Free Bag Applied
```

Concept Used

- Variables
- Input
- Type Casting
- if else

- Comparison Operators

Difficulty

★ Easy

Interview Tip

The interviewer is checking whether the candidate can apply a minimum purchase condition correctly.

Question 6**Scenario****English**

You are creating a simple weather display panel. If the temperature is 30 or above, print `Hot Day`; otherwise print `Pleasant Day`. Take City Name and Temperature as input.

Hinglish

Weather panel ke liye city aur temperature lo. Temperature 30 ya usse zyada hai to `Hot Day`, warna `Pleasant Day` print karo.

Requirements

- Take City Name and Temperature.
- Compare temperature with 30.
- Print the right weather label.

Answer (Approach Only)

Take the inputs, convert temperature to `int()`, and use `if else` with `>=`.

Expected Output

```
Enter City Name : Mumbai
Enter Temperature : 33
Hot Day
```

Concept Used

- Variables
- Input
- `int()`
- `if else`
- Relational Operators

Difficulty

★ Easy

Interview Tip

This checks whether the candidate can use numeric comparison in a non-academic scenario.

Question 7

Scenario

English

You are building a mobile recharge checker. A user is considered active only when the entered plan type is daily. Take Mobile Number and Plan Type as input. Print Plan Active if the plan matches, otherwise print Plan Not Supported.

Hinglish

Mobile recharge system me user ka number aur plan type lo. Agar plan type daily hai to active bolo, warna supported nahi hai.

Requirements

- Take Mobile Number and Plan Type.
- Match the plan with daily.
- Print the correct message.

Answer (Approach Only)

Use `input()` for both fields. Apply `lower()` if needed, then compare using `==` inside `if else`.

Expected Output

```
Enter Mobile Number : 9876543210
Enter Plan Type : daily
Plan Active
```

Concept Used

- Variables
- Input
- Strings
- String Methods
- if else

Difficulty

★ Easy

Interview Tip

This checks case handling and exact string comparison.

Question 8

Scenario

English

You are working on a library portal. The system should allow book issue only when the membership status is active. Take Member Name and Membership Status as input. Print Book Can Be Issued or Membership Inactive.

Hinglish

Library portal me member ka name aur membership status lo. Agar status active hai to book issue ho sakti hai, warna membership inactive hai.

Requirements

- Take Member Name and Membership Status.
- Check whether status is active.
- Print the final result.

Answer (Approach Only)

Use string input for both values. Convert status to lowercase if needed and compare with active using if else.

Expected Output

```
Enter Member Name : Karan
Enter Membership Status : active
Book Can Be Issued
```

Concept Used

- Variables
- Input
- Strings
- String Methods
- if else

Difficulty

★ Easy

Interview Tip

This question checks whether the candidate can work with status-based text conditions.

Question 9

Scenario

English

You are designing an app for a ride service company. A driver earns a quality badge only when the rating is 4.5 or above. Take Driver Name and Rating as input. Print `Quality Badge Approved` or `Badge Not Approved`.

Hinglish

Ride app me driver ka name aur rating lo. Rating 4.5 ya usse zyada hai to quality badge do, warna reject karo.

Requirements

- Take Driver Name and Rating.
- Check whether rating is 4.5 or above.
- Print the badge result.

Answer (Approach Only)

Use `input()` and convert the rating with `float()`. Use `if else` with `>= 4.5`.

Expected Output

```
Enter Driver Name : Sameer
Enter Rating : 4.8
Quality Badge Approved
```

Concept Used

- Variables
- Input
- Type Casting
- if else
- Comparison Operators

Difficulty

★ Easy

Interview Tip

The interviewer wants to see whether the candidate understands decimal input handling.

Question 10

Scenario

English

You are building a college portal. A student email is accepted only if it ends with `@college.edu`. Take Email as input. If the format is valid, print `College Email Accepted`; otherwise print `Invalid College Email`.

Hinglish

College portal me email tabhi accept hoga jab uska ending @college.edu ho. Email lo aur uske basis par result print karo.

Requirements

- Take Email as input.
- Check whether it ends with @college.edu.
- Print the correct validation message.

Answer (Approach Only)

Use `input()` for email. Apply the string method `endswith()` inside `if else`.

Expected Output

```
Enter Email : rohit@college.edu
College Email Accepted
```

Concept Used

- Strings
- Input
- String Methods
- if else
- print()

Difficulty

★ Easy

Interview Tip

This checks whether the candidate knows how to use simple string validation methods.

Question 11

Scenario

English

You are creating a music streaming sign-up page. Only users who choose the `premium` plan should see a welcome message for premium features. Take User Name and Plan as input. Print `Premium Features Enabled` or `Basic Features Enabled`.

Hinglish

Music app me user premium plan select kare to extra features on hone chahiye. Name aur plan input lo aur sahi message print karo.

Requirements

- Take User Name and Plan.

- Compare the plan with `premium`.
- Print the feature message.

Answer (Approach Only)

Use `input()` for both values. Use `lower()` if needed and check with `==` inside `if else`.

Expected Output

```
Enter User Name : Aarav
Enter Plan : premium
Premium Features Enabled
```

Concept Used

- Variables
- Input
- Strings
- String Methods
- `if else`

Difficulty

★★ Easy

Interview Tip

The interviewer is checking whether the candidate can use string normalization before comparison.

Question 12

Scenario

English

You are building a hospital help desk screen. If the patient marks the condition as emergency, print `Send To Emergency Ward`; otherwise print `Send To General Desk`. Take Patient Name and Condition Type as input.

Hinglish

Hospital desk par patient ka naam aur condition type lo. Agar condition emergency hai to direct emergency ward bhejo, nahi to general desk par bhejo.

Requirements

- Take Patient Name and Condition Type.
- Check whether condition is emergency.
- Print the correct routing message.

Answer (Approach Only)

Take string input and compare the condition using `if else`. `lower()` can be used to make the check safer.

Expected Output

```
Enter Patient Name : Sohan
Enter Condition Type : emergency
Send To Emergency Ward
```

Concept Used

- Variables
- Input
- Strings
- if else
- String Methods

Difficulty

☆☆ Easy

Interview Tip

This question checks whether the candidate can map text input to a business action.

Question 13

Scenario

English

You are developing an airline baggage screen. A baggage tag is treated as airline verified only if it starts with AI. Take Baggage Tag as input. If the tag is valid, print `Verified Baggage Tag`; otherwise print `Manual Check Required`.

Hinglish

Airport baggage system me tag ka prefix important hai. Agar tag AI se start hota hai to verified bolo, warna manual check karna padega.

Requirements

- Take Baggage Tag as input.
- Check whether it starts with AI.
- Print the validation result.

Answer (Approach Only)

Use `input()` and the `startswith()` string method inside `if else`.

Expected Output

```
Enter Baggage Tag : AI9087
Verified Baggage Tag
```

Concept Used

- Strings
- Input
- String Methods
- if else
- print()

Difficulty

☆☆ Easy

Interview Tip

This checks whether the candidate understands prefix-based string validation.

Question 14

Scenario

English

You are creating an online shopping coupon screen. The customer gets the discount only when the entered coupon code is `SAVE50`. Take Customer Name and Coupon Code as input. Print Coupon `Applied` or `Invalid` Coupon.

Hinglish

Shopping app me customer coupon code dalega. Agar code `SAVE50` hai to offer apply karo, warna invalid message dikhao.

Requirements

- Take Customer Name and Coupon Code.
- Match the code with `SAVE50`.
- Print the coupon status.

Answer (Approach Only)

Use `input()` and compare the entered code with the expected code using `==` in `if else`.

Expected Output

```
Enter Customer Name : Meera
Enter Coupon Code : SAVE50
Coupon Applied
```

Concept Used

- Variables
- Input
- Strings
- if else

- Equality Operator

Difficulty

☆☆ Easy

Interview Tip

This checks whether the candidate can validate a fixed string value cleanly.

Question 15**Scenario****English**

You are building a social media post helper. A trending hashtag should begin with #. Take Hashtag as input. If it starts correctly, print `Valid Hashtag`; otherwise print `Hashtag Format Incorrect`.

Hinglish

Social media post helper me hashtag ka format check karna hai. Agar input # se start hota hai to valid hai, warna format galat hai.

Requirements

- Take Hashtag as input.
- Check whether it starts with #.
- Print the correct format message.

Answer (Approach Only)

Use `input()` and `startswith()` to validate the first character inside `if else`.

Expected Output

```
Enter Hashtag : #PythonBeginner
Valid Hashtag
```

Concept Used

- Strings
- Input
- String Methods
- if else
- print()

Difficulty

☆☆ Easy

Interview Tip

The interviewer wants to see whether the candidate can use a simple format rule using string methods.

Question 16

Scenario

English

You are working on a hotel booking screen. If the room type is `deluxe`, print `Breakfast Included`; if it is `suite`, print `Breakfast and Pickup Included`; otherwise print `Standard Stay`. Take Guest Name and Room Type as input.

Hinglish

Hotel booking me room type ke hisaab se benefits dikhane hain. `deluxe` par breakfast, `suite` par breakfast plus pickup, aur baaki sab par standard stay show karo.

Requirements

- Take Guest Name and Room Type.
- Check for `deluxe`, `suite`, or any other type.
- Print the correct stay message.

Answer (Approach Only)

Use `input()` and compare the room type using `if elif else`.

Expected Output

```
Enter Guest Name : Dev
Enter Room Type : suite
Breakfast and Pickup Included
```

Concept Used

- Variables
- Input
- Strings
- `if elif else`
- Comparison Operators

Difficulty

☆☆ Easy

Interview Tip

This question checks whether the candidate can manage more than one possible text condition.

Question 17

Scenario

English

You are designing an office attendance screen. If the employee logs in exactly at 09:00, print On Time; otherwise print Marked Late. Take Employee Name and Login Time as input.

Hinglish

Office attendance system me employee ka naam aur login time lo. Time 09:00 hai to on time bolo, warna late mark karo.

Requirements

- Take Employee Name and Login Time.
- Compare the time with 09:00.
- Print the attendance message.

Answer (Approach Only)

Use string input for time and compare it with 09:00 using == inside if else.

Expected Output

```
Enter Employee Name : Anita
Enter Login Time : 09:00
On Time
```

Concept Used

- Variables
- Input
- Strings
- if else
- Equality Operator

Difficulty

☆☆ Easy

Interview Tip

This checks whether the candidate understands that some values can be validated directly as strings.

Question 18

Scenario

English

You are creating a cricket toss helper. If the captain chooses bat, print Team Will Bat First; otherwise print Team Will Bowl First. Take Captain Name and Toss Choice as input.

Hinglish

Cricket toss helper me captain ka naam aur choice lo. Agar choice bat hai to batting first, warna bowling first.

Requirements

- Take Captain Name and Toss Choice.
- Check whether choice is `bat`.
- Print the match decision.

Answer (Approach Only)

Use `input()` and `lower()` for safer comparison. Apply `if else` with `==`.

Expected Output

```
Enter Captain Name : Rohit
Enter Toss Choice : bat
Team Will Bat First
```

Concept Used

- Variables
- Input
- Strings
- String Methods
- if else

Difficulty

☆☆ Easy

Interview Tip

The interviewer is checking whether the candidate can process user choice and produce a matching output.

Question 19

Scenario

English

You are building a food delivery checkout page. If the payment mode is `online`, print `Order Confirmed Instantly`; otherwise print `Cash Collection Pending`. Take Customer Name and Payment Mode as input.

Hinglish

Food delivery checkout me payment mode important hai. Agar payment online hai to order instantly confirm karo, warna cash collection pending dikhao.

Requirements

- Take Customer Name and Payment Mode.
- Compare the mode with `online`.

- Print the checkout status.

Answer (Approach Only)

Use string input and compare after using `lower()` if needed. Apply `if else`.

Expected Output

```
Enter Customer Name : Priya
Enter Payment Mode : online
Order Confirmed Instantly
```

Concept Used

- Variables
- Input
- Strings
- String Methods
- if else

Difficulty

☆☆ Easy

Interview Tip

This checks whether the candidate understands decision-making based on mode selection.

Question 20

Scenario

English

You are developing an online exam setup screen. The exam should begin only when the browser status is fullscreen. Take Student Name and Browser Status as input. Print Exam Started or Enable Fullscreen First.

Hinglish

Online exam system me browser fullscreen hona chahiye. Student ka naam aur browser status lo. Agar status fullscreen hai to exam start karo, warna fullscreen enable karne ko bolo.

Requirements

- Take Student Name and Browser Status.
- Check whether status is fullscreen.
- Print the correct instruction.

Answer (Approach Only)

Use `input()` for both values, convert the browser status to lowercase if needed, and use `if else`.

Expected Output

```
Enter Student Name : Isha
Enter Browser Status : fullscreen
Exam Started
```

Concept Used

- Variables
- Input
- Strings
- if else
- String Methods

Difficulty

☆☆ Easy

Interview Tip

This question checks whether the candidate can implement a simple gate condition based on a text value.

Chapter 2

Easy to Medium (Question 21–40)

Question 21

Scenario

English

You are working on a scholarship portal. A student can apply only if the percentage is 75 or above and the age is 25 or below. Take Student Name, Percentage, and Age as input. Print Scholarship Application Accepted or Not Eligible For Scholarship.

Hinglish

Scholarship portal me do conditions hain. Percentage 75 ya usse zyada hona chahiye aur age 25 ya usse kam honi chahiye. Dono sahi hue to application accept karo.

Requirements

- Take Student Name, Percentage, and Age.
- Check both conditions using and.
- Print the correct result.

Answer (Approach Only)

Use `input()`, convert percentage and age with `int()`, and apply `if else` using `and` with comparison operators.

Expected Output

```
Enter Student Name : Kavya
Enter Percentage : 82
Enter Age : 21
Scholarship Application Accepted
```

Concept Used

- Variables
- Input
- int()
- Logical Operators
- if else

Difficulty

☆☆ Easy

Interview Tip

This checks whether the candidate can combine two conditions in one decision.

Question 22

Scenario

English

You are building a courier service checker. Delivery is available only in the cities Mumbai, Pune, and Nashik. Take Customer Name and City as input. If the city is serviceable, print `Delivery Available`; otherwise print `Service Not Available In Your City`.

Hinglish

Courier company sirf kuch selected cities me delivery karti hai. User ka city agar Mumbai, Pune, ya Nashik me se hai to delivery available hai, warna service nahi milegi.

Requirements

- Take Customer Name and City.
- Store serviceable cities in a list or tuple.
- Use membership checking to print the result.

Answer (Approach Only)

Create a collection of allowed cities. Take city input and use `in` with `if else`.

Expected Output

```
Enter Customer Name : Tanvi
Enter City : Pune
Delivery Available
```

Concept Used

- Variables
- Input
- Lists
- Membership Operator
- if else

Difficulty

☆☆ Easy

Interview Tip

The interviewer is checking whether the candidate knows how to use `in` with a collection.

Question 23

Scenario

English

You are creating a streaming access rule. A viewer can watch an A-rated movie only if age is 18 or above and profile type is `adult`. Take Viewer Name, Age, and Profile Type as input. Print `Playback Allowed` or `Restricted Content`.

Hinglish

OTT app me A-rated movie tabhi chalegi jab user 18+ ho aur profile type `adult` ho. Inputs lo aur dono conditions check karke result print karo.

Requirements

- Take Viewer Name, Age, and Profile Type.
- Check both conditions together.
- Print the content access message.

Answer (Approach Only)

Use `int()` for age and compare profile type as string. Apply `and` inside `if else`.

Expected Output

```
Enter Viewer Name : Arjun
Enter Age : 24
Enter Profile Type : adult
Playback Allowed
```

Concept Used

- Input
- Type Casting

- Strings
- Logical Operators
- if else

Difficulty

☆☆ Easy

Interview Tip

This checks whether the candidate can validate two independent eligibility rules together.

Question 24

Scenario

English

You are designing an online food discount screen. A coupon should work only when the food category is pizza and the order amount is 299 or above. Take Customer Name, Food Category, and Order Amount as input. Print Coupon Applied Successfully or Coupon Not Applicable.

Hinglish

Food app me coupon sirf pizza orders par chalega aur amount kam se kam 299 hona chahiye. Inputs lo aur dono conditions check karo.

Requirements

- Take Customer Name, Food Category, and Order Amount.
- Check category and minimum amount.
- Print the coupon result.

Answer (Approach Only)

Use `input()` and convert order amount using `int()`. Apply `if else` with `and`.

Expected Output

```
Enter Customer Name : Nitin
Enter Food Category : pizza
Enter Order Amount : 450
Coupon Applied Successfully
```

Concept Used

- Variables
- Input
- `int()`
- Logical Operators
- if else

Difficulty

☆☆ Easy

Interview Tip

The interviewer wants to see whether the candidate can combine text and numeric conditions.

Question 25**Scenario****English**

You are developing a college ID validator. A roll number is treated as first-year only if it starts with FY. Take Student Name and Roll Number as input. If it belongs to first year, print `First Year Record`; otherwise print `Not A First Year Roll Number`.

Hinglish

College system me roll number ka prefix dekhkar year identify karna hai. Agar roll number FY se start hota hai to first-year record bolo.

Requirements

- Take Student Name and Roll Number.
- Check the prefix using a string method.
- Print the right record type.

Answer (Approach Only)

Use `input()` and `startswith()` inside `if else`.

Expected Output

```
Enter Student Name : Pooja
Enter Roll Number : FY1042
First Year Record
```

Concept Used

- Strings
- Input
- String Methods
- if else
- print()

Difficulty

☆☆ Easy

Interview Tip

This question checks whether the candidate can use string format patterns in practical scenarios.

Question 26

Scenario

English

You are creating a shopping return checker. A product can be returned only if return days are 7 or below and package status is sealed. Take Product Name, Return Days, and Package Status as input. Print `Return Accepted` or `Return Rejected`.

Hinglish

Shopping return system me return tabhi accept hoga jab din 7 ya usse kam hon aur package sealed ho. Inputs leke decision print karo.

Requirements

- Take Product Name, Return Days, and Package Status.
- Check both conditions using `and`.
- Print the return decision.

Answer (Approach Only)

Use `int()` for return days and compare package status as string. Apply `if else` with `and`.

Expected Output

```
Enter Product Name : Headphones
Enter Return Days : 4
Enter Package Status : sealed
Return Accepted
```

Concept Used

- Variables
- Input
- Type Casting
- Logical Operators
- if else

Difficulty

☆☆ Easy

Interview Tip

This checks whether the candidate can apply a time rule along with a status rule.

Question 27

Scenario

English

You are working on a hospital donor desk. The hospital accepts blood groups A+, B+, and O+ for a camp. Take Donor Name and Blood Group as input. Print Eligible For This Camp or Not Required In This Camp.

Hinglish

Blood donation camp me sirf kuch blood groups chahiye. Donor ka name aur blood group lo. Agar group allowed list me hai to eligible bolo.

Requirements

- Take Donor Name and Blood Group.
- Store accepted groups in a tuple or set.
- Use `in` to print the result.

Answer (Approach Only)

Create a collection of accepted blood groups. Take the user input and check membership with `if else`.

Expected Output

```
Enter Donor Name : Vivek
Enter Blood Group : O+
Eligible For This Camp
```

Concept Used

- Variables
- Input
- Tuples
- Membership Operator
- `if else`

Difficulty

☆☆ Easy

Interview Tip

The interviewer is checking whether the candidate can use membership testing in a real-life healthcare case.

Question 28

Scenario

English

You are developing a restaurant delivery area checker. Delivery is possible only when the zone is east or west.

Take Customer Name and Zone as input. Print Delivery Partner Assigned or Area Currently Unavailable.

Hinglish

Restaurant sirf east aur west zone me delivery kar raha hai. Customer ka zone lo aur uske basis par result print karo.

Requirements

- Take Customer Name and Zone.
- Check whether zone is east or west.
- Print the correct message.

Answer (Approach Only)

Use `input()` for both values. Use `lower()` and check with or inside `if else`.

Expected Output

```
Enter Customer Name : Aditi
Enter Zone : east
Delivery Partner Assigned
```

Concept Used

- Variables
- Input
- Strings
- Logical Operators
- if else

Difficulty

☆☆ Easy

Interview Tip

This question checks whether the candidate understands or logic correctly.

Question 29

Scenario

English

You are building a voting booth screen. A person can vote only if age is 18 or above and citizenship status is indian. Take Name, Age, and Citizenship Status as input. Print Vote Allowed or Not Eligible To Vote.

Hinglish

Voting booth me age 18+ honi chahiye aur citizenship indian honi chahiye. Dono conditions sahi hongi tabhi vote allow karo.

Requirements

- Take Name, Age, and Citizenship Status.
- Check both conditions together.
- Print the final result.

Answer (Approach Only)

Take inputs, convert age with `int()`, convert status to lowercase if needed, and use `and` inside `if else`.

Expected Output

```
Enter Name : Imran
Enter Age : 29
Enter Citizenship Status : indian
Vote Allowed
```

Concept Used

- Variables
- Input
- `int()`
- Logical Operators
- `if else`

Difficulty

★★ Easy

Interview Tip

The interviewer wants to see whether the candidate can combine legal eligibility rules.

Question 30

Scenario

English

You are creating a hostel allocation checker. A student can get a hostel room only if college year is 1 or 2 and city is outside. Take Student Name, College Year, and City Type as input. Print `Hostel Seat Approved` or `Hostel Seat Not Approved`.

Hinglish

Hostel room sirf junior students ko diya ja raha hai jo bahar se aaye hain. Year 1 ya 2 ho aur city type `outside` ho to seat approve karo.

Requirements

- Take Student Name, College Year, and City Type.
- Check year using `or` and city type using `and`.

- Print the hostel result.

Answer (Approach Only)

Use `input()` for the values and combine `or` and `and` in one `if else` condition.

Expected Output

```
Enter Student Name : Harsh
Enter College Year : 2
Enter City Type : outside
Hostel Seat Approved
```

Concept Used

- Variables
- Input
- Logical Operators
- `if else`
- Strings

Difficulty

☆☆ Easy

Interview Tip

This checks whether the candidate can combine multiple conditions carefully in one statement.

Question 31

Scenario

English

You are building a language selection screen in a music app. The app supports only Hindi, English, Tamil, and Marathi. Take User Name and Preferred Language as input. Print `Language Pack Available` or `Language Pack Not Available`.

Hinglish

Music app me kuch limited language packs available hain. User ki preferred language agar supported list me hai to available print karo.

Requirements

- Take User Name and Preferred Language.
- Store supported languages in a set.
- Use membership checking for the decision.

Answer (Approach Only)

Create a set of supported languages. Use `input()` and check in with `if else`.

Expected Output

```
Enter User Name : Rehan
Enter Preferred Language : Marathi
Language Pack Available
```

Concept Used

- Sets
- Input
- Membership Operator
- if else
- print()

Difficulty

★★ Easy

Interview Tip

The interviewer is checking whether the candidate can use sets for quick membership-based validation.

Question 32

Scenario

English

You are developing a software internship filter. A candidate can move forward only if the skill entered is python and CGPA is 7.0 or above. Take Candidate Name, Primary Skill, and CGPA as input. Print Shortlisted For Next Round or Profile Rejected.

Hinglish

Software internship filter me candidate ka primary skill python hona chahiye aur CGPA 7 ya usse zyada. Dono sahi hon to shortlist karo.

Requirements

- Take Candidate Name, Primary Skill, and CGPA.
- Check skill and CGPA together.
- Print the screening result.

Answer (Approach Only)

Use input() for all values, convert CGPA using float(), and apply and inside if else.

Expected Output

```
Enter Candidate Name : Aman
Enter Primary Skill : python
```

```
Enter CGPA : 8.1
Shortlisted For Next Round
```

Concept Used

- Variables
- Input
- Type Casting
- Logical Operators
- if else

Difficulty

★★ Easy

Interview Tip

This checks whether the candidate can mix decimal comparison with string matching.

Question 33

Scenario

English

You are building a bank locker access screen. A customer can open the locker only if KYC status is `verified` and minimum balance is 10000 or above. Take Customer Name, KYC Status, and Balance as input. Print `Locker Access Granted` or `Locker Access Denied`.

Hinglish

Bank locker open karne ke liye KYC `verified` hona chahiye aur balance 10000 ya usse zyada hona chahiye. Inputs lo aur result print karo.

Requirements

- Take Customer Name, KYC Status, and Balance.
- Check both conditions using `and`.
- Print the access decision.

Answer (Approach Only)

Use `input()` and `int()` for balance. Compare KYC status as string and combine with balance condition inside `if else`.

Expected Output

```
Enter Customer Name : Rajesh
Enter KYC Status : verified
Enter Balance : 25000
Locker Access Granted
```

Concept Used

- Variables
- Input
- `int()`
- Logical Operators
- `if else`

Difficulty

☆☆ Easy

Interview Tip

This checks whether the candidate understands security checks with multiple requirements.

Question 34

Scenario

English

You are working on a school ID card printer. A student name should be printed in official format only if the entered name is in title case. Take Student Name as input. If it looks correct, print `Name Format Accepted`; otherwise print `Use Proper Name Format`.

Hinglish

School ID card me name proper format me hona chahiye. Agar entered name title case me hai to accept karo, warna correct format use karne ko bolo.

Requirements

- Take Student Name as input.
- Use a string method to check the format.
- Print the validation result.

Answer (Approach Only)

Use `input()` for the name and apply the string method `istitle()` inside `if else`.

Expected Output

```
Enter Student Name : Rahul Verma
Name Format Accepted
```

Concept Used

- Strings
- Input
- String Methods
- `if else`
- `print()`

Difficulty

★★ Easy

Interview Tip

This checks whether the candidate knows that string methods can also be used for validation.

Question 35**Scenario****English**

You are creating a mall parking counter. Two-wheelers and cars are allowed in the basement parking. Take Customer Name and Vehicle Type as input. If the vehicle type is in the allowed group, print Basement Parking Allowed; otherwise print Use Open Parking.

Hinglish

Mall parking me basement area sirf bike aur car ke liye hai. Vehicle type allowed group me ho to basement parking do, warna open parking use karne ko bolo.

Requirements

- Take Customer Name and Vehicle Type.
- Store allowed types in a tuple or list.
- Use membership operator for the decision.

Answer (Approach Only)

Create a collection like ("bike", "car"), take input, convert to lowercase if needed, and use `in` with `if` else.

Expected Output

```
Enter Customer Name : Mohit
Enter Vehicle Type : car
Basement Parking Allowed
```

Concept Used

- Variables
- Input
- Tuples
- Membership Operator
- if else

Difficulty

★★ Easy

Interview Tip

The interviewer is checking whether the candidate can solve category-based rules using collections.

Question 36

Scenario

English

You are building an employee bonus checker. A bonus is given only when performance rating is 4 or above and attendance status is full. Take Employee Name, Rating, and Attendance Status as input. Print Bonus Approved or Bonus Not Approved.

Hinglish

Bonus ke liye rating 4+ honi chahiye aur attendance status full hona chahiye. Employee details lo aur final decision print karo.

Requirements

- Take Employee Name, Rating, and Attendance Status.
- Check both conditions together.
- Print the bonus result.

Answer (Approach Only)

Convert rating using `int()` and compare attendance status as a string. Use and inside `if else`.

Expected Output

```
Enter Employee Name : Sneha
Enter Rating : 5
Enter Attendance Status : full
Bonus Approved
```

Concept Used

- Variables
- Input
- Type Casting
- Logical Operators
- if else

Difficulty

☆☆ Easy

Interview Tip

This checks whether the candidate can combine performance and status conditions in one screen.

Question 37

Scenario

English

You are designing a clinic appointment desk. The patient can go directly to the doctor only if the token number is 50 or below and the department is general. Take Patient Name, Token Number, and Department as input. Print Proceed To Doctor or Wait At Desk.

Hinglish

Clinic desk par token number aur department ke basis par patient ko doctor ke paas bhejna hai. Token 50 ya kam ho aur department general ho to direct proceed karao.

Requirements

- Take Patient Name, Token Number, and Department.
- Check token limit and department.
- Print the appointment message.

Answer (Approach Only)

Use `int()` for token number and compare department as a string. Apply `if else` with `and`.

Expected Output

```
Enter Patient Name : Rekha
Enter Token Number : 18
Enter Department : general
Proceed To Doctor
```

Concept Used

- Variables
- Input
- `int()`
- Logical Operators
- `if else`

Difficulty

☆☆ Easy

Interview Tip

The interviewer wants to see whether the candidate can use two different conditions without confusion.

Question 38

Scenario

English

You are developing an airline web check-in screen. A PNR is treated as domestic only if it starts with D. Take Passenger Name and PNR as input. If it is domestic, print Show Domestic Check-in Steps; otherwise print Show International Check-in Steps.

Hinglish

Airline check-in screen me PNR ka first character dekhkar route type decide karna hai. Agar PNR D se start hota hai to domestic steps dikhao.

Requirements

- Take Passenger Name and PNR.
- Check whether PNR starts with D.
- Print the correct check-in path.

Answer (Approach Only)

Use `input()` and `startswith()` inside `if else`.

Expected Output

```
Enter Passenger Name : Lalit
Enter PNR : D72Q9
Show Domestic Check-in Steps
```

Concept Used

- Strings
- Input
- String Methods
- if else
- print()

Difficulty

☆☆ Easy

Interview Tip

This checks prefix-based decision-making in a realistic travel scenario.

Question 39

Scenario

English

You are building a library alert system. If the book category is reference and status is late, print Urgent Fine Alert; otherwise print Normal Library Update. Take Book Name, Book Category, and Status as input.

Hinglish

Library alert tab urgent hona chahiye jab book reference category ki ho aur status late ho. Inputs lo aur uske hisaab se message print karo.

Requirements

- Take Book Name, Book Category, and Status.
- Check both conditions together.
- Print the correct alert.

Answer (Approach Only)

Use string inputs and compare both values using and inside if else.

Expected Output

```
Enter Book Name : DBMS Guide
Enter Book Category : reference
Enter Status : late
Urgent Fine Alert
```

Concept Used

- Variables
- Input
- Strings
- Logical Operators
- if else

Difficulty

☆☆ Easy

Interview Tip

This checks whether the candidate can implement a targeted alert rule with two text conditions.

Question 40

Scenario

English

You are creating a marketplace seller check. Only sellers from gold or platinum level can join a festival campaign. Take Seller Name and Seller Level as input. Print Campaign Access Approved or Campaign Access Denied.

Hinglish

Marketplace me festival campaign sirf gold aur platinum sellers ke liye hai. Seller level lo aur uske hisaab se access decide karo.

Requirements

- Take Seller Name and Seller Level.
- Check whether level matches either allowed value.
- Print the campaign result.

Answer (Approach Only)

Use `input()` and `lower()`, then apply or inside `if else`.

Expected Output

```
Enter Seller Name : TrendZone
Enter Seller Level : gold
Campaign Access Approved
```

Concept Used

- Variables
- Input
- Strings
- Logical Operators
- if else

Difficulty

☆☆ Easy

Interview Tip

This checks whether the candidate can validate one input against more than one accepted choice.

Chapter 3

Medium (Question 41–60)

Question 41

Scenario

English

You are building a salary portal. If salary is below 20000, print `Entry Level Slab`; if salary is between 20000 and 50000, print `Mid Salary Slab`; otherwise print `Senior Salary Slab`. Take Employee Name and Salary as input.

Hinglish

Salary portal me employee ko salary range ke hisaab se slab assign karna hai. Salary 20000 se kam ho to entry level, 20000 se 50000 ke beech ho to mid, aur usse upar senior slab.

Requirements

- Take Employee Name and Salary.
- Use multiple range checks.
- Print the correct slab message.

Answer (Approach Only)

Use `int()` for salary and solve the logic using `if elif else` with comparison operators.

Expected Output

```
Enter Employee Name : Nilesh
Enter Salary : 42000
Mid Salary Slab
```

Concept Used

- Variables
- Input
- `int()`
- `if elif else`
- Comparison Operators

Difficulty

☆☆ Medium

Interview Tip

The interviewer is checking whether the candidate can write proper range-based branching.

Question 42

Scenario

English

You are designing a college feedback screen. If a student's score is 90 or above, print Outstanding; if it is 75 or above, print Very Good; if it is 50 or above, print Satisfactory; otherwise print Needs Improvement. Take Student Name and Score as input.

Hinglish

College feedback me score ke hisaab se remark dena hai. High score par Outstanding, phir Very Good, phir Satisfactory, warna improvement message.

Requirements

- Take Student Name and Score.
- Check the score in descending order.
- Print the matching remark.

Answer (Approach Only)

Use `int()` for score and apply `if elif else`. Start from the highest condition and move downward.

Expected Output

```
Enter Student Name : Jatin
Enter Score : 78
Very Good
```

Concept Used

- Input
- Type Casting
- if elif else
- Comparison Operators
- `print()`

Difficulty

☆☆ Medium

Interview Tip

This checks whether the candidate understands the importance of condition order in `if elif else`.

Question 43

Scenario

English

You are creating an OTT profile checker. If age is below 13, print Kids Profile; if age is below 18, print Teen Profile; otherwise print Adult Profile. Take Viewer Name and Age as input.

Hinglish

OTT app me age ke basis par profile category decide karni hai. 13 se kam par kids, 18 se kam par teen, aur usse upar adult profile print karo.

Requirements

- Take Viewer Name and Age.
- Use age ranges with `if elif else`.
- Print the correct profile label.

Answer (Approach Only)

Use `int()` for age and compare it in increasing order using `if elif else`.

Expected Output

```
Enter Viewer Name : Siya
Enter Age : 15
Teen Profile
```

Concept Used

- Variables
- Input
- `int()`
- `if elif else`
- Relational Operators

Difficulty

☆☆ Medium

Interview Tip

The interviewer wants to see whether the candidate can classify data into levels.

Question 44

Scenario

English

You are working on an e-commerce membership screen. If yearly shopping amount is 100000 or above, print

Platinum Member; if it is 50000 or above, print Gold Member; if it is 10000 or above, print Silver Member; otherwise print Regular Member. Take Customer Name and Yearly Shopping Amount as input.

Hinglish

Shopping app me yearly spend ke hisaab se member level decide karna hai. Sabse zyada spend par platinum, phir gold, phir silver, warna regular.

Requirements

- Take Customer Name and Yearly Shopping Amount.
- Compare the amount across multiple slabs.
- Print the membership label.

Answer (Approach Only)

Use `int()` for amount and solve using `if elif else` from highest slab to lowest slab.

Expected Output

```
Enter Customer Name : Ishita
Enter Yearly Shopping Amount : 62000
Gold Member
```

Concept Used

- Variables
- Input
- `int()`
- `if elif else`
- Comparison Operators

Difficulty

☆☆ Medium

Interview Tip

This checks whether the candidate can map business slabs to clean conditional logic.

Question 45

Scenario

English

You are building a chat application username validator. If the username contains a space, print Username Not Allowed; if it starts with `_`, print Use A Professional Username; otherwise print Username Accepted. Take Username as input.

Hinglish

Chat app me username clean hona chahiye. Agar usme space hai to reject karo. Agar `_` se start hota hai to professional username use karne ko bolo, warna accept karo.

Requirements

- Take Username as input.
- Check for space and leading underscore.
- Print the right validation message.

Answer (Approach Only)

Use `input()`, check whether a space exists using `in`, and use `startswith()` for underscore inside `if elif else`.

Expected Output

```
Enter Username : coderking
Username Accepted
```

Concept Used

- Strings
- Input
- Membership Operator
- String Methods
- if elif else

Difficulty

☆☆ Medium

Interview Tip

The interviewer is checking whether the candidate can combine format validation rules on one string.

Question 46

Scenario

English

You are creating a courier priority desk. If the city is `Mumbai` and service type is `same day`, print `Express Dispatch`; if the service type is `next day`, print `Priority Dispatch`; otherwise print `Standard Dispatch`. Take Receiver Name, City, and Service Type as input.

Hinglish

Courier desk me city aur service type ke basis par dispatch mode decide karna hai. `Mumbai` plus `same day` par `express`, `next day` par `priority`, warna `standard dispatch`.

Requirements

- Take Receiver Name, City, and Service Type.
- Use combined conditions and multiple branches.
- Print the dispatch level.

Answer (Approach Only)

Use string input values and solve with `if elif else`. Combine city and service type using `and` where needed.

Expected Output

```
Enter Receiver Name : Milan
Enter City : Mumbai
Enter Service Type : same day
Express Dispatch
```

Concept Used

- Variables
- Input
- Strings
- Logical Operators
- `if elif else`

Difficulty

☆☆ Medium

Interview Tip

This checks whether the candidate can create one special case and then handle fallback cases properly.

Question 47

Scenario

English

You are developing an insurance pre-check screen. If age is below 18, print `Application Rejected`; if age is 18 or above and smoker status is yes, print `High Risk Category`; otherwise print `Standard Category`. Take Applicant Name, Age, and Smoker Status as input.

Hinglish

Insurance screen me sabse pehle age check hogi. 18 se kam par reject. 18+ aur smoker yes ho to high risk. Baaki sab standard category.

Requirements

- Take Applicant Name, Age, and Smoker Status.
- Use age and smoker status conditions.
- Print the right category.

Answer (Approach Only)

Convert age using `int()`. Apply `if elif else`, and use `and` for the second branch.

Expected Output

```
Enter Applicant Name : Varun
Enter Age : 32
Enter Smoker Status : yes
High Risk Category
```

Concept Used

- Variables
- Input
- int()
- Logical Operators
- if elif else

Difficulty

☆☆ Medium

Interview Tip

This checks whether the candidate can reject one case first and then classify the remaining applicants.

Question 48

Scenario

English

You are building an electricity bill analyzer. If units are 100 or below, print Low Usage; if units are 300 or below, print Normal Usage; otherwise print High Usage. Take Customer Name and Units Consumed as input.

Hinglish

Electricity bill app me units ke basis par usage type batana hai. 100 ya kam ho to low, 300 ya kam ho to normal, warna high usage print karo.

Requirements

- Take Customer Name and Units Consumed.
- Use range-based conditions.
- Print the correct usage label.

Answer (Approach Only)

Use input() and int(). Solve the logic using if elif else with unit ranges.

Expected Output

```
Enter Customer Name : Geeta
Enter Units Consumed : 245
Normal Usage
```

Concept Used

- Variables
- Input
- Type Casting
- if elif else
- Comparison Operators

Difficulty

☆☆ Medium

Interview Tip

The interviewer is checking whether the candidate can create slab-based decisions without overlap.

Question 49

Scenario

English

You are creating a courier branch sorter. If the tracking code starts with MUM, print Send To Mumbai Hub; if it starts with DEL, print Send To Delhi Hub; otherwise print Send To Central Hub. Take Tracking Code as input.

Hinglish

Courier system me tracking code ke prefix se hub decide hota hai. MUM ho to Mumbai hub, DEL ho to Delhi hub, warna central hub bhejo.

Requirements

- Take Tracking Code as input.
- Check the starting letters of the code.
- Print the correct hub message.

Answer (Approach Only)

Use input() and startswith() with if elif else.

Expected Output

```
Enter Tracking Code : MUM98451
Send To Mumbai Hub
```

Concept Used

- Strings
- Input
- String Methods
- if elif else
- print()

Difficulty

☆☆ Medium

Interview Tip

This checks whether the candidate can classify input using different prefixes.

Question 50**Scenario****English**

You are developing a cafeteria billing helper. The food counter stores item prices in a dictionary: `tea: 20`, `coffee: 30`, `sandwich: 50`. Take Item Name as input. If the item exists, print its price; otherwise print `Item Not Available`.

Hinglish

Cafeteria me kuch item prices dictionary me stored hain. User item name dalega. Agar item mil gaya to uski price print karo, warna `Item Not Available` dikhana hai.

Requirements

- Create a dictionary with fixed item prices.
- Take Item Name as input.
- Check whether the item key exists and print the correct output.

Answer (Approach Only)

Create a dictionary. Use `input()` for item name, check the key using `in`, and print the dictionary value when available.

Expected Output

```
Enter Item Name : coffee
30
```

Concept Used

- Dictionaries
- Input
- Membership Operator
- if else
- `print()`

Difficulty

☆☆ Medium

Interview Tip

The interviewer is checking whether the candidate can use dictionary keys in a practical lookup problem.

Question 51

Scenario

English

You are building an Instagram username checker. If the username ends with `official`, print `Brand Style Username`; if it ends with digits like `123`, print `Numeric Ending Username`; otherwise print `Regular Username`. Take Username as input.

Hinglish

Instagram username ka ending dekhkar uska style identify karna hai. `official` par brand style, `123` par numeric ending, warna regular username.

Requirements

- Take Username as input.
- Check one ending for `official` and another for `123`.
- Print the correct category.

Answer (Approach Only)

Use `input()` and `endswith()` with `if elif else`.

Expected Output

```
Enter Username : foodieofficial
Brand Style Username
```

Concept Used

- Strings
- Input
- String Methods
- `if elif else`
- `print()`

Difficulty

☆☆ Medium

Interview Tip

This checks whether the candidate can branch based on different string suffixes.

Question 52

Scenario

English

You are working on an ATM withdrawal checker. If card type is `silver` and amount is above 10000, print

Limit Exceeded; if card type is gold and amount is above 25000, print Limit Exceeded; otherwise print Transaction Allowed. Take Card Type and Withdrawal Amount as input.

Hinglish

ATM me card type ke hisaab se withdrawal limit alag hai. silver ke liye 10000 aur gold ke liye 25000. Inputs lo aur decide karo transaction allow hoga ya nahi.

Requirements

- Take Card Type and Withdrawal Amount.
- Apply different amount limits for different card types.
- Print the transaction result.

Answer (Approach Only)

Use `input()` and `int()`. Solve the conditions using `if elif else` with `and`.

Expected Output

```
Enter Card Type : gold
Enter Withdrawal Amount : 18000
Transaction Allowed
```

Concept Used

- Variables
- Input
- Type Casting
- Logical Operators
- if elif else

Difficulty

☆☆ Medium

Interview Tip

The interviewer is checking whether the candidate can create separate business rules for different categories.

Question 53

Scenario

English

You are designing a college section sorter. If the last character of the roll number is 1, 2, or 3, print Section A; if it is 4, 5, or 6, print Section B; otherwise print Section C. Take Roll Number as input.

Hinglish

College me roll number ke last digit se section decide ho raha hai. Last digit 1, 2, 3 ho to Section A, 4, 5, 6 ho to Section B, warna Section C.

Requirements

- Take Roll Number as input.
- Use string slicing to get the last character.
- Print the assigned section.

Answer (Approach Only)

Use `input()` for roll number, get the last character using slicing, and check membership in groups with `if elif else`.

Expected Output

```
Enter Roll Number : CS2415
Section B
```

Concept Used

- Strings
- String Slicing
- Input
- Membership Operator
- if elif else

Difficulty

☆☆ Medium

Interview Tip

This checks whether the candidate can mix slicing with grouped condition checking.

Question 54

Scenario

English

You are building an HR lead tracker. If lead source is `referral`, print `Priority Follow-Up`; if it is `linkedin`, print `Professional Follow-Up`; otherwise print `Standard Follow-Up`. Take Candidate Name and Lead Source as input.

Hinglish

HR tracker me source ke hisaab se follow-up type decide hota hai. `referral` par `priority`, `linkedin` par `professional`, aur baaki sab par `standard follow-up`.

Requirements

- Take Candidate Name and Lead Source.
- Compare the source against multiple values.
- Print the correct follow-up label.

Answer (Approach Only)

Use `input()` and `lower()` if needed. Apply `if elif else` for the different source values.

Expected Output

```
Enter Candidate Name : Pratik
Enter Lead Source : referral
Priority Follow-Up
```

Concept Used

- Variables
- Input
- Strings
- if elif else
- String Methods

Difficulty

☆☆ Medium

Interview Tip

The interviewer wants to see whether the candidate can classify the same field into three operational outcomes.

Question 55

Scenario

English

You are creating a cab booking verifier. The company offers airport pickup only in `Terminal1` and `Terminal2`. Take Passenger Name and Pickup Point as input. If the pickup point is valid, print `Airport Cab Confirmed`; otherwise print `Pickup Point Not Supported`.

Hinglish

Cab company airport pickup sirf `Terminal1` aur `Terminal2` se karti hai. Pickup point lo aur check karo ki supported hai ya nahi.

Requirements

- Take Passenger Name and Pickup Point.
- Store valid pickup points in a list or tuple.
- Use membership checking and print the result.

Answer (Approach Only)

Create a collection of valid terminals. Use `input()` and `in` inside `if else`.

Expected Output

```
Enter Passenger Name : Ayaan
Enter Pickup Point : Terminal2
Airport Cab Confirmed
```

Concept Used

- Lists
- Input
- Membership Operator
- if else
- print()

Difficulty

☆☆ Medium

Interview Tip

This checks whether the candidate can solve location validation using a collection.

Question 56

Scenario

English

You are developing a medicine strip checker. If the batch code ends with EXP, print `Expiry Review Needed`; if it ends with OK, print `Ready For Sale`; otherwise print `Manual Inspection Required`. Take Batch Code as input.

Hinglish

Medicine strip par batch code ka ending dekhkar status decide karna hai. EXP ho to expiry review, OK ho to ready for sale, warna manual inspection.

Requirements

- Take Batch Code as input.
- Check different suffixes using string methods.
- Print the correct stock status.

Answer (Approach Only)

Use `input()` and `endswith()` with `if elif else`.

Expected Output

```
Enter Batch Code : M47OK
Ready For Sale
```

Concept Used

- Strings
- Input
- String Methods
- if elif else
- print()

Difficulty

☆☆ Medium

Interview Tip

The interviewer is checking whether the candidate can convert coded suffixes into business actions.

Question 57

Scenario

English

You are building a customer support escalation panel. If plan is premium and issue status is open, print Assign Senior Agent; if plan is basic and issue status is open, print Assign Standard Agent; otherwise print No Escalation Needed. Take Customer Name, Plan, and Issue Status as input.

Hinglish

Support panel me customer plan aur issue status ke hisaab se agent assign hoga. Premium plus open issue par senior agent, basic plus open issue par standard agent, warna escalation nahi.

Requirements

- Take Customer Name, Plan, and Issue Status.
- Check plan and status in multiple branches.
- Print the support action.

Answer (Approach Only)

Use string inputs and solve the branches with if elif else, using and where required.

Expected Output

```
Enter Customer Name : Keshav
Enter Plan : premium
Enter Issue Status : open
Assign Senior Agent
```

Concept Used

- Variables
- Input
- Strings

- Logical Operators
- if elif else

Difficulty

☆☆ Medium

Interview Tip

This checks whether the candidate can combine plan category and ticket state in the same decision block.

Question 58

Scenario

English

You are creating a movie offer screen. If show day is `monday` and seat type is `silver`, print `Flat 50 Discount`; if seat type is `gold`, print `Complimentary Popcorn`; otherwise print `Regular Pricing`. Take Viewer Name, Show Day, and Seat Type as input.

Hinglish

Movie offer me Monday ke silver seats par discount hai. Gold seat par popcorn milta hai. Baaki sab cases me regular pricing rahegi.

Requirements

- Take Viewer Name, Show Day, and Seat Type.
- Check one combined condition and one separate seat rule.
- Print the correct offer.

Answer (Approach Only)

Use string inputs and solve using `if elif else`. Combine day and seat type with `and` for the first branch.

Expected Output

```
Enter Viewer Name : Tia
Enter Show Day : monday
Enter Seat Type : silver
Flat 50 Discount
```

Concept Used

- Variables
- Input
- Strings
- Logical Operators
- if elif else

Difficulty

☆☆ Medium

Interview Tip

The interviewer wants to see whether the candidate understands branch priority when one rule is more specific than another.

Question 59

Scenario

English

You are working on a payroll city allowance checker. If city category is metro and salary is below 30000, print Allowance Eligible; if city category is metro and salary is 30000 or above, print Allowance Not Needed; otherwise print Non-Metro Policy Applies. Take Employee Name, City Category, and Salary as input.

Hinglish

Payroll system me metro city employees ke liye alag allowance rule hai. Metro plus low salary par allowance do, metro plus higher salary par no need, aur non-metro par alag policy apply karo.

Requirements

- Take Employee Name, City Category, and Salary.
- Use city category and salary in multiple branches.
- Print the payroll message.

Answer (Approach Only)

Use input() and int(). Apply if elif else with and for the first two branches.

Expected Output

```
Enter Employee Name : Farah
Enter City Category : metro
Enter Salary : 25000
Allowance Eligible
```

Concept Used

- Variables
- Input
- Type Casting
- Logical Operators
- if elif else

Difficulty

☆☆ Medium

Interview Tip

This checks whether the candidate can create multiple outcomes under the same category.

Question 60

Scenario

English

You are designing a library rack finder. The library stores rack mapping in a dictionary: python: A1, dbms: B2, networking: C3. Take Subject Name as input. If the subject exists, print the rack code; otherwise print Subject Rack Not Found.

Hinglish

Library me har subject ka rack code dictionary me diya gaya hai. Subject name input lo. Agar subject mil jaye to uska rack code print karo, warna not found message dikhao.

Requirements

- Create a subject-to-rack dictionary.
- Take Subject Name as input.
- Check whether the subject key exists and print the correct output.

Answer (Approach Only)

Use a dictionary, take input, check the key using `in`, and print the value if present.

Expected Output

```
Enter Subject Name : python
A1
```

Concept Used

- Dictionaries
- Input
- Membership Operator
- if else
- print()

Difficulty

☆☆ Medium

Interview Tip

This checks whether the candidate can use dictionaries for category mapping without extra logic.

Chapter 4

Medium to Hard (Question 61–80)

Question 61

Scenario

English

You are building a secure locker word checker. The company accepts a safety word only if the word reads the same from both sides. Take Secret Word as input. If it matches in reverse, print `Symmetric Code Accepted`; otherwise print `Symmetric Code Rejected`.

Hinglish

Locker system me safety word tab valid maana jayega jab word ulta karne par bhi same aaye. Secret word lo aur slicing se reverse compare karke result print karo.

Requirements

- Take Secret Word as input.
- Reverse it using string slicing.
- Compare original and reversed word.

Answer (Approach Only)

Use `input()`, reverse the string using slicing, and compare both values with `if else`.

Expected Output

```
Enter Secret Word : level
Symmetric Code Accepted
```

Concept Used

- Strings
- String Slicing
- Input
- if else
- Comparison Operators

Difficulty

★★★★ Hard

Interview Tip

This checks whether the candidate understands reverse slicing and direct comparison.

Question 62

Scenario

English

You are creating a passport name checker. If the entered name is fully uppercase, print `Passport Format Ready`; if it is fully lowercase, print `Convert To Uppercase`; otherwise print `Mixed Case Review Needed`. Take `Passenger Name` as input.

Hinglish

Passport form me name ka format important hai. Agar pura uppercase hai to ready, pura lowercase hai to uppercase me convert karne ko bolo, warna mixed case review chahiye.

Requirements

- Take `Passenger Name` as input.
- Use string methods to check uppercase and lowercase states.
- Print the correct format message.

Answer (Approach Only)

Use `input()` and string methods like `isupper()` and `islower()` with `if elif else`.

Expected Output

```
Enter Passenger Name : ROHIT YADAV
Passport Format Ready
```

Concept Used

- Strings
- Input
- String Methods
- `if elif else`
- `print()`

Difficulty

★★★★ Hard

Interview Tip

The interviewer is checking whether the candidate can use multiple string state checks in sequence.

Question 63

Scenario

English

You are developing a training completion checker. If theory marks are 50 or above and practical status is completed, print `Course Cleared`; if theory marks are 50 or above but practical status is not completed, print

Pending Practical; otherwise print `Course Not Cleared`. Take Student Name, Theory Marks, and Practical Status as input.

Hinglish

Training course me pass hone ke liye theory marks 50+ hone chahiye aur practical bhi complete hona chahiye. Theory pass ho lekin practical pending ho to alag message dena hai.

Requirements

- Take Student Name, Theory Marks, and Practical Status.
- Use both marks and status in multiple branches.
- Print the correct course result.

Answer (Approach Only)

Use `int()` for marks and `if elif else` with `and` for the first branch.

Expected Output

```
Enter Student Name : Nupur
Enter Theory Marks : 68
Enter Practical Status : completed
Course Cleared
```

Concept Used

- Variables
- Input
- Type Casting
- Logical Operators
- `if elif else`

Difficulty

☆☆☆ Hard

Interview Tip

This checks whether the candidate can create a partial-success branch between pass and fail states.

Question 64

Scenario

English

You are working on a visa document desk. If passport status is `valid` and visa status is `approved`, print `Travel Cleared`; if passport status is `valid` and visa status is `pending`, print `Wait For Visa Approval`; otherwise print `Travel Not Cleared`. Take Applicant Name, Passport Status, and Visa Status as input.

Hinglish

Visa desk me passport aur visa dono important hain. Passport valid aur visa approved ho to travel clear. Passport

valid ho lekin visa pending ho to wait. Baaki sab cases me not cleared.

Requirements

- Take Applicant Name, Passport Status, and Visa Status.
- Use multiple combined conditions.
- Print the correct travel result.

Answer (Approach Only)

Use string inputs and solve with `if elif else`, combining conditions with `and`.

Expected Output

```
Enter Applicant Name : Asha
Enter Passport Status : valid
Enter Visa Status : approved
Travel Cleared
```

Concept Used

- Variables
- Input
- Strings
- Logical Operators
- `if elif else`

Difficulty

★★★★ Hard

Interview Tip

The interviewer is checking whether the candidate can separate approved, pending, and rejected paths clearly.

Question 65

Scenario

English

You are building a shopping free-delivery checker. Free delivery is given only if the order amount is 799 or above and the city is in Mumbai, Pune, or Thane. Take Customer Name, Order Amount, and City as input. Print `Free Delivery Applied` or `Delivery Charge Added`.

Hinglish

Shopping app me free delivery tabhi milegi jab amount 799+ ho aur city selected service cities me ho. Inputs leke dono conditions verify karo.

Requirements

- Take Customer Name, Order Amount, and City.

- Store service cities in a collection.
- Use amount check and membership check together.

Answer (Approach Only)

Use `int()` for amount, keep cities in a list or set, and apply and with `in` inside `if else`.

Expected Output

```
Enter Customer Name : Mahi
Enter Order Amount : 950
Enter City : Thane
Free Delivery Applied
```

Concept Used

- Variables
- Input
- Sets
- Logical Operators
- `if else`

Difficulty

★★★★ Hard

Interview Tip

This checks whether the candidate can combine numeric threshold and service-area validation in one condition.

Question 66

Scenario

English

You are creating a recharge plan recognizer. If the last two characters of the plan code are 30, print 30-Day Plan; if they are 84, print 84-Day Plan; otherwise print Custom Plan. Take Plan Code as input.

Hinglish

Recharge company plan code ke last do characters se validity identify karti hai. Last 30 ho to 30-day plan, 84 ho to 84-day plan, warna custom plan bolo.

Requirements

- Take Plan Code as input.
- Use string slicing to extract the last two characters.
- Print the correct plan category.

Answer (Approach Only)

Use `input()`, take the last two characters using slicing, and use `if elif else`.

Expected Output

```
Enter Plan Code : RC84
84-Day Plan
```

Concept Used

- Strings
- String Slicing
- Input
- if elif else
- Comparison Operators

Difficulty

★★★★ Hard

Interview Tip

This checks whether the candidate can classify encoded input by slicing a suffix.

Question 67

Scenario

English

You are designing a cricket squad selector. If role is batsman and average is 45 or above, print Top Order Candidate; if role is bowler and wickets are 50 or above, print Strike Bowler Candidate; otherwise print Bench Strength. Take Player Name, Role, and one performance value as input according to the role.

Hinglish

Cricket squad me player ka role aur uska performance dekhkar category decide karni hai. Batsman ka average 45+ ho to top order, bowler ke wickets 50+ ho to strike bowler, warna bench strength.

Requirements

- Take Player Name, Role, and Performance Value.
- Compare different numeric rules based on role.
- Print the correct selection label.

Answer (Approach Only)

Use input() and int() for performance value. Apply if elif else with and for role-based checks.

Expected Output

```
Enter Player Name : Kunal
Enter Role : batsman
Enter Performance Value : 52
Top Order Candidate
```

Concept Used

- Variables
- Input
- Type Casting
- Logical Operators
- if elif else

Difficulty

★★★★ Hard

Interview Tip

The interviewer wants to see whether the candidate can apply different meaning to the same numeric input based on category.

Question 68

Scenario

English

You are working on a hospital triage helper. If temperature is 103 or above, print `High Fever Priority`; if temperature is 100 or above, print `Doctor Review`; otherwise print `General Queue`. Take Patient Name and Temperature as input.

Hinglish

Hospital triage me temperature ke hisaab se urgency decide karni hai. 103+ par high priority, 100+ par doctor review, warna general queue.

Requirements

- Take Patient Name and Temperature.
- Use descending temperature checks.
- Print the triage result.

Answer (Approach Only)

Use `float()` for temperature and solve using `if elif else` from highest severity to lowest.

Expected Output

```
Enter Patient Name : Leena
Enter Temperature : 101.5
Doctor Review
```

Concept Used

- Variables
- Input

- Type Casting
- if elif else
- Comparison Operators

Difficulty

★★★★ Hard

Interview Tip

This checks whether the candidate can order medical severity conditions correctly.

Question 69

Scenario

English

You are building a salary credit checker. If bank name is SBI and account status is active, print Salary Transfer Today; if account status is inactive, print Update Account Status; otherwise print Third Party Transfer Route. Take Employee Name, Bank Name, and Account Status as input.

Hinglish

Salary credit system me bank aur account status ke hisaab se route decide hota hai. SBI plus active par today transfer, inactive par update status, warna third-party route.

Requirements

- Take Employee Name, Bank Name, and Account Status.
- Use one special combined condition and one status-based branch.
- Print the correct salary route.

Answer (Approach Only)

Use string input values and solve with if elif else. Combine bank name and account status using and in the first branch.

Expected Output

```
Enter Employee Name : Chetan
Enter Bank Name : SBI
Enter Account Status : active
Salary Transfer Today
```

Concept Used

- Variables
- Input
- Strings
- Logical Operators
- if elif else

Difficulty

★★★★ Hard

Interview Tip

This checks whether the candidate can mix a specific success case with a more general failure case.

Question 70**Scenario****English**

You are creating a product authenticity checker. If the first three characters of the serial code are `ORG` and the last two characters are `IN`, print `Domestic Original Product`; if only the first three characters are `ORG`, print `Original Imported Product`; otherwise print `Verification Failed`. Take `Serial Code` as input.

Hinglish

Product serial code me prefix aur suffix dono ka meaning hai. `ORG` se start aur `IN` se end ho to domestic original. Sirf `ORG` ho to imported original. Baaki sab invalid.

Requirements

- Take `Serial Code` as input.
- Use slicing or string methods for prefix and suffix checks.
- Print the correct authenticity result.

Answer (Approach Only)

Use `input()`, get the needed parts using slicing or use `startswith()` and `endswith()`, then solve with `if elif else`.

Expected Output

```
Enter Serial Code : ORG52IN
Domestic Original Product
```

Concept Used

- Strings
- String Slicing
- String Methods
- if elif else
- Logical Operators

Difficulty

★★★★ Hard

Interview Tip

The interviewer is checking whether the candidate can validate two parts of the same string together.

Question 71

Scenario

English

You are developing a news app feed selector. The app stores available feeds in a dictionary: `tech: Technology Feed`, `sports: Sports Feed`, `finance: Finance Feed`. Take Preferred Feed as input. If the category exists, print the mapped feed name; otherwise print `Feed Not Available`.

Hinglish

News app me feed categories dictionary me stored hain. User category input karega. Agar category available hai to uska feed name print karo, warna not available dikhao.

Requirements

- Create a dictionary of feed mappings.
- Take Preferred Feed as input.
- Check the key and print the corresponding value.

Answer (Approach Only)

Use a dictionary, take input, check the key using `in`, and print the stored value when the key exists.

Expected Output

```
Enter Preferred Feed : tech
Technology Feed
```

Concept Used

- Dictionaries
- Input
- Membership Operator
- if else
- `print()`

Difficulty

★★★★ Hard

Interview Tip

This checks whether the candidate can solve label mapping questions using dictionaries cleanly.

Question 72

Scenario

English

You are working on a warehouse zone checker. If zone code starts with `C` and item type is `cold`, print `Store In`

Cooling Chamber; if zone code starts with D and item type is dry, print Store In Dry Chamber; otherwise print Send For Supervisor Review. Take Zone Code and Item Type as input.

Hinglish

Warehouse me zone code aur item type dono dekhne hote hain. C zone aur cold item ho to cooling chamber, D zone aur dry item ho to dry chamber, warna supervisor review.

Requirements

- Take Zone Code and Item Type.
- Use prefix checks and item type checks together.
- Print the storage instruction.

Answer (Approach Only)

Use `input()` and `startswith()` with `if elif else`. Combine the checks using `and`.

Expected Output

```
Enter Zone Code : C18
Enter Item Type : cold
Store In Cooling Chamber
```

Concept Used

- Strings
- Input
- String Methods
- Logical Operators
- if elif else

Difficulty

★★★★ Hard

Interview Tip

The interviewer wants to see whether the candidate can combine pattern-based and category-based checks.

Question 73

Scenario

English

You are building a semester result checker. If internal marks are 20 or above and external marks are 40 or above, print Subject Passed; if internal marks are below 20, print Internal Failed; otherwise print External Failed. Take Student Name, Internal Marks, and External Marks as input.

Hinglish

Semester result me internal aur external dono alag conditions hain. Internal 20+ aur external 40+ hon to pass. Internal kam ho to internal fail, warna external fail.

Requirements

- Take Student Name, Internal Marks, and External Marks.
- Use both mark rules in multiple branches.
- Print the correct subject result.

Answer (Approach Only)

Use `int()` for both marks and solve using `if elif else`, with `and` for the pass branch.

Expected Output

```
Enter Student Name : Rohan
Enter Internal Marks : 24
Enter External Marks : 46
Subject Passed
```

Concept Used

- Variables
- Input
- Type Casting
- Logical Operators
- `if elif else`

Difficulty

★★★★ Hard

Interview Tip

This checks whether the candidate can separate two different failure reasons after checking the success rule.

Question 74

Scenario

English

You are creating an office device allocation screen. If employee role is `developer` and grade is `A`, print `Laptop Plus Monitor`; if role is `developer` and grade is `B`, print `Laptop Only`; otherwise print `Standard Device Kit`. Take Employee Name, Role, and Grade as input.

Hinglish

Office device allocation role aur grade par depend karta hai. Developer with grade A ko laptop plus monitor, developer with grade B ko laptop only, aur baaki ko standard device kit.

Requirements

- Take Employee Name, Role, and Grade.
- Use role and grade in multiple branches.

- Print the correct device allocation.

Answer (Approach Only)

Use string inputs and solve using `if elif else` with `and` for the first two branches.

Expected Output

```
Enter Employee Name : Diksha
Enter Role : developer
Enter Grade : A
Laptop Plus Monitor
```

Concept Used

- Variables
- Input
- Strings
- Logical Operators
- `if elif else`

Difficulty

★★★★ Hard

Interview Tip

This checks whether the candidate can create different outputs under the same main category.

Question 75

Scenario

English

You are designing a scholarship tier checker. If percentage is 90 or above and family income status is `low`, print `Full Scholarship`; if percentage is 75 or above and family income status is `low`, print `Half Scholarship`; otherwise print `No Scholarship`. Take Student Name, Percentage, and Family Income Status as input.

Hinglish

Scholarship tier me marks aur income dono dekhne hain. 90+ aur low income par full scholarship, 75+ aur low income par half scholarship, warna no scholarship.

Requirements

- Take Student Name, Percentage, and Family Income Status.
- Check multiple combined conditions.
- Print the scholarship tier.

Answer (Approach Only)

Use `int()` for percentage and apply `if elif else`, combining percentage and income status with `and`.

Expected Output

```
Enter Student Name : Ritu
Enter Percentage : 91
Enter Family Income Status : low
Full Scholarship
```

Concept Used

- Variables
- Input
- Type Casting
- Logical Operators
- if elif else

Difficulty

★★★★ Hard

Interview Tip

The interviewer is checking whether the candidate can write related branches with descending eligibility levels.

Question 76

Scenario

English

You are building a message moderation helper. If the message contains the word `urgent`, print `Priority Inbox`; if it contains the word `meeting`, print `Work Inbox`; otherwise print `General Inbox`. Take `Message Text` as input.

Hinglish

Message moderation me text ke andar kuch keywords dhundhkar inbox type decide karna hai. `urgent` ho to priority, `meeting` ho to work, warna general inbox.

Requirements

- Take `Message Text` as input.
- Use membership checking on the string.
- Print the correct inbox category.

Answer (Approach Only)

Use `input()` for the message and check keywords using `in` inside `if elif else`.

Expected Output

```
Enter Message Text : urgent client update
Priority Inbox
```

Concept Used

- Strings
- Input
- Membership Operator
- if elif else
- print()

Difficulty

★★★★ Hard

Interview Tip

This checks whether the candidate knows that `in` can be used with strings, not only with lists or sets.

Question 77

Scenario

English

You are developing an airport boarding helper. If ticket code starts with `I` and seat class is `business`, print `Use Premium Boarding Gate`; if ticket code starts with `D`, print `Use Domestic Gate`; otherwise print `Use Standard International Gate`. Take `Ticket Code` and `Seat Class` as input.

Hinglish

Airport boarding me ticket prefix aur seat class dono important hain. `I` plus `business` par `premium gate`, `D` prefix par `domestic gate`, warna `standard international gate`.

Requirements

- Take `Ticket Code` and `Seat Class`.
- Use one combined prefix-and-class rule and other fallback rules.
- Print the boarding instruction.

Answer (Approach Only)

Use `input()` and `startswith()` inside `if elif else`. Combine the first branch using `and`.

Expected Output

```
Enter Ticket Code : I7289
Enter Seat Class : business
Use Premium Boarding Gate
```

Concept Used

- Strings
- Input
- String Methods

- Logical Operators
- if elif else

Difficulty

★★★★ Hard

Interview Tip

This checks whether the candidate can prioritize a specific VIP case before general routing.

Question 78

Scenario

English

You are working on a fashion app offer checker. If coupon code is `STYLE30` and membership level is `gold`, print `30 Percent Discount`; if coupon code is `STYLE10`, print `10 Percent Discount`; otherwise print `No Offer Applied`. Take Customer Name, Coupon Code, and Membership Level as input.

Hinglish

Fashion app me ek premium coupon sirf gold members ke liye hai. `STYLE30` plus gold par 30 percent discount, `STYLE10` par 10 percent, warna no offer.

Requirements

- Take Customer Name, Coupon Code, and Membership Level.
- Check one combined premium offer and one basic offer.
- Print the correct discount result.

Answer (Approach Only)

Use string inputs and solve with `if elif else`, combining coupon and membership in the first branch.

Expected Output

```
Enter Customer Name : Sana
Enter Coupon Code : STYLE30
Enter Membership Level : gold
30 Percent Discount
```

Concept Used

- Variables
- Input
- Strings
- Logical Operators
- if elif else

Difficulty

★★★★ Hard

Interview Tip

The interviewer wants to see whether the candidate can model premium and standard offer rules together.

Question 79

Scenario

English

You are creating a course enrollment checker. A student can join the advanced course only if `python basics` is present in completed courses and account status is `active`. Take Student Name, Completed Courses, and Account Status as input. Print Enrollment Approved or Complete Prerequisite First.

Hinglish

Advanced course join karne ke liye `python basics` completed courses me hona chahiye aur account status `active` hona chahiye. Dono check karke enrollment decision print karo.

Requirements

- Take Student Name, Completed Courses, and Account Status.
- Check whether `python basics` is present in the entered course text.
- Print the enrollment result.

Answer (Approach Only)

Use `input()` for completed courses as a text value, then use `in` to search for `python basics`. Combine it with account status using `and` inside `if else`.

Expected Output

```
Enter Student Name : Om
Enter Completed Courses : html, css, python basics
Enter Account Status : active
Enrollment Approved
```

Concept Used

- Strings
- Input
- Membership Operator
- Logical Operators
- `if else`

Difficulty

★★★★ Hard

Interview Tip

This checks whether the candidate can search text content and combine it with another eligibility condition.

Question 80

Scenario

English

You are building a premium support checker. If plan type is enterprise and ticket priority is high, print Immediate Callback; if plan type is pro and ticket priority is high, print Callback Within 2 Hours; otherwise print Standard Queue. Take Client Name, Plan Type, and Ticket Priority as input.

Hinglish

Support system me plan type ke hisaab se high priority tickets ka response alag hai. Enterprise plus high par immediate callback, pro plus high par 2-hour callback, warna standard queue.

Requirements

- Take Client Name, Plan Type, and Ticket Priority.
- Use multiple combined conditions.
- Print the correct support response.

Answer (Approach Only)

Use string inputs and solve with `if elif else`, using `and` for the first two branches.

Expected Output

```
Enter Client Name : NovaTech
Enter Plan Type : pro
Enter Ticket Priority : high
Callback Within 2 Hours
```

Concept Used

- Variables
- Input
- Strings
- Logical Operators
- if elif else

Difficulty

★★★★ Hard

Interview Tip

This checks whether the candidate can apply different service-level rules for different plans.

Chapter 5

Placement Level (Question 81–100)

Question 81

Scenario

English

You are building a bank fraud alert helper. If transaction amount is 50000 or above and location status is mismatch, print `Freeze Transaction`; if transaction amount is 20000 or above and OTP status is failed, print `Temporary Hold`; otherwise print `Transaction Looks Safe`. Take Customer Name, Transaction Amount, Location Status, and OTP Status as input.

Hinglish

Bank fraud checker me amount aur security signals dekhne hain. High amount plus location mismatch par freeze, medium-high amount plus failed OTP par temporary hold, warna safe transaction.

Requirements

- Take Customer Name, Transaction Amount, Location Status, and OTP Status.
- Use multiple combined security conditions.
- Print the fraud control action.

Answer (Approach Only)

Use `int()` for amount and apply `if elif else`, combining the conditions using `and`.

Expected Output

```
Enter Customer Name : Akash
Enter Transaction Amount : 62000
Enter Location Status : mismatch
Enter OTP Status : success
Freeze Transaction
```

Concept Used

- Variables
- Input
- Type Casting
- Logical Operators
- `if elif else`

Difficulty

★★★★★ Placement

Interview Tip

This checks whether the candidate can prioritize the most serious fraud rule before a secondary rule.

Question 82

Scenario

English

You are creating a campus placement shortlist checker. If primary skill is python, CGPA is 7.5 or above, and backlog status is no, print Shortlisted For Technical Round; if backlog status is yes, print Shortlisted On Hold; otherwise print Not Shortlisted. Take Candidate Name, Primary Skill, CGPA, and Backlog Status as input.

Hinglish

Campus placement shortlist me skill, CGPA, aur backlog teenon important hain. Python + 7.5+ + no backlog par direct shortlist. Backlog yes ho to hold. Baaki cases me reject.

Requirements

- Take Candidate Name, Primary Skill, CGPA, and Backlog Status.
- Use a three-condition success rule and a separate hold rule.
- Print the correct shortlist status.

Answer (Approach Only)

Use `input()` and `float()` for CGPA. Solve with `if elif else`, using `and` for the first branch.

Expected Output

```
Enter Candidate Name : Mehul
Enter Primary Skill : python
Enter CGPA : 8.2
Enter Backlog Status : no
Shortlisted For Technical Round
```

Concept Used

- Variables
- Input
- Type Casting
- Logical Operators
- if elif else

Difficulty

★★★★★ Placement

Interview Tip

The interviewer wants to see whether the candidate can handle a multi-condition shortlist case and still keep the code readable.

Question 83

Scenario

English

You are developing an insurance pricing category screen. If age is 60 or above and smoker status is yes, print Very High Premium; if age is 60 or above or smoker status is yes, print High Premium; otherwise print Standard Premium. Take Applicant Name, Age, and Smoker Status as input.

Hinglish

Insurance premium age aur smoker status dono par depend karta hai. 60+ aur smoker yes ho to very high premium. Inme se koi ek bhi risky ho to high premium, warna standard premium.

Requirements

- Take Applicant Name, Age, and Smoker Status.
- Use and in one branch and or in another branch.
- Print the premium category.

Answer (Approach Only)

Use `int()` for age and solve using `if elif else`. Keep the strict and condition before the broader or condition.

Expected Output

```
Enter Applicant Name : Dinesh
Enter Age : 64
Enter Smoker Status : yes
Very High Premium
```

Concept Used

- Variables
- Input
- Type Casting
- Logical Operators
- if elif else

Difficulty

★★★★★ Placement

Interview Tip

This checks whether the candidate understands how specific conditions should come before broader ones.

Question 84

Scenario

English

You are working on a hospital bed allocation screen. If ward preference is `icu` and oxygen status is `needed`, print `Reserve Critical Bed`; if ward preference is `general` and oxygen status is `not needed`, print `Reserve General Bed`; otherwise print `Doctor Approval Required`. Take Patient Name, Ward Preference, and Oxygen Status as input.

Hinglish

Hospital bed allocation me ward preference aur oxygen requirement dekhkar bed decide karna hai. ICU plus oxygen needed par critical bed reserve, general plus no oxygen par general bed, warna doctor approval.

Requirements

- Take Patient Name, Ward Preference, and Oxygen Status.
- Use multiple combined checks.
- Print the bed allocation message.

Answer (Approach Only)

Use string inputs and apply `if elif else`, combining values using `and`.

Expected Output

```
Enter Patient Name : Mohan
Enter Ward Preference : icu
Enter Oxygen Status : needed
Reserve Critical Bed
```

Concept Used

- Variables
- Input
- Strings
- Logical Operators
- `if elif else`

Difficulty

★★★★★ Placement

Interview Tip

This checks whether the candidate can translate a real operational decision tree into conditional branches.

Question 85

Scenario

English

You are building an e-commerce return decision screen. If return days are 3 or below and item condition is sealed, print Instant Refund; if return days are 7 or below and item condition is opened, print Exchange Only; otherwise print Manual Verification. Take Product Name, Return Days, and Item Condition as input.

Hinglish

Return decision me din aur item condition dono matter karte hain. 3 din ke andar sealed item par instant refund, 7 din ke andar opened item par exchange, warna manual verification.

Requirements

- Take Product Name, Return Days, and Item Condition.
- Use multiple combined conditions with different outputs.
- Print the return action.

Answer (Approach Only)

Use `int()` for return days and solve using `if elif else` with `and`.

Expected Output

```
Enter Product Name : Smartwatch
Enter Return Days : 2
Enter Item Condition : sealed
Instant Refund
```

Concept Used

- Variables
- Input
- Type Casting
- Logical Operators
- if elif else

Difficulty

☆☆☆☆ Placement

Interview Tip

The interviewer is checking whether the candidate can encode different business outcomes for different return states.

Question 86

Scenario

English

You are creating an airport immigration pre-check. If passport country is in India, Nepal, Bhutan and visa status is not required, print Move To Fast Counter; if visa status is approved, print Move To Standard Counter; otherwise print Send To Document Review. Take Passenger Name, Passport Country, and Visa Status as input.

Hinglish

Immigration counter par kuch countries ke passengers visa-free fast counter use kar sakte hain. Agar country allowed group me ho aur visa not required ho to fast counter. Visa approved ho to standard. Baaki sab document review.

Requirements

- Take Passenger Name, Passport Country, and Visa Status.
- Store selected countries in a collection.
- Use membership and status conditions together.

Answer (Approach Only)

Create a list or set of allowed countries. Use `input()` and solve with `if elif else`, combining `in` and string comparison.

Expected Output

```
Enter Passenger Name : Nima
Enter Passport Country : Nepal
Enter Visa Status : not required
Move To Fast Counter
```

Concept Used

- Sets
- Input
- Membership Operator
- Logical Operators
- `if elif else`

Difficulty

★★★★★ Placement

Interview Tip

This checks whether the candidate can combine a whitelist rule with a status-based routing system.

Question 87

Scenario

English

You are developing an OTT parental lock screen. If age is below 13 and content rating is U, print Content Allowed; if age is below 13 and content rating is not U, print Parental Lock; otherwise print Content Allowed. Take Viewer Name, Age, and Content Rating as input.

Hinglish

Parental lock me small-age viewers ke liye content rating check karna hai. 13 se kam age aur U rating par allow. 13 se kam age aur doosri rating par lock. 13+ viewers ke liye allow.

Requirements

- Take Viewer Name, Age, and Content Rating.
- Use age check in more than one branch.
- Print the correct content decision.

Answer (Approach Only)

Use `int()` for age and solve with `if elif else`, combining age and rating conditions.

Expected Output

```
Enter Viewer Name : Pari
Enter Age : 11
Enter Content Rating : U
Content Allowed
```

Concept Used

- Variables
- Input
- Type Casting
- Logical Operators
- if elif else

Difficulty

☆☆☆☆ Placement

Interview Tip

This checks whether the candidate can design child-access logic without creating unnecessary branches.

Question 88

Scenario

English

You are building a warehouse freshness alert. If item category is dairy and storage label ends with COLD, print Correct Storage; if item category is dairy and storage label does not end with COLD, print Spoilage Risk; otherwise print Normal Storage Check. Take Item Name, Item Category, and Storage Label as input.

Hinglish

Warehouse me dairy items ke liye cold storage label zaroori hai. Dairy item aur COLD ending ho to correct storage. Dairy item ho par COLD ending na ho to spoilage risk. Baaki normal check.

Requirements

- Take Item Name, Item Category, and Storage Label.
- Use item category with a suffix check.
- Print the correct storage message.

Answer (Approach Only)

Use `input()` and `endswith()`. Solve the logic using `if elif else`, combining conditions where required.

Expected Output

```
Enter Item Name : Milk Pack
Enter Item Category : dairy
Enter Storage Label : RACK-COLD
Correct Storage
```

Concept Used

- Strings
- Input
- String Methods
- Logical Operators
- if elif else

Difficulty

☆☆☆☆ Placement

Interview Tip

The interviewer wants to see whether the candidate can mix product category rules with format-based storage checks.

Question 89

Scenario

English

You are creating an employee appraisal band checker. If rating is 5 and attendance status is excellent, print Star Performer; if rating is 4 and attendance status is excellent, print Strong Performer; otherwise print Regular Performer. Take Employee Name, Rating, and Attendance Status as input.

Hinglish

Appraisal band me rating aur attendance dono important hain. Rating 5 plus excellent attendance par star performer, rating 4 plus excellent par strong performer, warna regular performer.

Requirements

- Take Employee Name, Rating, and Attendance Status.
- Use different combined conditions for the top two bands.
- Print the correct appraisal band.

Answer (Approach Only)

Use `int()` for rating and solve using `if elif else` with `and`.

Expected Output

```
Enter Employee Name : Rakesh
Enter Rating : 4
Enter Attendance Status : excellent
Strong Performer
```

Concept Used

- Variables
- Input
- Type Casting
- Logical Operators
- if elif else

Difficulty

☆☆☆☆ Placement

Interview Tip

This checks whether the candidate can create tiered performance categories with clean branch ordering.

Question 90

Scenario

English

You are working on a library fine category screen. If late days are 0, print `No Fine`; if late days are between 1 and 5, print `Minor Fine`; if late days are between 6 and 15, print `Moderate Fine`; otherwise print `Heavy Fine`. Take Student Name and Late Days as input.

Hinglish

Library fine system me delay days ke hisaab se fine level decide hota hai. 0 par no fine, 1 se 5 par minor, 6 se 15 par moderate, aur usse zyada par heavy fine.

Requirements

- Take Student Name and Late Days.
- Use multiple numeric ranges.
- Print the fine category.

Answer (Approach Only)

Use `int()` for late days and solve with `if elif else` using ordered range checks.

Expected Output

```
Enter Student Name : Aarti
Enter Late Days : 8
Moderate Fine
```

Concept Used

- Variables
- Input
- Type Casting
- if elif else
- Comparison Operators

Difficulty

☆☆☆☆ Placement

Interview Tip

This checks whether the candidate can manage several ordered numeric ranges without logical gaps.

Question 91

Scenario

English

You are designing a hotel loyalty upgrade checker. If loyalty level is `platinum` and room status is `available`, print `Upgrade To Suite`; if loyalty level is `gold` and room status is `available`, print `Upgrade To Deluxe`; otherwise print `Continue Current Booking`. Take Guest Name, Loyalty Level, and Room Status as input.

Hinglish

Hotel loyalty program me room upgrade level par depend karta hai. Platinum plus room available ho to suite, gold plus available ho to deluxe, warna current booking continue.

Requirements

- Take Guest Name, Loyalty Level, and Room Status.
- Use multiple combined conditions.
- Print the right upgrade decision.

Answer (Approach Only)

Use string inputs and solve with `if elif else`, using `and` in the first two branches.

Expected Output

```
Enter Guest Name : Viren
Enter Loyalty Level : platinum
Enter Room Status : available
Upgrade To Suite
```

Concept Used

- Variables
- Input
- Strings
- Logical Operators
- `if elif else`

Difficulty

☆☆☆☆ Placement

Interview Tip

The interviewer is checking whether the candidate can convert a loyalty policy into precise branching logic.

Question 92

Scenario

English

You are building a telecom complaint priority screen. If plan level is vip and issue type is network down, print Emergency Resolution; if issue type is sim inactive, print Same Day Resolution; otherwise print Standard TAT. Take Customer Name, Plan Level, and Issue Type as input.

Hinglish

Telecom complaint system me VIP network-down cases sabse urgent hote hain. SIM inactive par same-day resolution, aur baaki cases me standard TAT show karo.

Requirements

- Take Customer Name, Plan Level, and Issue Type.
- Check a premium special case and a general issue-type case.
- Print the support priority.

Answer (Approach Only)

Use string inputs and solve using if elif else. Combine plan and issue type with and in the first branch.

Expected Output

```
Enter Customer Name : Naren
Enter Plan Level : vip
Enter Issue Type : network down
Emergency Resolution
```

Concept Used

- Variables
- Input
- Strings
- Logical Operators
- if elif else

Difficulty

☆☆☆☆ Placement

Interview Tip

This checks whether the candidate can place a premium exception above a broader rule.

Question 93

Scenario

English

You are creating a salary account offer checker. The bank stores welcome offers in a dictionary: `classic: Basic Card`, `premium: Airport Lounge`, `elite: Wealth Desk`. Take Account Type as input. If the account type exists, print the mapped offer; otherwise print `No Offer Available`.

Hinglish

Bank me alag account types ke alag welcome offers dictionary me stored hain. Account type input lo. Agar key mil jaye to uska offer print karo.

Requirements

- Create a dictionary of account-type offers.
- Take Account Type as input.
- Check the key and print the corresponding offer.

Answer (Approach Only)

Use a dictionary, take input with `input()`, check the key using `in`, and print the value if it exists.

Expected Output

```
Enter Account Type : premium
Airport Lounge
```

Concept Used

- Dictionaries
- Input
- Membership Operator
- if else
- print()

Difficulty

★★★★★ Placement

Interview Tip

This checks whether the candidate can use dictionary mapping in an interview without overcomplicating the logic.

Question 94

Scenario

English

You are working on a courier reroute screen. If the first digit of the pincode is 4 and weather status is clear, print Normal Delivery Route; if the first digit is 4 and weather status is rain, print Delayed City Route; otherwise print Outstation Delivery Route. Take Pincode and Weather Status as input.

Hinglish

Courier route me pincode ka first digit aur weather status use ho raha hai. First digit 4 aur weather clear ho to normal city route, 4 plus rain ho to delayed route, warna outstation route.

Requirements

- Take Pincode and Weather Status.
- Use string slicing to get the first digit.
- Print the correct delivery route.

Answer (Approach Only)

Use `input()` for pincode, get the first character using slicing, and solve using `if elif else` with `and`.

Expected Output

```
Enter Pincode : 400001
Enter Weather Status : rain
Delayed City Route
```

Concept Used

- Strings
- String Slicing
- Input
- Logical Operators
- if elif else

Difficulty

☆☆☆☆ Placement

Interview Tip

This checks whether the candidate can combine a sliced code value with another operational condition.

Question 95

Scenario

English

You are building a fintech loan pre-check. If salary is 50000 or above and employment type is permanent, print Pre-Approved; if salary is 30000 or above and employment type is contract, print Needs Manual Review; otherwise print Application Rejected. Take Applicant Name, Salary, and Employment Type as input.

Hinglish

Loan pre-check me salary aur job type important hain. 50000+ permanent par pre-approved, 30000+ contract par manual review, aur baaki par reject.

Requirements

- Take Applicant Name, Salary, and Employment Type.
- Use two different combined eligibility rules.
- Print the loan screening result.

Answer (Approach Only)

Use `int()` for salary and apply `if elif else`, combining salary and employment type with `and`.

Expected Output

```
Enter Applicant Name : Saloni
Enter Salary : 52000
Enter Employment Type : permanent
Pre-Approved
```

Concept Used

- Variables
- Input
- Type Casting
- Logical Operators
- if elif else

Difficulty

☆☆☆☆ Placement

Interview Tip

This checks whether the candidate can build screening logic that produces approval, review, and rejection paths.

Question 96

Scenario

English

You are creating a university admission path checker. If percentage is 85 or above and entrance status is qualified, print Merit Admission; if percentage is 60 or above and entrance status is qualified, print General Admission; otherwise print Admission Not Granted. Take Student Name, Percentage, and Entrance Status as input.

Hinglish

University admission me marks aur entrance result dono dekhna hai. 85+ plus qualified par merit admission, 60+ plus qualified par general admission, warna no admission.

Requirements

- Take Student Name, Percentage, and Entrance Status.
- Use two combined branches with different mark ranges.
- Print the admission outcome.

Answer (Approach Only)

Use `int()` for percentage and solve using `if elif else`, using `and` in the first two branches.

Expected Output

```
Enter Student Name : Tanmay
Enter Percentage : 72
Enter Entrance Status : qualified
General Admission
```

Concept Used

- Variables
- Input
- Type Casting
- Logical Operators
- `if elif else`

Difficulty

★★★★★ Placement

Interview Tip

The interviewer wants to see whether the candidate can model related branches that share one common requirement.

Question 97

Scenario

English

You are developing a cyber security login checker. If device status is trusted and IP zone is home, print Login Approved; if device status is trusted and IP zone is public, print OTP Verification Required; otherwise print Login Blocked. Take Username, Device Status, and IP Zone as input.

Hinglish

Cyber login system me trusted device aur IP zone ke hisaab se access decide hota hai. Trusted plus home par approve, trusted plus public par OTP verify, aur baaki par blocked.

Requirements

- Take Username, Device Status, and IP Zone.
- Use multiple combined security branches.
- Print the correct login action.

Answer (Approach Only)

Use string inputs and solve with `if elif else`, using `and` in the first two branches.

Expected Output

```
Enter Username : rohit_dev
Enter Device Status : trusted
Enter IP Zone : public
OTP Verification Required
```

Concept Used

- Variables
- Input
- Strings
- Logical Operators
- if elif else

Difficulty

☆☆☆☆ Placement

Interview Tip

This checks whether the candidate can create secure fallback logic instead of a simple allow-or-block rule.

Question 98

Scenario

English

You are working on a grocery freshness checker. If batch code starts with FR and shelf name is cooler, print Fresh Stock; if batch code starts with FR and shelf name is not cooler, print Move To Cooler; otherwise print Regular Stock Check. Take Item Name, Batch Code, and Shelf Name as input.

Hinglish

Grocery freshness checker me fresh batch codes FR se start hote hain. Agar fresh batch cooler shelf par hai to fresh stock, nahi to cooler me shift karna hai. Baaki items par regular check.

Requirements

- Take Item Name, Batch Code, and Shelf Name.
- Use a prefix check and shelf comparison.
- Print the correct stock instruction.

Answer (Approach Only)

Use `input()` and `startswith()` with `if elif else`. Combine conditions using `and`.

Expected Output

```
Enter Item Name : Yogurt
Enter Batch Code : FR2201
Enter Shelf Name : cooler
Fresh Stock
```

Concept Used

- Strings
- Input
- String Methods
- Logical Operators
- if elif else

Difficulty

☆☆☆☆ Placement

Interview Tip

This checks whether the candidate can convert product-coding rules into precise operational actions.

Question 99

Scenario

English

You are building a movie festival pass validator. If city is in Mumbai, Goa, or Pune and pass code starts with VIP, print Premium Lounge Access; if pass code starts with GEN, print Standard Entry; otherwise print Pass Validation Failed. Take Visitor Name, City, and Pass Code as input.

Hinglish

Movie festival pass me city aur pass code dono check honge. Allowed city plus VIP pass par premium lounge, GEN pass par standard entry, warna validation fail.

Requirements

- Take Visitor Name, City, and Pass Code.
- Store allowed cities in a collection.
- Use membership and prefix checks in multiple branches.

Answer (Approach Only)

Create a list or set for valid cities. Use `startswith()` for the pass code and solve using `if elif else`.

Expected Output

```
Enter Visitor Name : Kabir
Enter City : Goa
Enter Pass Code : VIP778
Premium Lounge Access
```

Concept Used

- Sets
- Input
- Membership Operator
- String Methods
- if elif else

Difficulty

☆☆☆☆ Placement

Interview Tip

This checks whether the candidate can combine whitelist validation with code-pattern validation.

Question 100

Scenario

English

You are building a placement offer suggestion screen. If role preference is developer, Python score is 80 or above, and communication status is good, print `Recommend Technical Interview`; if role preference is support and communication status is good, print `Recommend Support Interview`; otherwise print `Needs More Practice`. Take Candidate Name, Role Preference, Python Score, and Communication Status as input.

Hinglish

Placement suggestion screen me candidate ki role preference, Python score, aur communication status dekhna hai. Developer role ke liye 80+ score aur good communication par technical interview recommend karo. Support role ke liye good communication ho to support interview. Baaki sab ko more practice bolo.

Requirements

- Take Candidate Name, Role Preference, Python Score, and Communication Status.
- Use a three-condition branch for technical role.
- Print the final interview recommendation.

Answer (Approach Only)

Use `input()` and `int()` for Python score. Solve the logic using `if elif else`, and use `and` where required.

Expected Output

```
Enter Candidate Name : Rohit
Enter Role Preference : developer
Enter Python Score : 86
Enter Communication Status : good
Recommend Technical Interview
```

Concept Used

- Variables
- Input
- Type Casting
- Logical Operators
- if elif else

Difficulty

☆☆☆☆ Placement

Interview Tip

This question checks whether the candidate can combine performance, preference, and communication into a placement-style decision.

Final Revision

Use this section before an interview round to revise the pattern behind beginner logical programs.

- Read the scenario slowly and identify the exact input values.
- Decide whether each input is a number or a string.
- Convert numeric input immediately using `int()` or `float()` when required.
- Find the condition words: `if`, `only if`, `above`, `below`, `starts with`, `ends with`, `in`, `and`, `or`.
- Write the success case first when it is the most specific case.
- Use `if elif else` when there are multiple outcomes.
- Use collections when several valid values belong to the same group.
- Use string methods for format checking instead of complicated logic.
- Use slicing when only part of a code, tag, or roll number matters.
- Always test one sample input in your mind before finalizing the condition.

Interview Cheat Sheet

1. When to use `if`

Use `if` when you want to run something only when a condition is true.

2. When to use `if else`

Use `if else` when there are exactly two outcomes.

3. When to use `if elif else`

Use `if elif else` when there are multiple categories or slabs.

4. When to use `and`

Use `and` when every condition must be true.

5. When to use `or`

Use `or` when any one condition is enough.

6. When to use `in`

Use `in` to check whether a value exists in a list, tuple, set, dictionary key list, or even inside a string.

7. When to use string methods

Use `startswith()`, `endswith()`, `lower()`, `upper()`, `isupper()`, `islower()`, and `istitle()` for clean validation.

8. When to use slicing

Use slicing when only the first part or last part of a string matters.

9. When to use dictionaries

Use dictionaries when one input value must give one direct mapped output.

10. When to use sets

Use sets when you want to store unique allowed values for membership checking.

11. About `is`

`is` checks whether two variables refer to the same object, while `==` checks whether values are equal. In beginner interview questions, most comparisons are value-based, so `==` is usually the safer choice.

12. Golden rule

First understand the business rule, then write the condition.

Common Beginner Mistakes

- Forgetting to convert age, marks, salary, or amount from string to number.
- Using `=` instead of `==` in conditions.
- Writing broad conditions before specific conditions in `if elif else`.
- Comparing text without handling case properly.
- Forgetting that `in` can check strings and collections.
- Mixing `and` and `or` without thinking about the exact business rule.
- Checking the wrong boundary, such as `>` instead of `>=`.
- Using dictionary values before checking whether the key exists.
- Taking input correctly but printing the wrong final message.
- Ignoring the exact output wording asked in the question.

Placement Tips

- In beginner interviews, clarity matters more than short code.
- Convert the English scenario into three parts: input, condition, output.
- Say the logic aloud before coding. It reduces mistakes.

- Start with the most important or most restrictive rule first.
- For multiple categories, always think from top slab to bottom slab.
- For string validation, check prefix, suffix, or exact match based on the question wording.
- For service-area or allowed-value questions, use a list, tuple, or set instead of many repeated comparisons.
- Keep variable names meaningful, such as `age`, `marks`, `plan_type`, or `city`.
- Practice typing sample input and expected output mentally. Interviewers like candidates who can dry-run their own code.
- Revise twenty questions from each difficulty layer instead of reading all hundred in one sitting.

End of Workbook.